

## **Acknowledgments.**

This study was funded by a Team Grant from the Canadian Institutes of Health Research (CIHR) entitled “The CIHR Team in Driving in Older Persons (Candrive II) Research Program” (grant 90429). Additional support was provided by the Ottawa Hospital Research Institute and the Toronto Rehabilitation Institute, University Health Network. Dr. Naglie is supported by the George, Margaret, and Gary Hunt Family Chair in Geriatric Medicine, University of Toronto. Dr. Michel Bédard was supported by a Canada Research Chair in Aging and Health during the development phase of this study. The Candrive Investigators thank the Candrive cohort study participants for their dedication. Without their commitment, this publication would not have been possible. The Candrive Investigators thank Lynn MacLeay, Candrive Program Manager, for her role in managing and operationalizing the study for the Canadian sites. The Candrive Investigators thank the Research Associates for their dedication and contribution to the success of the study (in order of participant recruitment); Candrive Research Coordinators; Jennifer Biggs and Anita Jessup (Ottawa Coordinating Centre), Phyllis McGee (Victoria), Linda Johnson and Joanne Parsons (Winnipeg), Novlette Fraser and Sue Woodard (Toronto), Sheila Garrett (Hamilton), Felice Mendelsohn, Minh-Thy DinhTruong, Suzie Schwartz and Rivi Levkovich (Montreal), and Laura Morrison, Hillary Maxwell (Thunder Bay). The Candrive Investigators also thank the additional support staff for their dedication and contribution to the success of the study; Kelly Weegar and Chantal Rockwell (Ottawa).

**Abstract**

(143 words)

We hypothesized that changes over time in cognitive performance are associated with changes in driver perceptions, attitudes and self-regulatory behaviors among older adults. Healthy older adults (n=928) underwent cognitive assessments at baseline with two subsequent annual follow-ups, and completed scales regarding their perceptions, attitudes and driving behaviours.

Multivariate analysis showed small but statistically significant relationships between the cognitive tests and self-report measures, with the largest magnitudes between scores on the Trails B (seconds), perceptions of driving abilities ( $\beta=-0.32$ ) and , situational driving avoidance ( $\beta=0.55$ ), and ( $p<0.05$ ). Cognitive slowing and executive dysfunction appear to be associated with modestly lower perceived driving abilities and more avoidance of driving situations over time in this exploratory analysis.

## **Is cognitive performance associated with older adults' driving behaviours and attitudes over time?**

Driving is a cognitively demanding task, and declines in cognitive functioning associated with ageing and particularly age-related disorders may pose significant risks to older adults' ability to operate a motor vehicle safely (Mathias & Lucas, 2009). Previous cross-sectional studies have found evidence of an association between cognitive functioning and driving ability, although the associations varied depending on the measures used to assess cognitive functioning, with specific performance-based tasks more likely to be related to driving practices (Ball et al., 2006; Bedard, Weaver, Darzins, & Porter, 2008; Classen et al., 2008; Rapoport et al., 2013) than global cognitive assessments (Crizzle, Myers, & Almeida, 2013; Rapoport, et al., 2013). However, cognitive impairment in later life does not necessarily influence older adults' decisions to restrict or quit driving (Kowalski et al., 2012; Molnar & Eby, 2008), and longitudinal research is needed to discern whether changes in cognitive functioning influence self-regulatory driving practices, as well as perceptions and attitudes related to driving.

Our previous cross-sectional research found statistically significant, but only modest associations between Trails A and B completion times and driver perceptions (day and night driving comfort and perceived driving abilities) and driving restrictions (situational avoidance) in a large sample of older drivers (Rapoport, et al., 2013). The current study extends that work by examining whether changes in cognitive performance are associated with intra-individual changes in driving attitudes and behaviour over a two year period among a cohort assessed at baseline and annually thereafter. We hypothesized that changes over time in cognitive performance are associated with changes in driver perceptions, attitudes and self-regulatory behaviors among older adults.

## Methods

### Participants

Participants ( $N = 928$ ) were drawn from a Canadian nation-wide driving study (Candrive II; see Marshall et al., 2013 for details) and were recruited from seven cities across four provinces (Ontario, Quebec, Manitoba, and British Columbia). Eligible participants were active drivers with a valid license, aged 70 years or older at inception, without medical contraindications that could impair their driving abilities according to the Canadian Medical Association (Association, 2012).

Demographic information was collected at baseline. Participants ranged in age from 70 to 94 years ( $M = 76.21$ ,  $SD = 4.85$ ) and 62% ( $n = 577$ ) were males. Most participants (45%) had completed some post-secondary education after high school, 19% had obtained a diploma or a trade/technical certificate beyond high school, 26% completed high school, and 10% did not continue beyond grade school.

Attrition was minimal across the three waves of data collection. Selective attrition was assessed by testing for differences in demographic characteristics at baseline (T1) for participants who remained in the study compared to those who did not one year, (T2:  $n = 46$ , 5%; 65% males) and two years later, (T3  $n = 108$ , 12%; 65% males). Although there were no attrition-related differences in gender or education, by T3, participants who dropped out were, on average, almost 2 years older at baseline ( $M = 77.79$ ,  $SD = 5.41$ ) than participants who remained in the study ( $M = 76.01$ ,  $SD = 4.74$ ),  $t(926) = -3.39$ ,  $p = .001$ .

### Procedure

Each participating research institution received ethical approval by their respective human research ethics board, and all participants provided written informed consent. Participants

underwent annual comprehensive evaluations of their health status, completed a battery of functional tests (sensory, physical, and cognitive) as well as measures of driver perceptions, self-regulatory behaviors and intentions to continue driving (Marshall et al., 2013).

## **Measures**

### ***Cognitive performance***

*The Montreal Cognitive Assessment (MoCA)* (Nasreddine et al., 2005) was used as a screening tool for mild cognitive impairment (MCI) and early Alzheimer's disease. Scores can range from 0 to 30, with lower scores indicating more cognitive impairment, and for this paper, the scores were corrected for education.

*The Mini Mental State Examination (MMSE)* (Folstein, Folstein, & McHugh, 1975) was used to assess participants' overall cognitive function. Possible scores range from 0 to 30, where 0 indicates severe cognitive impairment and 30 indicates no impairment.

*The Trail Making Test* (Reitan, 1958) was used to test psychomotor speed, mental flexibility, and executive function (Moses Jr., 2004). The test consists of two parts (A and B). Part A requires the participant to connect a series of 25 numbers in numerical order, whereas part B requires participants to draw lines between 13 numbers and 12 letters in sequential alternating order. Performance was measured as the number of seconds required to complete the task as well as the number of errors. Lower values indicate better performance.

*The Months task* (Katzman et al., 1983) was used to test attention and mental control. Participants were asked to reverse-order months of the year. Performance was measured as the number of seconds required to complete the task as well as the number of errors, with lower values indicating better performance.

*The Digit-Span Task*, a subtest from the Wechsler Memory Scale-Revised (WMS-R; (Wechsler, 1987), was used to assess attention, short-term memory, and working memory. In the ‘forward’ portion of the test, the number of digit sequences correctly repeated was summed. Similarly, in the ‘backward’ portion, the number of digit sequences correctly repeated in a backward fashion was summed. Higher scores indicate better performance on the task, and participants have a maximum of two chances to succeed at each level. For example, a digit span forward or backward of 2 is characterized as a score of either 1 or 2, and a digit span of 8 is characterized by a score of either 13 or 14. The maximum score is 16 for the ‘forward’ portion (i.e., a forward digit span of 9), and the maximum score is 14 for the ‘backward’ portion (i.e., a backward digit span of 8).

*The Motor-Free Visual Perception Test (MVPT)* (Mercier, Hebert, Colarusso, & Hammil, 1997) was used to measure aspects of visual-perceptual abilities (e.g., visual analysis, visual discrimination, and figure-ground discrimination) that have been shown to impact on-road driving performance in older drivers referred for driving assessment (Mazer, Korner-Bitensky, & Sofer, 1998; Oswanski et al., 2007). Performance was measured as the number of correct responses on the task such that higher values represent better performance.

### ***Driver perceptions, attitudes and self-regulatory driving behaviours***

*Driver Perceptions.* Perceived driving comfort was assessed using the Daytime Driving Comfort (DCS-D) and the Nighttime Driving Comfort (DCS-N) Scales (DCSs)(Myers, Paradis, & Blanchard, 2008). Both scales were developed inductively with older adults and have good psychometric properties, including internal structure and test-retest reliability (Myers et al., 2008; Blanchard & Myers, 2010). When rating their level of comfort on a five-point scale (0%, 25%, 50%, 75% 100%), respondents are asked to consider confidence in their own skills as well

as the situation itself and to assume normal traffic conditions unless otherwise stated. Scores can range from 0% to 100% with higher scores indicating higher levels of comfort (Myers et al., 2008). Perceived driving abilities were assessed using the Perceived Driving Abilities (PDA) Scale which asks drivers to rate their abilities (such as seeing road signs or pavement lines, avoiding curbs or medians, reversing, making quick driving decisions) (Blanchard & Myers, 2010).

*Driving Attitudes.* The Decisional Balance Plus Scale (DBP) (Jouk et al., In Press, this volume; Lindstrom-Forneri, Tuokko, & Rhodes, 2007; Tuokko, McGee, & Rhodes, 2006) was used to assess psychosocial attitudes towards driving, including positive aspects of driving relevant for the individual (Pro-self; e.g., “Driving a vehicle is pleasurable”), positive aspects of driving relevant for others (Pro-other; e.g., “Others count on me being able to drive”), negative aspects of driving relevant for the individual (Con-self; e.g., “The financial cost of maintaining a vehicle is an increasing concern of mine”), and negative aspects of driving relevant to others (Con-other; e.g., “My driving bothers other people”).

*Self-regulatory driving behaviours.* The Situational Driving Frequency (SDF) and Situational Driving Avoidance (SDA) Scales were used to assess self-reported driving restrictions (Blanchard & Myers, 2010; MacDonald, Myers, & Blanchard, 2008). The SDF assesses how often people drive in challenging situations (such as at night, in new or unfamiliar areas) while the SDA asks people to check particular situations (such as bad weather, heavy traffic) they try to avoid if possible, with higher scores indicating greater frequency and avoidance of driving in challenging situations, respectively (MacDonald et al., 2008).

### **Data analytic strategy**

We used multilevel models to examine within-person (cognitive performance) and between-person (age, gender and education) factors that are hypothesized to be associated with changes in driving behaviors, perceptions and attitudes across 2 years of assessment. Two levels were specified in the multilevel models to account for the nested structure of the data (i.e., measurement occasions are nested within individuals). Unlike traditional ordinary least square techniques such as repeated measures analysis of variance, which assume uniform change across time for all individuals in a sample, multilevel analyses models each individual's unique pattern of change across time providing both average (i.e., fixed effects) and individual deviations from this average trajectory (i.e., random effects). Multilevel analyses also permit the use of participants with incomplete data across time through the use of maximum likelihood estimation.

First, we applied a time-based model to the data to estimate individual rates of cognitive performance as a function of time across the 2-year period. Age, gender (0 = male, 1 = female), and education (0 = grade school, 1 = high school, 2 = trades, 3 = diploma, 4 = degree, 5 = post-graduate) were added as candidate predictors of the intercept and slope parameters to examine between-person differences in initial levels of cognitive performance and in rates of change over time. Next, to identify intra-individual covariates of cognitive performance, we extended the time-based models by including driver perceptions, and self-regulatory driving behaviours as time-varying covariates. This analysis determines whether a participant's contemporaneous perceptions (driving comfort and abilities), attitudes (pro-self, pro-other, con-self, con-other) and self-regulatory behaviours (situational driving frequency and avoidance) were linked to higher (or lower) cognitive scores independent of linear changes in cognition across time. In other words, specifying driver perceptions, attitudes and behaviours as time-varying covariates permits examination of whether these variables "travel together" with cognitive performance over time.

All analyses were adjusted for age and gender. Education was adjusted for in all analyses except for that pertaining to the MoCA, because the MoCA itself contains an education adjustment.

Separate models were used to assess the relationships between cognitive performance and driving behaviours, perceptions and attitudes over time. Mplus v7 (Muthén & Muthén, 1998-2012) was used for all multilevel analyses using full information maximum likelihood (FIML) estimation procedures. FIML estimation enables the analyses to use all available data to produce model estimates. Assumptions of normality were assessed using SPSS 17.0. A number of univariate outliers were identified on all the cognitive variables. Scores that were greater than 2 standard deviations away from the mean (approximately 2-5% of the sample) were omitted from the analyses (Fidell & Tabachnick, 2006). In this exploratory analysis, we tested many hypotheses and the critical p-value was not adjusted (Rothman, 1990; Savitz & Olshan, 1995).

[Insert Tables 1 and 2 here]

## **Results**

### **Descriptive data**

Psychometric data and mean levels of driving behaviours, perceptions, and attitudes are presented in Table 1. Mean levels of cognitive performance are provided in Table 2.

[Insert Table 3 here]

### **Time-based models: Cognitive performance over time**

Table 3 summarizes results from the initial time-based models that examine the trajectories of cognitive performance over the 2 years of assessments. Most of the cognitive measures remained relatively stable over time. MMSE ( $\beta = 0.11$ ) and digit-span backward task ( $\beta = 0.11$ ) scores increased over time, reflecting small improvements over the course of the study. However, the increases were modest; representing average increases of 0.39% (i.e.,  $\beta$

coefficient divided by baseline score, 0.11/28.13) in MMSE scores and 1.75% (0.11/6.29) in digit-span backward scores for each additional year from baseline. In Trails A, the significant positive slope coefficient ( $\beta = 0.77$ ) for seconds indicate that, on average, participants took longer to complete the task over time, although the significant negative slope coefficient for the number errors ( $\beta = -0.05$ ) indicate that participants committed fewer errors over time. As with the MMSE and digit-span back task, the increase was modest; representing an average increase of 2.09% (0.77/36.78) in seconds to complete the task and a decrease of 0.25% (0.05/.20) in number of errors over time with Trails A. Age, gender, and education were related to baseline levels and changes in some of the cognitive measures, and were thus controlled for in all subsequent covariation analyses.

[Insert Table 4 here]

**Time-varying covariation models: Do changes in cognition correspond with changes in driving behaviours, perceptions and attitudes over time?**

To determine whether within-person increases or decreases in cognitive performance are associated with corresponding increases or decreases in various driving outcomes, we tested models that included driving behaviours (SDF and SDA scores), perceptions (DCS and PDA scores), and attitudes (pro-self, pro-other, con-self, and con-other) as concurrent within-person predictors. The resulting coefficients (reported in Table 4) indicate whether longitudinal trajectories of the various driving scales covary with the longitudinal trajectories for the cognitive measures.

*Perceived driving ability (PDA).* Increased PDA scores (or better perceptions of one's driving abilities) over time were associated with faster times to complete Trails A and B ( $\beta$ s = -0.07 and -0.32, respectively). Specifically, for every one second decrease in the time it took to

complete the Trails A and B task, there was a corresponding increase of 0.19% (calculated by  $\beta$  score for the relationship divided by the intercept for the cognitive measure,  $0.07 / 36.78$ ) and 0.34% in PDA scores. Similarly, improvement in performance on Digit-span forward task ( $\beta = 0.02$ ) over the course of the study was associated with a 0.18% increase over time in PDA scores.

*Situational Driving Frequency (SDF)*. Lower SDF scores over time were associated with Trails B errors ( $\beta = -0.01$ ), indicating that more errors on the Trails B over time were associated with a reduction in frequency of driving in challenging situations over time. However, the magnitude was small, representing a 0.04% decrease in the SDF score per every unit increase in Trails B errors scores, over and above the effect of time.

*Situational Driving Avoidance (SDA)*. Slower performance on the Trails A and B tasks over time was associated with increasing SDA scores (0.68% and 0.58% respectively), indicating that poorer performance on both tasks over time was related to greater reported avoidance of driving in challenging situations. Participants who committed more errors on the Trails B task with time also reported greater driving avoidance over the course of the study (1.37% increase).

*Driving Comfort (DCS-Day and DCS-Night)*. Participants who performed faster on the Trails A and B tasks over time reported higher levels of driving comfort during the day and at night (day  $\beta$ s = -0.05 and -0.09; night  $\beta$ s = -0.03 and -0.09 for Trails A and B respectively) compared to individuals who performed poorer on the tasks over time. Specifically, for every one second decrease in the time it took to complete the Trails A and B tasks, there was a corresponding increase of 0.14% and 0.10% in daytime driving comfort scores. Similarly, there was a corresponding increase of 0.08% and 0.10% in nighttime driving comfort scores per every one second decrease in the time it took to complete the Trails A and B tasks.

*Decisional Balance.* Positive views towards driving for oneself (DBP-pro-self) declined by 2.74% over time for each unit increase of errors on the Trails B. A decrease in others' views of one's driving over time (DBP-pro other) was associated with a 0.35% decrease in Trails A speed, and a 1.37% increase of errors on Trails B over time. In contrast, fewer negative perceptions of driving for oneself over time (con-Self) was associated with faster performance on the both the Trails A and B and Months tasks (0.44%, 0.55%, and 0.41% respectively), and fewer negative perceptions of driving in relation to others over time was associated with a 0.44% faster performance on Trails A, and a better performance on digit-span backward (0.48%).

## **Discussion**

In this well-educated sample of older drivers, cognitive functioning was strong and relatively stable over the two years of the study. There were modest improvements over time in MMSE and digit span backward scores. Time to complete the Trails A worsened over time although there were fewer errors. These cognitive changes were statistically significant with our large sample size, but the magnitude was extremely small, in the order of less than one point of digit span and MMSE, less than one error on Trails A, and MMSE, and less than one second on the time to complete Trails A.

Correspondingly, although we found some associations between cognitive changes and changes in self-reported driving frequency and avoidance, as well as perceptions of driving comfort and abilities, the magnitude of these associations was small. For example, the associations of the largest magnitude in the present study were that faster time to complete Trails B was associated with increases in perceived driving abilities, as well as a reduction in both self-reported driving avoidance and negative perceptions and attitudes towards their own driving skills (both scores on the PDA and DBP con self). Specifically, each second decrease over time

in Trails B time was associated with a 0.34% increase in perceived driving ability, a 0.58% decrease in situational driving avoidance and a 0.55% decrease in negative attitudes of their own driving over time. This corresponds with less than 0.20 of a point in each of those three scales, indicating that in our sample with relatively stable cognitive functioning over time, the impact of the observed changes in Trails B was minimal.

More dramatic increases or decreases in Trails B performance over time, however, could have significant effects on these driving variables. An increase of 1.5 SD from baseline on the time to complete Trails B is about 67 seconds longer than baseline, and would correspond with an approximate 8 points decrease on the PDA, 2 points on SDA and 13 points on the DBP con-self scales, yielding a potentially clinically meaningful association between worsening executive functioning and perceived worsening in abilities and more driving avoidance. The other cognitive measures do not share the potential clinical significant effect on driving behaviours or perceptions. For example, an increase over baseline of 21 seconds (1.5 SD) on time to complete the Trails A test would be associated with a change of less than one point (0.75) on the SDA scale.

Many international guidelines recommend using the Trails B as a test of divided attention, set shifting and psychomotor speed to assess older or medically at risk drivers. Increased time to complete Trails B has been associated with motor vehicle crashes and poor driving performance (Roy & Molnar, 2013). In the present study, over a two year period, average Trails B performance remained well within the published age-related norms (Tombaugh, 2004), and well within the recommended cut-offs for driving safety (Roy & Molnar, 2013), although we did observe a broad range of scores. Worse performance over time on this cognitive test is associated with lower perceived driving abilities, lower perceptions of abilities compared to

oneself, greater avoidance of dangerous driving situations, and to a much lesser magnitude, lower driving comfort during the day and at night. The magnitude of the association between change in time to complete Trails B and change in perceived driving abilities and driving avoidance was much larger in this longitudinal analysis than in our cross-sectional analysis of baseline data (Rapoport, et al., 2013). The coefficient for the relationship between Trails B time and SDA scores was 0.55 in the longitudinal analysis (compared to 0.01 in the cross-sectional analysis), and 0.32 with PDA scores longitudinally (as compared to 0.02 cross-sectionally). Hence, cognitive slowing and increased executive dysfunction appear to be associated, at least modestly, with declines in perceived driving abilities and greater avoidance of driving in challenging situations over time. While it would be reassuring to show evidence that older adults with worsening cognition may be restricting their driving, driving avoidance is determined by many factors, including preferences and changes in lifestyle (Molnar et al., 2013), and restrictions may not always be appropriate or enhance safety (Langford et al., 2013; Ross et al., 2009).

The strengths of the present study include the large sample size, longitudinal analysis, small attrition rate, and careful control of potential confounds such as age, education, and gender. One of the main limitations is that our driving measures were based on self-report. Previous naturalistic driving studies with smaller samples have shown that older drivers may not avoid or otherwise restrict their driving practices as much as they self-report (Blanchard & Myers, 2010; Crizzle, et al., 2013). A recent publication from our group indicates that in a subset of the Candrive cohort, only moderate agreement was found between self-reported distance and objectively measured actual driving distance, with a weighted kappa of 0.57 (95% CI 0.47-0.67) (Porter et al., 2015).

Secondly, the large number of tests raises the potential for Type I errors. While p-value correction is not needed in exploratory analyses, the small associations found in the present exploratory analysis should be considered preliminary (Rothman, 1990; Savitz & Olshan, 1995). Third, the sample was highly cognitively intact, with a mean MMSE score of 28.1 at baseline, and with minimal changes over time: Two years of follow-up is likely insufficient to examine in detail the impact of clinically significant cognitive changes in such a population. The relatively subtle changes in the present study may influence driving cessation decisions when followed over a longer time period. Finally, the Candrive cohort is made up of cognitively intact volunteers with no medical contraindications to driving at enrollment. Although the sample is similar in self-perceived health to the more representative sample of older Canadians collected in the Canadian Community Health Survey – Healthy Aging (CCHS HA) (Canada, 2008) (Gagnon et al., 2012), the true representativeness of the sample remains to be determined, and this data should not be seen as reflective of a population of older adults with neurodegenerative disorders or other medical problems that pose driving risk.

Further analyses of the Candrive cohort data are needed to determine whether the trajectory of worsening Trails B performance is associated with further reductions in perceived driving abilities, and whether relationships between other cognitive and psychosocial variables emerge. Most importantly, we need to examine whether decrements in cognitive functioning are associated with objectively measured changes in driving practices and crash risk.

Table 1.

Psychometric properties and mean levels of driving behaviours, perceptions and attitudes

Variables	$\alpha$	Range	Mean (SD)
<b>Perceived Driving Abilities</b>			
T1	.92	17-45	35.89 (6.10)
T2	.92	11-45	35.61 (6.21)
T3	.92	12-45	35.48 (6.11)
<b>Situational Driving Frequency</b>			
T1	.85	11-56	35.27 (7.34)
T2	.86	12-56	34.57 (7.56)
T3	.85	11-131	34.48 (8.16)
<b>Situational Driving Avoidance</b>			
T1	<i>na</i>	0-20	5.32 (4.12)
T2	<i>na</i>	0-20	5.35 (4.14)
T3	<i>na</i>	0-20	5.45 (4.15)
<b>Day Driving Comfort</b>			
T1	.92	23-100	76.21 (15.97)
T2	.92	13-100	77.05 (15.94)
T3	.92	15-100	76.37 (15.89)
<b>Night Driving Comfort</b>			
T1	.97	2-100	68.16 (20.73)
T2	.97	0-100	68.81 (21.28)
T3	.97	2-100	67.76 (21.26)
<b>DBP Pro-self</b>			
T1	.84	9-40	21.71 (6.07)
T2	.84	9-42	22.01 (6.10)
T3	.84	1-41	22.02 (6.02)
<b>DBP Pro-other</b>			
T1	.70	5-30	14.57 (3.75)
T2	.71	7-28	14.76 (3.76)
T3	.72	5-31	14.73 (3.80)
<b>DBP Con-self</b>			
T1	.76	18-45	34.71 (4.99)
T2	.76	18-45	34.74 (4.97)
T3	.77	4-45	34.46 (5.15)
<b>DBP Con-other</b>			
T1	.80	18-35	31.09 (3.28)
T2	.81	18-35	31.02 (3.39)
T3	.83	10-35	30.97 (3.47)

*Note.* *Ns* for T1 = 928, T2 = 882, and T3 = 774;  $\alpha$  = Cronbach's alpha; DBP = Decisional balance plus scale; *na* = Not applicable as scores are counts.

Table 2.

Mean levels of cognitive performance

Variables	Range	Mean (SD)
Montreal Cognitive Assessment (MoCA)		
T1	13-30	25.92 (2.48)
T2	13-30	26.10 (2.57)
T3	16-30	25.82 (2.62)
Mini Mental State Exam (MMSE)		
T1	20-30	28.10 (1.67)
T2	22-30	28.68 (1.38)
T3	22-30	28.32 (1.52)
Trails A seconds		
T1	14-169	38.78 (13.90)
T2	17-140	39.57 (13.82)
T3	8-159	39.37 (13.87)
Trails B seconds		
T1	30-556	98.15 (44.41)
T2	25-501	98.26 (45.94)
T3	33-409	97.32 (43.09)
Trails A errors		
T1	0-3	.17 (.45)
T2	0-3	.11 (.35)
T3	0-2	.09 (.33)
Trails B errors		
T1	0-9	.76 (1.10)
T2	0-10	.73 (1.09)
T3	0-8	.69 (1.07)
Months task seconds		
T1	3-72	12.85 (6.28)
T2	1-171	12.82 (7.98)
T3	1-136	12.60 (6.50)
Months task errors		
T1	0-10	.14 (.53)
T2	0-3	.11 (.38)
T3	0-5	.12 (.42)
Digit-span forward task		
T1	0-19	10.99 (2.53)
T2	5-16	11.05 (2.42)
T3	5-16	11.08 (2.34)
Digit-span backward task		

T1	0-14	6.62 (2.46)
T2	1-14	6.68 (2.36)
T3	1-14	6.92 (2.37)
<b>Motor-free Visual Perception</b>		
<b>Task (MVPT; seconds)</b>		
T1	55-766	142.69 (54.91)
T2	49-612	125.62 (48.14)
T3	51-565	124.11 (46.43)

---

*Note.* Ns for T1 = 928, T2 = 882, and T3 = 774.

Table 3. Time-based models: Cognitive trajectories adjusting for age, gender, and education.

	Cognitive Performance																					
	Montreal Cognitive Assessment (MoCA)		Mini Mental State Exam (MMSE)		Trails A (seconds)		Trails B (seconds)		Trails A (errors)		Trails B (errors)		Months Task (seconds)		Months Task (errors)		Digit-span Forward Task		Digit-span Backward Task		Motor-free Visual Perception Task (number of correct responses)	
	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE
Fixed effects																						
Intercept	25.92*	.11	28.13*	.08	36.78*	.53	94.06*	1.59	.20*	.02	.73*	.05	12.34*	.21	.15*	.02	11.01*	.11	6.29*	.11	10.97*	.07
Age	-.08*	.02	-.03*	.01	.56*	.09	1.95*	.26	.003	.004	.01	.01	.09*	.03	.01*	.004	<.001	.02	-.03	.02	-.03*	.01
Gender	.92*	.18	.45*	.14	-.51	.86	-3.44	2.57	-.01	.04	-.13	.09	-.74*	.33	-.03	.04	-.02	.18	.14	.19	.18	.11
Education	<i>na</i>	<i>na</i>	.04	.04	-.31	.24	-2.82*	.72	-.02	.01	-.07*	.02	-.29*	.09	-.03*	.01	.25*	.05	.31*	.05	.12*	.03
Time Slope																						
Age	-.07	.05	.11*	.04	.77*	.22	-.28	.60	-.05*	.01	-.04	.02	.09	.08	-.01	.01	-.004	.04	.11*	.04	.02	.04
Gender	-.03*	.01	-.004	.01	-.004	.04	-.02	.10	-.002	.002	.01	.004	.03*	.01	-.002	.002	-.01	.01	-.01	.01	-.01	.01
Education	-.04	.08	.02	.06	-.38	.35	-.39	.96	.01	.02	.03	.04	-.10	.12	-.01	.02	.02	.06	.08	.07	-.01	.06
Random effects																						
BP intercept	2.02*	.41	1.52*	.22	40.65*	9.32	537.20*	80.30	.15*	.02	.15	.10	10.05*	1.33	.12*	.02	3.37*	.36	3.31*	.39	1.26*	.13
BP slope	.17*	.08	.20*	.04	.20	1.71	1.06	12.89	.02*	.003	.01	.02	.04	.21	.01*	.003	.01	.05	.12	.06	.03	.05
WP residual	1.98*	.10	.99*	.05	47.58*	2.37	349.16*	17.86	.07*	.003	.58*	.03	5.43*	.25	.08*	.004	1.34*	.07	1.55*	.08	1.50*	.07

Note. BP = between-person. WP = within-person. *Na* = not applicable as education has been previously adjusted for. Unstandardized coefficients are presented. \* $p < .05$

Table 4. Time-varying covariation models: Cognitive performance as a function of time, driving behaviors, perceptions, and attitudes.

	Cognitive Performance																					
	Montreal Cognitive Assessment (MOCA)		Mini Mental State Exam (MMSE)		Trails A (seconds)		Trails B (seconds)		Trails A (errors)		Trails B (errors)		Months Task (seconds)		Months Task (errors)		Digit-span Forward Task		Digit-span Backward Task		Motor-free Visual Perception Task (number of correct responses)	
	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE	$\beta$	SE
<b>Driving outcomes</b>																						
PDA	.01	.01	<.001	.004	-.07*	.04	-.32**	.11	.001	.002	-.002	.003	-.01	.01	.001	.001	.02*	.01	.002	.01	-.02	.08
SDF	.01	.01	-.002	.004	-.05	.03	-.16	.09	<.001	.001	-.01**	.002	-.01	.01	-.001	.001	-.003	.01	.01	.01	.003	.01
SDA	-.01	.01	-.01	.01	.25***	.06	.55**	.18	.001	.004	.01*	.01	.04†	.02	.003	.002	.001	.01	-.01	.01	-.01	.01
<b>Psychosocial measures of driving</b>																						
<i>Comfort</i>																						
Day	<.001	.003	.001	.002	-.05**	.01	-.09*	.04	<.001	.001	-.001	.001	-.01	.01	<.001	.001	.003	.003	-.001	.003	<.001	.002
Night	-.001	.002	<.001	.001	-.03*	.01	-.09*	.03	<.001	.001	-.001	.001	-.01	.004	<.001	.001	.003	.002	.001	.002	.001	.002
<i>DBP</i>																						
Pro-self	<.001	.01	.01	.01	.01	.04	.09	.11	.002	.001	.02*	.01	-.01	.02	.001	.001	-.01	.01	-.01	.02	.003	.01
Pro-other	-.01	.01	.003	.01	.13*	.06	.25	.17	.003	.002	.01*	.01	-.003	.02	<.001	.002	-.001	.01	.01	.01	.01	.01
Con-self	.01	.01	.01	.01	-.16***	.05	-.52***	.13	.001	.001	-.01	.004	-.05*	.02	<.001	.002	.01	.01	.01	.01	.01	.01
Con-other	.03	.01	.001	.01	-.16***	.07	-.31	.19	.001	.002	-.002	.01	-.01	.02	-.002	.002	.01	.01	.03*	.01	<.001	.01

*Note.* PDA = Perceived driving ability; SDF = Situational driving frequency; SDA = Situational driving avoidance; DBP = Decisional balance plus scale. Unstandardized coefficients are presented. Age, gender, and education are controlled for in all covariation analyses. † $p = .06$ ; \* $p < .05$ ; \*\* $p < .01$ ; \*\*\* $p < .001$



## References

- Ball, K. K., Roenker, D. L., Wadley, V. G., Edwards, J. D., Roth, D. L., McGwin, G., Jr., . . . Dube, T. (2006). Can high-risk older drivers be identified through performance-based measures in a Department of Motor Vehicles setting? *Journal of the American Geriatrics Society*, 54(1), 77-84.
- Bedard, M., Weaver, B., Darzins, P., & Porter, M. M. (2008). Predicting driving performance in older adults: we are not there yet! *Traffic injury prevention*, 9(4), 336-341.
- Blanchard, R. A., & Myers, A. M. (2010). Examination of driving comfort and self-regulatory practices in older adults using in-vehicle devices to assess natural driving patterns. *Accident; analysis and prevention*, 42(4), 1213-1219.
- Canada, Statistics. (2008). *Canadian Community Health Survey (CCHS HA) - Healthy Aging - 2008/2009, User Guide*. Ottawa, ON.
- Canadian Medical Association (2012) *CMA Driver's Guide: Determining medical fitness to operate motor vehicles*. 8th ed. (8th edition ed.). Ottawa.
- Classen, S., Horgas, A., Awadzi, K., Messinger-Rapport, B., Shechtman, O., & Joo, Y. (2008). Clinical predictors of older driver performance on a standardized road test. *Traffic injury prevention*, 9(5), 456-462.
- Crizzle, A. M., Myers, A. M., & Almeida, Q. J. (2013). Self-regulatory practices of drivers with Parkinson's disease: accuracy of patient reports *Parkinsonism & related disorders*, 19(2), 176-180.
- Fidell, L. S., & Tabachnick, B. G. . (2006). *Using multivariate statistics*. Boston Allyn & Bacon.
- Folstein, M. F., Folstein, S. E., & McHugh, P. R. (1975). "Mini-mental state". A practical method for grading the cognitive state of patients for the clinician. *Journal of psychiatric research*, 12(3), 189-198.
- Gagnon, S., Marshall, S., Kadulina, Y., Man-Son-Hing, M., Korner-Bitensky, N., Gélinas, I., Mazer, B., . . . Myers, A. (2012, June, 2012). Does self-selection of participants in longitudinal studies of older drivers jeopardize external validity? Lessons from the Candrive II study. Paper presented at the Aging, Mobility and Quality of Life., Ann Arbor, Michigan.
- Jouk, A., Sukhawathanakul, P., Tuokko, H., Myers, A., Rapoport, M., Naglie, G., & al, et. (In Press, this volume). Psychosocial Constructs as Possible Moderators of Self-Reported Driving Restrictions: A Longitudinal Analysis of the Candrive II Data. *Canadian Journal on Aging*.

- Katzman, R., Brown, T., Fuld, P., Peck, A., Schechter, R., & Schimmel, H. (1983). Validation of a short Orientation-Memory-Concentration Test of cognitive impairment. *The American journal of psychiatry*, 140(6), 734-739.
- Kowalski, K., Love, J., Tuokko, H., MacDonald, S., Hultsch, D., & Strauss, E. (2012). The influence of cognitive impairment with no dementia on driving restriction and cessation in older adults. *Accident; analysis and prevention*, 49, 308-315.
- Langford, J., Charlton, J. L., Koppel, S., Myers, A., Tuokko, H., Marshall, S., . . . Macdonald, W. (2013). Findings from the Candrive/Ozcandrive study: Low mileage older drivers, crash risk and reduced fitness to drive. *Accident; analysis and prevention*, 61, 304-310.
- Lindstrom-Forneri, W., Tuokko, H., & Rhodes, R. . (2007). "Getting Around Town": A preliminary investigation of the theory of planned behavior and intent to change driving behaviors among older adults. *Applied Gerontology*, 26(4), 385-398.
- MacDonald, L., Myers, A.M., & Blanchard, R.A. . (2008). Correspondence among older drivers' perceptions, abilities and driving behaviors. *Topics in Geriatric Rehab*, 24, 239-252.
- Marshall, S. C., Man-Son-Hing, M., Bedard, M., Charlton, J., Gagnon, S., Gelinas, I., . . . Woolnough, A. (2013). Protocol for Candrive II/Ozcandrive, a multicentre prospective older driver cohort study. *Accident; analysis and prevention*, 61, 245-252.
- Mathias, J. L., & Lucas, L. K. (2009). Cognitive predictors of unsafe driving in older drivers: a meta-analysis. *International psychogeriatrics / IPA*, 21(4), 637-653.
- Mazer, B. L., Korner-Bitensky, N. A., & Sofer, S. (1998). Predicting ability to drive after stroke. *Archives of physical medicine and rehabilitation*, 79(7), 743-750.
- Mercier, L., Hebert, R., Colarusso, R.P., & Hammil, D. D. . (1997). *Motor-free Visual Perception Test-Vertical Format*. Ann Arbor, MI: Academic Therapy Publications.
- Molnar, L. J., & Eby, D. W. (2008). The relationship between self-regulation and driving-related abilities in older drivers: an exploratory study. *Traffic injury prevention*, 9(4), 314-319.
- Molnar, L. J., Eby, D. W., Charlton, J. L., Langford, J., Koppel, S., Marshall, S., & Man-Son-Hing, M. (2013). Driving avoidance by older adults: is it always self-regulation? *Accident; analysis and prevention*, 57, 96-104.
- Moses Jr., J.A. . (2004). Test review - Comprehensive Trail Making Test (CTMT). *Archives of Clinical Neuropsychology*, 19(5), 703-708.

Muthén, L.K., & Muthén, B.O. (1998-2012). Mplus User's Guide. (7th ed.). Los Angeles, CA: Muthén & Muthén.

Nasreddine, Z. S., Phillips, N. A., Bedirian, V., Charbonneau, S., Whitehead, V., Collin, I., . . . Chertkow, H. (2005). The Montreal Cognitive Assessment, MoCA: a brief screening tool for mild cognitive impairment. *Journal of the American Geriatrics Society*, 53(4), 695-699.

Oswanski, M. F., Sharma, O. P., Raj, S. S., Vassar, L. A., Woods, K. L., Sargent, W. M., & Pitock, R. J. . (2007). Evaluation of two assessment tools in predicting driving ability of senior drivers. *American Journal of Physical Medicine & Rehabilitation*, 86(3), 190-199.

Porter, M.M., Smith, G.A., Cull, A.W., Myers, A., Bédard, M., Gélinas, I., . . . Vrkljan, B. (2015). Older driver estimates of driving exposure compared to in-vehicle data in the Candrive II study. *Traffic injury prevention*, 16, 24-27.

Rapoport, M. J., Naglie, G., Weegar, K., Myers, A., Cameron, D., Crizzle, A., . . . Marshall, S. (2013). The relationship between cognitive performance, perceptions of driving comfort and abilities, and self-reported driving restrictions among healthy older drivers. [Research Support, Non-U.S. Gov't]. *Accident; analysis and prevention*, 61, 288-295.

Reitan, R.M. (1958). Validity of the trail making test as an indicator of organic brain damage. . *Perceptual and Motor Skills*, 8, 271-276.

Ross, L. A., Clay, O. J., Edwards, J. D., Ball, K. K., Wadley, V. G., Vance, D. E., . . . Joyce, J. J. (2009). Do older drivers at-risk for crashes modify their driving over time. *The journals of gerontology. Series B, Psychological sciences and social sciences*, 64(2), 163-170. Rothman, K.J. . (1990). No adjustments are needed for multiple comparisons. *Epidemiology* 1, 43-46.

Roy, M., & Molnar, F. . (2013). Systematic review of the evidence for Trails B cut-off scores in assessing fitness to drive. *Canadian Geriatrics Journal*, 16(3), 120-142.

Savitz, D.A., & Olshan, A.F. (1995). Multiple comparisons and related issues in the interpretation of epidemiologic data. *American Journal of Epidemiology*, 142, 904-908.

Tombaugh, T. . (2004). Trail making Test A and B: normative data stratified by age and education. *Arch Clin Neuropsychol*, 19(2), 203-214.

Tuokko, H., McGee, P., & Rhodes, R.E. (2006). Decisional balance and readiness to change driving behavior in older adults: A pilot study. *Physical & Occupational Therapy in Geriatrics*, 24(3), 1-12.

Weschler, D. (1987). Wechsler Memory Scale-Revised. San Antonio, Texas: The Psychological Corporation.

### References from Software Program (delete when finalized by editor)

- Canadian Medical Association (2012) CMA Driver's Guide: Determining medical fitness to operate motor vehicles. 8th ed. (8th edition ed.). Ottawa.
- Ball, K. K., Roenker, D. L., Wadley, V. G., Edwards, J. D., Roth, D. L., McGwin, G., Jr., . . . Dube, T. (2006). Can high-risk older drivers be identified through performance-based measures in a Department of Motor Vehicles setting? [Research Support, N.I.H., Extramural Research Support, U.S. Gov't, Non-P.H.S.]. *Journal of the American Geriatrics Society*, *54*(1), 77-84. doi: 10.1111/j.1532-5415.2005.00568.x
- Bedard, M., Weaver, B., Darzins, P., & Porter, M. M. (2008). Predicting driving performance in older adults: we are not there yet! [Comparative Study Research Support, Non-U.S. Gov't]. *Traffic injury prevention*, *9*(4), 336-341. doi: 10.1080/15389580802117184
- Blanchard, R. A., & Myers, A. M. (2010). Examination of driving comfort and self-regulatory practices in older adults using in-vehicle devices to assess natural driving patterns. *Accident; analysis and prevention*, *42*(4), 1213-1219. doi: 10.1016/j.aap.2010.01.013
- Canada, Statistics. (2008). Canadian Community Health Survey (CCHS HA) - Healthy Aging - 2008/2009, User Guide. Ottawa, ON.
- Classen, S., Horgas, A., Awadzi, K., Messinger-Rapport, B., Shechtman, O., & Joo, Y. (2008). Clinical predictors of older driver performance on a standardized road test. [Research Support, Non-U.S. Gov't Research Support, U.S. Gov't, P.H.S.]. *Traffic injury prevention*, *9*(5), 456-462. doi: 10.1080/15389580802260026
- Crizzle, A. M., Myers, A. M., & Almeida, Q. J. (2013). Self-regulatory practices of drivers with Parkinson's disease: accuracy of patient reports. [Research Support, Non-U.S. Gov't]. *Parkinsonism & related disorders*, *19*(2), 176-180. doi: 10.1016/j.parkreldis.2012.09.003
- Fidell, L. S., & Tabachnick, B. G. . (2006). *Using multivariate statistics*. Boston Allyn & Bacon.
- Folstein, M. F., Folstein, S. E., & McHugh, P. R. (1975). "Mini-mental state". A practical method for grading the cognitive state of patients for the clinician. *Journal of psychiatric research*, *12*(3), 189-198.
- Gagnon, S., Marshall, S., Kadulina, Y., Man-Son-Hing, M., Korner-Bitensky, N., Gélinas, I., Mazer, B., . . . Myers, A. (2012, June, 2012). *Does self-selection of participants in longitudinal studies of older drivers jeopardize external validity? Lessons from the Candrive II study*. Paper presented at the Aging, Mobility and Quality of Life., Ann Arbor, Michigan.
- Jouk, A., Sukhawathanakul, P., Tuokko, H., Myers, A., Rapoport, M., Naglie, G., & al, et. (In Press, this volume). Psychosocial Constructs as Possible Moderators of Self-Reported Driving Restrictions: A Longitudinal Analysis of the Candrive II Data. *Canadian Journal on Aging*.
- Katzman, R., Brown, T., Fuld, P., Peck, A., Schechter, R., & Schimmel, H. (1983). Validation of a short Orientation-Memory-Concentration Test of cognitive impairment. *The American journal of psychiatry*, *140*(6), 734-739.
- Kowalski, K., Love, J., Tuokko, H., MacDonald, S., Hultsch, D., & Strauss, E. (2012). The influence of cognitive impairment with no dementia on driving restriction and cessation in older adults. [Research Support, Non-U.S. Gov't]. *Accident; analysis and prevention*, *49*, 308-315. doi: 10.1016/j.aap.2011.11.011

- Langford, J., Charlton, J. L., Koppel, S., Myers, A., Tuokko, H., Marshall, S., . . . Macdonald, W. (2013). Findings from the Candrive/Ozdrive study: Low mileage older drivers, crash risk and reduced fitness to drive. [Research Support, Non-U.S. Gov't]. *Accident; analysis and prevention*, *61*, 304-310. doi: 10.1016/j.aap.2013.02.006
- Lindstrom-Forneri, W., Tuokko, H., & Rhodes, R. . (2007). "Getting Around Town": A preliminary investigation of the theory of planned behavior and intent to change driving behaviors among older adults. *Applied Gerontology*, *26*(4), 385-398.
- MacDonald, L., Myers, A.M., & Blanchard, R.A. . (2008). Correspondence among older drivers' perceptions, abilities and driving behaviors. *Topics in Geriatric Rehab*, *24*, 239-252.
- Marshall, S. C., Man-Son-Hing, M., Bedard, M., Charlton, J., Gagnon, S., Gelinas, I., . . . Woolnough, A. (2013). Protocol for Candrive II/Ozdrive, a multicentre prospective older driver cohort study. [Research Support, Non-U.S. Gov't]. *Accident; analysis and prevention*, *61*, 245-252. doi: 10.1016/j.aap.2013.02.009
- Mathias, J. L., & Lucas, L. K. (2009). Cognitive predictors of unsafe driving in older drivers: a meta-analysis. [Meta-Analysis]. *International psychogeriatrics / IPA*, *21*(4), 637-653. doi: 10.1017/S1041610209009119
- Mazer, B. L., Korner-Bitensky, N. A., & Sofer, S. (1998). Predicting ability to drive after stroke. [Research Support, Non-U.S. Gov't]. *Archives of physical medicine and rehabilitation*, *79*(7), 743-750.
- Mercier, L., Hebert, R., Colarusso, R.P., & Hammil, D. D. . (1997). *Motor-free Visual Perception Test-Vertical Format*. Ann Arbor, MI: Academic Therapy Publications: .
- Molnar, L. J., & Eby, D. W. (2008). The relationship between self-regulation and driving-related abilities in older drivers: an exploratory study. [Comparative Study Research Support, U.S. Gov't, Non-P.H.S.]. *Traffic injury prevention*, *9*(4), 314-319. doi: 10.1080/15389580801895319
- Molnar, L. J., Eby, D. W., Charlton, J. L., Langford, J., Koppel, S., Marshall, S., & Man-Son-Hing, M. (2013). Driving avoidance by older adults: is it always self-regulation? [Research Support, Non-U.S. Gov't]. *Accident; analysis and prevention*, *57*, 96-104. doi: 10.1016/j.aap.2013.04.010
- Moses Jr., J.A. . (2004). Test review - Comprehensive Trail Making Test (CTMT). . *Archives of Clinical Neuropsychology*, *19*(5), 703-708.
- Muthén, L.K., & Muthén, B.O. (1998-2012). *Mplus User's Guide*. (7th ed.). Los Angeles, CA: : Muthén & Muthén. .
- Nasreddine, Z. S., Phillips, N. A., Bedirian, V., Charbonneau, S., Whitehead, V., Collin, I., . . . Chertkow, H. (2005). The Montreal Cognitive Assessment, MoCA: a brief screening tool for mild cognitive impairment. [Evaluation Studies Research Support, Non-U.S. Gov't Research Support, U.S. Gov't, P.H.S.]. *Journal of the American Geriatrics Society*, *53*(4), 695-699. doi: 10.1111/j.1532-5415.2005.53221.x
- Oswanski, M. F., Sharma, O. P., Raj, S. S., Vassar, L. A., Woods, K. L., Sargent, W. M., & Pitock, R. J. . (2007). Evaluation of two assessment tools in predicting driving ability of senior drivers. *American Journal of Physical Medicine & Rehabilitation*, *86*(3), 190-199.
- Porter, M.M., Smith, G.A., Cull, A.W., Myers, A., Bédard, M., Gélinas, I., . . . Vrkljan, B. (2015). Older driver estimates of driving exposure compared to in-vehicle data in the Candrive II study. *Traffic injury prevention*, *16*, 24-27.

- Rapoport, M. J., Naglie, G., Weegar, K., Myers, A., Cameron, D., Crizzle, A., . . . Marshall, S. (2013). The relationship between cognitive performance, perceptions of driving comfort and abilities, and self-reported driving restrictions among healthy older drivers. [Research Support, Non-U.S. Gov't]. *Accident; analysis and prevention*, *61*, 288-295. doi: 10.1016/j.aap.2013.03.030
- Reitan, R.M. (1958). Validity of the trail making test as an indicator of organic brain damage. . *Perceptual and Motor Skills*, *8*, 271-276.
- Ross, L. A., Clay, O. J., Edwards, J. D., Ball, K. K., Wadley, V. G., Vance, D. E., . . . Joyce, J. J. (2009). Do older drivers at-risk for crashes modify their driving over time? [Research Support, N.I.H., Extramural Research Support, U.S. Gov't, Non-P.H.S.]. *The journals of gerontology. Series B, Psychological sciences and social sciences*, *64*(2), 163-170. doi: 10.1093/geronb/gbn034
- Rothman, K.J. . (1990). No adjustments are needed for multiple comparisons. *Epidemiology* *1*, 43-46.
- Roy, M., & Molnar, F. . (2013). Systematic review of the evidence for Trails B cut-off scores in assessing fitness to drive. . *Canadian Geriatrics Journal*, *16*(3), 120-142.
- Savitz, D.A., & Olshan, A.F. (1995). Multiple comparisons and related issues in the interpretation of epidemiologic data. . *American Journal of Epidemiology*, *142*, 904-908.
- Tombaugh, T. . (2004). Trail making Test A and B: normative data stratified by age and education. . *Arch Clin Neuropsychol*, *19*(2), 203-214.
- Tuokko, H., McGee, P., & Rhodes, R.E. . (2006). Decisional balance and readiness to change driving behavior in older adults: A pilot study. . *Physical & Occupational Therapy in Geriatrics*, *24*(3), 1-12.
- Weschler, D. . (1987). *Wechsler Memory Scale-Revised*. San Antonio, Texas: The Psychological Corporation.