REVIEWED BY ATIP DIVISION
Correctional Service of Canada
REVISÉ PAR LA DIVISION AIPRP
Service correctionnel du Canada

May 1, 2020

New Warrants of Committal/Returns to Federal Custody

Intake/Return to Federal Custody

Screening Questions

Symptomatic

Yes

Medical Isolation

- Inmates to wash hands prior to leaving cell and upon returning
- Inmate to wear mask when out of cell
- 2m distance from others when out of cell
- Staff to follow PPE Guidance

Test

COVID-19 Positive

- Inmates to wear mask and maintain 2m distance from others when out of cell
- Inmate to wash hands prior to leaving cell and upon returning
- Inmate to disinfect all things they touch when out of cell (phone, tables, etc.)
- Every effort should be made to medically isolate COVID-19 positive inmates in a separate space
- Twice daily wellness checks and treatment as required
- Staff to follow PPE Guidance
- Discontinue medical isolation when medically cleared, no earlier than 10 days after onset of symptoms with at least 2 days symptom free

COVID-19 Negative
(Other respiratory illness such as influenza)

- Inmates to wear mask and maintain 2m distance from others when out of cell
- Inmate to wash hands prior to leaving cell and upon returning
- Twice daily wellness checks and treatment as required
- Staff to follow PPE Guidance
- Discontinue medical isolation when medically cleared, no earlier than outlined in the COVID-19 clearance document

No

14 days medical isolation

- Inmates to wear mask and maintain distance of 2 metres from others when out of cell
- Inmates to clean/disinfect all things they touch when outside cell (phone, showers, tables, etc.)
- Inmates to wash hands prior to leaving cell and upon returning
- Daily wellness checks

Notes

- Asymptomatic inmates who test positive must be maintained on medical isolation for 14 days from the date of the swab.
- Through promotion, education and monitoring, the institution should strive for voluntary compliance on the part of inmates with respect to the implementation of preventive measures. If concerns arise about inmates following any of the recommended measures noted in this algorithm, institutional management should discuss to determine appropriate response.