

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<a href="#">Association - COVID-19 – Standardized Protocols for All Canadian Construction Sites, 26 May 2020.</a>		<input type="checkbox"/> Organize construction tasks with adequate spacing between each task to prevent crowding. <input type="checkbox"/> Use of personal protective equipment when physical distancing may not be possible.	consulted prior to continuation.	continue in areas outside of a COVID zone of a site. Public Health will be consulted. <input type="checkbox"/> If workers are on site at the time an outbreak occurs, they will be referred to local public health authorities for assessment for testing.	
<b>CORCAN Construction</b>	<input type="checkbox"/> As per normal routine	<input type="checkbox"/> Offenders may work with CORCAN staff, when required, provided they follow all IPC measures.	<input type="checkbox"/> Offenders cannot work with CORCAN staff	<input type="checkbox"/> Offenders cannot work with CORCAN staff	<input type="checkbox"/> Offenders cannot work with CORCAN staff

## WORKFORCE AND ADMINISTRATION

### Firearms Training

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Training Planning</b>		<input type="checkbox"/> Priority participants identified and targeted based on certain considerations.	<input type="checkbox"/> Training assessed for feasibility of resumption and transition to online learning for theory portions.	<input type="checkbox"/> Correctional Staff Training Officers (CX 03s) may be asked to support Operations.	
<b>Pre-training</b>	<input type="checkbox"/> Participants advised to stay home when sick <input type="checkbox"/> Hand hygiene posters in training areas and washrooms.	<input type="checkbox"/> Learning and Development Directors will ensure that all training areas (including firing ranges) have a supply of masks, eye protection (ballistic glasses), disposable gloves, disinfectant spray (or wipes) and hand towels. <input type="checkbox"/> Training will be scheduled to adhere to physical distancing requirements.			

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<ul style="list-style-type: none"> <li><input type="checkbox"/> Participants will receive a self-screening form with their invitation to training. The form will indicate that they are <u>not to report</u> to training if they are experiencing any COVID-19 symptoms, have had close contact with a confirmed or probable COVID-19 case, or if they have travelled outside of Canada in the past fourteen days. They will be instructed to contact their manager, as well as the Correctional Learning and Development Centre manager, if they do not attend training.</li> <li><input type="checkbox"/> Removal of any unnecessary tools/equipment in training areas to simplify the cleaning process.</li> <li><input type="checkbox"/> Classrooms will be configured accordingly to ensure 2 meters distance between participants.</li> <li><input type="checkbox"/> Signs in classrooms will indicate the direction of traffic in common areas and hallways.</li> <li><input type="checkbox"/> Strict cleaning protocols will be in place and executed at least once daily in all areas of training locations.</li> </ul>			

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<input type="checkbox"/> Strict cleaning protocols will be in place for weapons and gear used during training; all safety equipment will be cleaned and sanitized before and after use.			
<b>Training Delivery</b>	<input type="checkbox"/> Regular training delivery progressively resumed <input type="checkbox"/> Regular class sizes and two Trainers (minimum).	<input type="checkbox"/> Participants and trainers will wear mask at all time in the classroom. <input type="checkbox"/> Personal safety equipment related to firearms will be made available as required. The participant or trainer, will keep the safety equipment for the duration of training. <input type="checkbox"/> Participants / trainers will be designated required tools such as pens, markers and note pads so as to limit cross contamination. <input type="checkbox"/> Participants will be given an assigned seat in training rooms and must use same seat/workstation for duration of training. <input type="checkbox"/> At the range (Range/ outside), mask will be worn when physical distancing cannot be respected. <input type="checkbox"/> Upon arrival, everyone will conduct self-screening upon entrance and each and			

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		every time they leave their training room. <input type="checkbox"/> Physical distancing 2 meters enforced during in-class portions and movement throughout the training space; <input type="checkbox"/> Procedures will be in place and (communicated to participants and trainers) on use of common areas such as classrooms, stairwells, elevators and washrooms (to be informed by Infrastructure and maintenance WG).			
<b>Training Space</b>		<input type="checkbox"/> Training room size will determine participant numbers - ensuring physical distancing of 2 meters.			
<b>Firing Ranges</b>		<input type="checkbox"/> Only outdoor firing ranges will be used; if no running water is available, sufficient hand sanitizer must be made available. <input type="checkbox"/> If transportation is required to get to firing range, a CSC vehicle will be used. Cleaning vehicle protocols must be followed before and after use. <input type="checkbox"/> Seating in the vehicle will be arranged to ensure			

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<p>maximum personal space to adhere to physical distancing. Face masks will be worn by all during transportation.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Participants will be placed at every second lane when training at firing range; maintain physical distances of 2 meters will be respected as much as possible.</li> <li><input type="checkbox"/> Regular firing range protective gear will be designated to each participant and disinfected before and after use to avoid cross contamination.</li> <li><input type="checkbox"/> Hand washing/disinfecting must be done before and after any transfer of equipment.</li> <li><input type="checkbox"/> Masks and latex gloves must be worn by whomever is loading firearms, ammunition and magazines into cases for transportation.</li> <li><input type="checkbox"/> Masks and latex gloves must be worn during set up/take down of firing range as well as cleaning up rounds.</li> </ul>			

**Workforce**

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Staff Gyms</b>	<input type="checkbox"/> Gymnasium open	<input type="checkbox"/> Gymnasium open – double cohort, ensuring continuation of physical distancing <input type="checkbox"/> Gym equipment may be used and will be disinfected before and after each use. <input type="checkbox"/> Shared surfaces (e.g. chairs, tables, door handles, etc.) will be cleaned between cohorts. <input type="checkbox"/> All cleaning will be documented.	<input type="checkbox"/> Gymnasium open – single cohort, ensuring continuation of physical distancing; <input type="checkbox"/> Shared surfaces (e.g. chairs, tables, door handles, etc.) will be cleaned between cohorts <input type="checkbox"/> No equipment, including weights, can be used/shared	<input type="checkbox"/> Gymnasium closed	<input type="checkbox"/> Gymnasium closed

## ANNEX A - Definitions

**Administrative site** refers to administrative buildings, including NHQ, RHS, Correctional Learning and Development Centres, Training Academies

**Operational Site:** refers to congregate living environments, inclusive of institutions, healing lodges and Community Correctional Centres. An operational site may refer to a single institution or a single unit within a clustered or multi-level institution, where units within a clustered institution may have completely separate buildings and staff, with little or no crossover. **Note:** For clustered and/or multi-level institutions, NHQ-HS, in collaboration with regional and institutional heads, will look at the nature of the COVID-19 cases and the infrastructure of the institution, to determine on a case-by case basis the risk category for each area of the institution. This will be done in consideration of the ethical principles guiding CSC's pandemic response, including proportionality between offender restrictions and the identified level of risk.

**Site:** when not identified is an administrative or operational site, includes both.

### Cohort

- A group of staff who are required to work the same unit or series of posts, with the goal to minimize numbers of contacts.
- A group of inmates permitted to associate together and who are treated as a group.
- The size of the cohort is determined at the local level in collaboration with the local Occupational Health and Safety committee, within the parameters of Health Services advice.
- **Health Operations use of Cohort:** In the context of **cohort**, the term 'individuals' refers to offenders; staff cohorts are described in terms of rostering or as 'staff cohorts'. **Note:** Suggestions for when to adjust staff rosters and/or the cohorting of staff groups are part of ongoing discussions with CSC's labour partners and subject to change

**Community:** A community is defined by the geographical boundaries of the local health authority, and not necessarily the boundaries of the town/city that the site is located in.

### Considerations for Special Populations

There are a number of populations in CSC that have unique health and social needs and require additional considerations with respect to COVID-19 risk mitigation and access to health services, including:

- Individuals with underlying medical conditions, particularly if poorly controlled
- Individuals over the age of 65
- Indigenous peoples
- Individuals affected by problematic substance use
- Individuals with medium or high mental health needs (including those at risk of suicide or self-harm), as per the [Integrated Mental Health Guidelines](#)
- Racialized individuals who are historically underserved by healthcare organizations broadly and often face stigma and discrimination

For individuals with complex or unique health and wellness needs, **integrated care plans** are developed and are subject to review and evaluation on an ongoing basis.

## ANNEX B - Construction Project Decision Framework

### Project Level of risk (of contact)

**LOW** - Outside the fence, no contact with staff or inmates

**LOW-MODERATE** - Outside the fence, limited contact with staff and no contact with inmates

**MODERATE** - Inside the perimeter / outside of buildings, limited contact with staff and inmates

**MODERATE-HIGH** - Inside the perimeter and inside a building, constant contact with staff, no contact with inmates

**HIGH** - Inside the perimeter and inside the building, constant contact with staff and inmates

Project –Level of Risk (of Contact)	High				*	*
	Moderate - High					*
	Moderate					
	Low - Moderate					
	Low					
		Low	Low - Moderate	Moderate	Moderate - High	High

### COVID-19 Transmission Risk (as per CSC National RMF)

\* Requires individual project submission explaining detailed mitigation plan

### Decision Approval Level

Risk	Regional projects	National projects
	ADCIS	ACCS
	ADCIS	ACCS
	RDC	SDC
	RDC	SDC
	Commissioner	Commissioner



**CORRECTIONAL SERVICE CANADA**

CHANGING LIVES. PROTECTING CANADIANS.

**SERVICE CORRECTIONNEL CANADA**

TRANSFORMONS DES VIES. PROTÉGEONS LES CANADIENS.



# SHAPING THE NEW NORMAL

July 27, 2020

Version 4



Correctional Service  
Canada

Service correctionnel  
Canada

Canada

## TABLE OF CONTENTS

<b>SHAPING THE NEW NORMAL</b> .....	<b>11</b>
<b>PRINCIPLES</b> .....	<b>11</b>
<b>GOVERNANCE STRUCTURE</b> .....	<b>11</b>
<b>CSC’S NATIONAL COVID-19 RISK MANAGEMENT FRAMEWORK</b> .....	<b>13</b>
<b>PLANNING ASSUMPTIONS</b> .....	<b>13</b>
<b>NATIONAL RISK MANAGEMENT PROTOCOL TO CHANGE COVID-19 TRANSMISSION RISK LEVEL</b> .....	<b>14</b>
<b>Background</b> .....	<b>14</b>
<b>Threshold Setting</b> .....	<b>15</b>
<b>Process</b> .....	<b>15</b>
<b>CSC’S NATIONAL RISK MANAGEMENT FRAMEWORK BY ACTIVITY</b> .....	<b>17</b>
<b>UNIVERSAL INFECTION PREVENTION &amp; CONTROL (IPC) MEASURES</b> .....	<b>17</b>
<b>General Notes</b> .....	<b>17</b>
<b>Communications</b> .....	<b>17</b>
<b>Individual IPC responsibilities</b> .....	<b>18</b>
<b>Organizational public health measures - requirements</b> .....	<b>19</b>
<b>Cleaning and Disinfection</b> .....	<b>21</b>
<b>Personal Protection Equipment (PPE)</b> .....	<b>22</b>
<b>Screening/Monitoring</b> .....	<b>23</b>
<b>Movement</b> .....	<b>23</b>
<b>Policies</b> .....	<b>24</b>
<b>Engineering Controls</b> .....	<b>24</b>
<b>Testing</b> .....	<b>25</b>
<b>INSTITUTIONAL OPERATIONS</b> .....	<b>26</b>
<b>Admissions and Discharge</b> .....	<b>26</b>
<b>New Admissions (Warrants of Committal)/Revocations</b> .....	<b>26</b>
<b>Finger printing</b> .....	<b>27</b>
<b>Searching personal effects</b> .....	<b>27</b>
<b>Operations</b> .....	<b>28</b>
<b>Security Intelligence Officers</b> .....	<b>28</b>

<b>Security Intelligence Officer Administrative Assistants</b> .....	28
<b>Meal service</b> .....	28
<b>Inmate Movement</b> .....	28
<b>Canteen</b> .....	28
<b>Control Post Cleaning</b> .....	28
<b>Searching inmates</b> .....	28
<b>Searching Cells</b> .....	29
<b>Urinalysis-Reasonable Grounds</b> .....	29
<b>Urinalysis-Random Selection</b> .....	29
<b>Urinalysis-Program participation or activities involving community contact</b> .....	30
<b>Inmate Work</b> .....	31
<b>Industry</b> .....	31
<b>Range cleaning</b> .....	31
<b>Snow removal/ maintenance</b> .....	31
<b>Perimeter Work Clearance</b> .....	32
<b>Recreation</b> .....	32
<b>Hobby Craft</b> .....	32
<b>Library</b> .....	32
<b>Leisure and social activities, including ethno cultural services</b> .....	33
<b>Gym</b> .....	33
<b>Yard</b> .....	34
<b>Gardens</b> .....	34
<b>Visits and Correspondence</b> .....	34
<b>Mail</b> .....	34
<b>All visitors</b> .....	34
<b>Lawyers</b> .....	36
<b>Independent Chair Person</b> .....	36
<b>Staff from other government departments</b> .....	36
<b>Citizens Advisory Committee members</b> .....	36
<b>Inmate Personal Visitors</b> .....	36
<b>Private Family Visits</b> .....	39
<b>Temporary Absences/Work Releases</b> .....	41
<b>Escorted Temporary Absence - Medical</b> .....	41

Escorted Temporary Absence - security escort (excludes medical) .....	42
Non security escort – ETA .....	42
Unescorted Temporary Absences/Work Releases .....	42
<b>Inter-Regional Transfers.....</b>	<b>43</b>
Inter-Regional Transfers-by Charter .....	43
Inter-Regional Transfers-by Commercial Air Carrier.....	44
<b>REINTEGRATION OPERATIONS .....</b>	<b>46</b>
<b>Correctional Programs, Structured Social Programs .....</b>	<b>46</b>
Program Planning .....	46
Program Delivery.....	46
Program Facilitators .....	47
Office Space .....	48
Program Space.....	48
Group Size.....	48
<b>Educational Programs .....</b>	<b>49</b>
Educational Program Planning.....	49
Teacher’s activities .....	49
Group size .....	49
Educational Program Delivery .....	49
Office Space .....	50
Education Space .....	51
<b>Institutional Employment Program and Vocational Certification .....</b>	<b>51</b>
Program Planning .....	51
Program Delivery.....	52
Vocational Certification Program facilitator and Employment Coordinators .....	53
Office Space .....	54
Program Space.....	54
Group Size.....	55
<b>Spiritual/Cultural Advisors.....</b>	<b>56</b>
Elder Ceremonies .....	56
Sweat Lodges .....	58
Sacred Pipe Ceremonies.....	59
Feasts .....	60

<b>Traditional Medicines</b> .....	60
<b>Spiritual/Cultural advisors - Individual &amp; group activities</b> .....	61
<b>WOMEN'S INSTITUTIONS</b> .....	63
<b>Mother Child Program</b> .....	63
<b>Children who participate in the full-time residency component of the Program and are currently living with their mother in the institution</b> .....	63
<b>Children who are approved for the full-time residency component of the mother-child program but who are not currently residing with their mother in the institution</b> .....	64
<b>New mothers with infants (just given birth) and accepted into full-time residential component of the Program</b> .....	65
<b>Children participating in the part-time component of the Program</b> .....	65
<b>Extended contact visits to facilitate mother-child bonding</b> .....	66
<b>COMMUNITY OPERATIONS</b> .....	67
<b>Community Correctional Programs</b> .....	67
<b>General</b> .....	67
<b>Program Planning</b> .....	67
<b>Program Delivery</b> .....	68
<b>Program Facilitators</b> .....	69
<b>Office Space</b> .....	70
<b>Program Space</b> .....	70
<b>Group Size</b> .....	70
<b>Community-based Residential Facilities</b> .....	71
<b>Weekend Passes and Travel Permits for Community –based Residential Facilities &amp; Section 81 Facilities</b> .....	71
<b>Urinalysis Program</b> .....	73
<b>Urinalysis for Offenders on conditional release in CBRF</b> .....	73
<b>Urinalysis for offenders on conditional release in the community</b> .....	73
<b>HEALTH SERVICES OPERATIONS</b> .....	75
<b>Foundational Measures</b> .....	75
<b>Physical Distancing</b> .....	75
<b>Engineering Controls</b> .....	76
<b>Administrative Controls</b> .....	77
<b>PPE and masking requirements</b> .....	80

<b>Primary Care .....</b>	<b>80</b>
<b>Physician Clinics.....</b>	<b>80</b>
<b>Dental .....</b>	<b>81</b>
<b>Optometry .....</b>	<b>82</b>
<b>Medication Administration.....</b>	<b>82</b>
<b>Opioid Agonist Treatment .....</b>	<b>83</b>
<b>Individual Mental Health Therapy.....</b>	<b>84</b>
<b>Group Mental Health Therapy.....</b>	<b>85</b>
<b>Infectious Disease Clinics .....</b>	<b>85</b>
<b>Nursing Clinics .....</b>	<b>86</b>
<b>Psychiatric Clinics .....</b>	<b>86</b>
<b>On-Site Pharmacy Activities.....</b>	<b>87</b>
<b>Physiotherapy.....</b>	<b>87</b>
<b>External medical appointments – Medical Escorts.....</b>	<b>88</b>
<b>Palliative and End-of-Life .....</b>	<b>88</b>
<b>Secondary Care.....</b>	<b>89</b>
<b>Intermediate mental health care – Individual treatment .....</b>	<b>89</b>
<b>Intermediate mental health care – Group treatment .....</b>	<b>90</b>
<b>Tertiary Care .....</b>	<b>91</b>
<b>Regional Treatment Centres .....</b>	<b>91</b>
<b>Regional Hospitals .....</b>	<b>92</b>
<b>Community Health Services .....</b>	<b>93</b>
<b>Individual Mental Health Treatment.....</b>	<b>93</b>
<b>Group Mental Health Treatment.....</b>	<b>95</b>
<b>Assessments .....</b>	<b>96</b>
<b>Intake - New Warrants of Committal or Returns to Federal Custody.....</b>	<b>96</b>
<b>Medical Isolation Wellness Assessments .....</b>	<b>97</b>
<b>Wellness Assessment for Patients at High-Risk for Severe COVID-19 Illness .....</b>	<b>98</b>
<b>SIU Assessments.....</b>	<b>98</b>
<b>Self-Injury and Suicide Risk Assessments.....</b>	<b>99</b>
<b>Other mental health assessments .....</b>	<b>99</b>
<b>Discharge / Release .....</b>	<b>100</b>
<b>Risk Assessments.....</b>	<b>102</b>

<b>Psychological Risk Assessments</b> .....	102
<b>Psychiatric Risk Assessment</b> .....	103
<b>INFRASTRUCTURE AND MAINTENANCE</b> .....	105
<b>Facilities and Maintenance</b> .....	105
<b>Maintenance</b> .....	105
<b>Construction</b> .....	106
<b>Construction – new projects decision framework</b> .....	106
<b>Construction projects</b> .....	106
<b>CORCAN Construction</b> .....	107
<b>WORKFORCE AND ADMINISTRATION</b> .....	107
<b>Training (CLDCs and Training sites)</b> .....	107
<b>Training Planning</b> .....	107
<b>Training Space</b> .....	108
<b>Pre-training</b> .....	108
<b>Training Delivery</b> .....	109
<b>National Training Academy</b> .....	109
<b>Training Planning</b> .....	109
<b>Training Space</b> .....	110
<b>Prior to attending the NTA</b> .....	110
<b>Pre-training</b> .....	111
<b>Daily Operations</b> .....	111
<b>Food Services</b> .....	114
<b>Self-Defence/Arrest and Control</b> .....	115
<b>Scenario Training</b> .....	116
<b>Chemical and other inflammatory agents</b> .....	117
<b>Firearms Training</b> .....	117
<b>Training Planning</b> .....	117
<b>Pre-training</b> .....	117
<b>Training Delivery</b> .....	119
<b>Training Space</b> .....	120
<b>Firing Ranges</b> .....	120
<b>Workforce</b> .....	121
<b>Staff Gyms</b> .....	121

**ANNEX A - Definitions ..... 123**

**ANNEX B - Construction Project Decision Framework..... 124**

## Version Control

### Version 1. Dated 2020-06-23

Initial Integrated Risk Management Framework (IRMF) and Mitigation Strategies

### Version 2. Dated 2020-06-30

Updated IRMF includes:

- Clean up of format issues;
- Clarifications of what is required when the National Risk Management Protocol is met;
- Small meal preparation amendment in low-moderate risk;
- Additions of:
  - CBRFs and section 81 facilities - weekend passes and travel permits;
  - Institutional Employment Program and Vocational Certification;
  - Security Intelligence Officers;
  - Mail
  - Access to institutions by inmate lawyers; Independent Chair Persons, Citizens Advisory Committee members, and staff from other Government Departments.
  - Inmate Personal Visitors.

### Version 3. Dated 2020-07-17

Updated IRMF includes:

- Clean up of format and language consistency issues;
- Format changes to make document accessible;
- Additions of:
  - Community Correctional Programs
  - Mother-Child Program
  - Health Operations
  - Facilities Maintenance
  - Construction Projects
  - Firearms Training
- Addition of Annex A – Definitions
- Addition of Annex B – Construction Project Decision Framework

### Version 4. Dated 2020-07-27

Updated IRMF includes:

- Clean up of format and language consistency issues;
- Additions of:
  - Urinalysis Program
  - Inter-Regional Transfers
  - Elders and Ceremonies
  - Educational Programs
  - Private Family Visits

- Training
- National Training Academy and Correctional Training Program

## SHAPING THE NEW NORMAL

The Correctional Service of Canada (CSC) is committed to protecting the health and safety of staff, inmates, and the public in all of its operations, while maintaining public safety. As parts of Canada begin to ease restrictions, CSC is shaping its new normal.

### PRINCIPLES

To guide the Shaping of the New Normal, in partnership with our labour partners, CSC established the following principles:

1. The **physical and mental health, safety and wellness of** CSC employees, offenders, stakeholders and the public are **paramount**. CSC will continue to make **ethical and evidence-based decisions** regarding **health practices** for staff and offenders, in **adherence with national, provincial and local public health authorities**.
2. Systemic planning and actions to prevent, manage and restore services following any COVID-19 threat will be **dynamic, adaptive, coordinated, collaborative and transparent**. The easing of restrictions and restoration of interventions, programs and services will be **proportionate** and **asymmetrically** implemented across Canada.
3. CSC will adopt a **phased and gradual restoration of interventions, programs and services** approach, ensuring there are appropriate measures in place to limit health and safety risks, while supporting public safety efforts. CSC will adjust restrictions as may be required by public health authorities.
4. Restoration of interventions, programs and services will be **appropriate** to the local level of the pandemic threat and **tailored** to the required response, in line with, national, provincial and territorial public health guidance. In addition, the development of local plans and activities will include **meaningful consultation** with the local Occupational Health and Safety Committee and union executives.

### GOVERNANCE STRUCTURE

A robust governance structure was established to guide CSC on Shaping the New Normal.


1. The following Working Groups (WGs) have been established to develop proposals for correctional activities that may resume in the new normal as the risk of COVID-19 transmission decreases. The new normal should not be expected to resemble life prior to COVID-19. Each activity proposed will have clearly identified mitigation strategies depending on the risk levels to ensure the health and safety of staff, offenders, and members of the public. WG membership includes CSC labour partners and CSC management. All members of the working group have a voice and are responsible to

contribute to identifying solutions. The working groups, chaired by a member of the Executive Committee, include:

- a. Operations – Security and Reintegration
- b. Health Operations
- c. Workforce and Administration
- d. Infrastructure and Maintenance
- e. Information & Technology

Working Group Chairs present updates and proposals to resume activities to the Advisory Committee.

2. The Project Team, comprised of Director Generals meets weekly to review working group progress and ensure open communication of activities amongst working groups.
3. The Advisory Committee, lead by Senior Deputy Commissioner, provides cross-functional input and non-binding strategic advice to CSC. Membership includes representatives from five of CSC’s unions, Citizen’s Advisory Committee National Executive, National Associations Active in Criminal Justice, National Indigenous Advisory Committee, and includes regional representation.
4. The Executive Committee Steering Committee (EXCOM SC), lead by the Senior Deputy Commissioner, provides strategic direction for shaping the new normal through deliberation and decision-making. The EXCOM SC approves the framework, actions and mitigating strategies to shape the new normal for CSC in response to the COVID-19 Pandemic, for approval by the Commissioner.



## CSC'S NATIONAL COVID-19 RISK MANAGEMENT FRAMEWORK

This framework provides a common language and the parameters within which to respond to the COVID-19 pandemic. The plan will identify correctional activities, risks and mitigation strategies to protect CSC staff and offenders, while respecting the law and delivering on CSC's legislated mandate. The risk management framework allows for different levels of response depending on the assessed level of risk of COVID-19 transmission, based on public health advice.

### PLANNING ASSUMPTIONS

- Federal correctional institutions are considered high risk for transmission given the closed setting.
- All actions taken are to prevent the virus from entering or being transmitted within the site.
- All decisions will be guided by best available public health knowledge, practices, and epidemiological considerations.
- As communities ease restrictions, CSC needs to be mindful of the 14-day incubation period of COVID-19.

<b>CORRECTIONAL SERVICE CANADA NATIONAL COVID-19 RISK MANAGEMENT FRAMEWORK</b>	
<b>LOW RISK (GREEN) – READINESS AND MONITORING – NO SUSTAINED TRANSMISSION IN CANADA OR TRANSMISSION IS LOCALIZED AND CONTAINED. DILIGENT INFECTION PREVENTION &amp; CONTROL MEASURES.</b>	
<b>LOW - MODERATE RISK (GREY) – HEIGHTENED VIGILANT INFECTION PREVENTION – VIRUS TRANSMISSION IN CANADA/PROVINCE AND NOT WITHIN LOCAL GEOGRAPHICAL AREA AS IDENTIFIED BY LOCAL PUBLIC HEALTH AUTHORITY. MAY INCLUDE WELL DEFINED CHAINS OF TRANSMISSION E.G. TRAVEL. LIMITED AND WELL CONTAINED LOCAL COMMUNITY TRANSMISSION. FEW ACTIVE CASES. LOCAL PUBLIC HEALTH AUTHORITIES CONFIDENT IN EFFECTIVE CONTACT TRACING, SUFFICIENT TESTING CAPACITY AND SELF-ISOLATION MEASURES TO CONTAIN COMMUNITY TRANSMISSION.</b>	
<b>MODERATE RISK (YELLOW) - LOCAL COMMUNITY TRANSMISSION OF VIRUS AS IDENTIFIED BY LOCAL PUBLIC HEALTH AUTHORITY. INCREASED ACTIVE CASES, INCREASED LOCAL COMMUNITY TRANSMISSION OF WHICH THE EPIDEMIOLOGY MAY NOT BE FULLY UNDERSTOOD. COMMUNITY CAPACITY TO CONTRACT TRACE, TEST AND ISOLATE MAY BE STRAINED.</b>	
<b>COVID-19 AT THE SITE</b>	<b>MODERATE - HIGH RISK (ORANGE) – COVID -19 TRANSMISSION ON SITE. TRANSMISSION IS CONTAINED IN AN IDENTIFIED ZONE.</b>
	<b>HIGH RISK (RED) – TRANSMISSION ON SITE PENDING INVESTGATION. TRANSMISSION SOURCE UNIDENTIFIED OR OUTBREAK IS SITE WIDE.</b>

**NOTE: AT THE SIGN OF ONE CASE OF TRANSMISSION WITHIN A SITE, THE RESPONSE/ACTION WILL MOVE TO HIGH RISK (RED) IMMEDIATELY UNTIL OUTBREAK IS CONTAINED THROUGH CONTACT TRACING AND TESTING.**

## NATIONAL RISK MANAGEMENT PROTOCOL TO CHANGE COVID-19 TRANSMISSION RISK LEVEL

The below protocol identifies the process through which CSC will change a facility's COVID-19 transmission risk level as per the National Risk Management Framework. Low, Moderate-High and High risk levels are easier to identify.

**Low Risk (green)** – Health Services will advise when there is no sustained transmission in Canada.

**Moderate- High Risk (Orange) & High Risk (Red)** COVID-19 on site.

The below information focuses on how CSC will move from **low-moderate (grey)** and **moderate (yellow)** risk levels and implement appropriate risk mitigation strategies.

### **Background**

- CSC Health Services Sector is monitoring public health data regarding the incidence of COVID-19 for all communities where there is a federal penitentiary or a Community Correctional Centre.
- Every week, Health Services analyzes the public health data and prepares a Community Cases Situation Report. Health Services will share the weekly report with the regions for sharing at regional and local Occupational and Health Safety Committees.
- The difference in incident cases per week per 100,000 population between health regions may suggest that some communities are at increased risk for transmission, posing greater potential for outbreaks in respective CSC Institutions and Community Correctional Centres
- A case of COVID-19 in a community does not equal community transmission. Sometimes local cases of COVID-19 may be related to imported cases (e.g. by travel) or a contained outbreak (e.g. at an industrial plant or facility), or whether they are, in fact, related to community transmission.
- **Community transmission** is when the transmission of COVID-19 is elevated, occurring between community members. Local public health authorities are unable to clearly identify the source of transmission and contain the spread.
- **Community** is defined by the geographical boundaries of the local health authority, and not necessarily the boundaries of the town/city that the site is located in.

- If local public health authority identifies that there is evidence of uncontained elevated community transmission, CSC will consider transitioning to Moderate Risk (Yellow) for CSC facilities in that geographic zone.

### ***Threshold Setting***

- An operational threshold of 10 incidence cases per week per 100,000 people in the local community will be used as the current threshold to trigger closer direct collaboration with local public health authorities.
- It is important to note that this threshold does not indicate that the risk level is elevated; it serves as a signal of increasing risk and a threshold for enhanced vigilance. This threshold will trigger asymptomatic surveillance testing and closer collaboration with local public health authorities to understand the local COVID-19 situation.
- From an operational perspective, this may mean that although sites continue to operate in the low-moderate risk (grey) category, staff should escalate vigilance and preparedness activities to a higher level of attention and alertness to ensure that all required outbreak prevention measures are followed. Local discussions with Occupational Health and Safety Committees will occur.
- Health Services will continue to engage local public health authorities and monitor for trends that indicate an increase of local community cases.

### ***Process***

1. When NHQ, Health Services has identified that the incident threshold has been met (10 cases per 100,000 people) in a local community, the Regional Director (RD) Health Services, or their delegate, will contact the local public health authority to discuss COVID-19 cases and the possibility of community transmission.
2. The RD Health Services, or their delegate, will document the date, time, and name of the local public health contact, as well as any pertinent information shared by local public health about the nature of the cases in the local community.
3. The RD Health Services will share the information with the Director General, Clinical Services and Public Health to **ensure national consistency of responding** to the public health data.

4. The Assistant Commissioner Health Services (ACHS) will notify the Regional Deputy Commissioner (RDC) that close monitoring of community transmission is underway. The RDC will notify the appropriate Institutional Head/District Director to ensure vigilant infection prevention and control measures are being strictly adhered to and enforced.
5. Based on the information provided by local public health authorities and the close monitoring by Health Services, the ACHS will notify the RDC of a required change as per the Risk Management Framework due to the to the COVID-19 transmission risk level. The RDC will inform the site about the change and the need to change mitigation strategies in response to the change in risk.

NOTE: CSC will create a table or dashboard that will be public facing on CSC's website identifying the current risk level as well as what activities will be permitted. This will easily inform inmates' family members and others when entry into the site is not permitted.

## CSC'S NATIONAL RISK MANAGEMENT FRAMEWORK BY ACTIVITY

**NOTE:** The below framework will be continually monitored and updated as required. It is an evolving framework that is amended based on experience, operational realities and the best available public health advice. New activities will be added as they are approved by the Shaping the New Normal Steering Committee.

### UNIVERSAL INFECTION PREVENTION & CONTROL (IPC) MEASURES

	Low Risk – Green	Low-Moderate Risk - Grey Mitigation Strategies	Moderate Risk - Yellow Mitigation Strategies	Moderate-High Risk - Orange Mitigation Strategies	High Risk - Red Mitigation Strategies
	<b>NO SUSTAINED TRANSMISSION IN CANADA</b>	<b>COVID IN CANADA/PROVINCE NO LOCAL COMMUNITY TRANSMISSION</b>	<b>LOCAL COMMUNITY TRANSMISSION</b>	<b>COVID ON SITE – TRANSMISSION CONTAINED IN AN IDENTIFIED ZONE</b>	<b>COVID ON SITE – TRANSMISSION NOT CONTAINED</b>
<b>General Notes</b>	<input type="checkbox"/> Quality improvement spot checks will be conducted by managers, with immediate addressing of any deficiencies	<p>All measures in LOW RISK category continues, unless otherwise indicated</p> <input type="checkbox"/> When ACHS signals to the RDC that the protocol threshold has been met, the frequency of quality improvement spot checks conducted by managers will increase, with immediate addressing of any deficiencies	<p>All measures in LOW-MODERATE RISK category (including LOW RISK) continue, unless otherwise indicated</p>	<p>All measures in MODERATE RISK category (including LOW &amp; LOW-MODERATE RISK) continue, unless otherwise indicated</p> <p><b>COVID ON SITE:</b> Identified zones containing COVID-19 will operate as HIGH RISK;</p> <p>In non-COVID-19 areas of the site, a risk assessment will determine if activities in the low-moderate or moderate risk may continue at the site.</p>	
<b>Communications</b>		<input type="checkbox"/> Regular communication with staff, offenders and stakeholders, etc. <input type="checkbox"/> Bilingual information materials, including signs and posters, posted throughout the site, informing staff, contractors and offenders about how to protect themselves from a contagion.	<input type="checkbox"/> Regular reminders to staff and offenders about the importance of following <a href="#">IPC measures</a> .	<input type="checkbox"/> Increased reminders to staff about importance of following <a href="#">IPC measures</a> .	<input type="checkbox"/> Increased reminders to staff about importance of following <a href="#">IPC measures</a> .

Table of Contents

	Low Risk – Green	Low-Moderate Risk - Grey Mitigation Strategies	Moderate Risk - Yellow Mitigation Strategies	Moderate-High Risk - Orange Mitigation Strategies	High Risk - Red Mitigation Strategies
		<ul style="list-style-type: none"> <li><input type="checkbox"/> Staff training on Personal Protection Equipment (PPE), including donning and doffing of PPE is provided annually.</li> <li><input type="checkbox"/> Information on IPC requirements provided to contractors and other official visitors entering the site;</li> <li><input type="checkbox"/> Information or videos for visitors on IPC requirements;</li> <li><input type="checkbox"/> Inmate education on infection and prevention (cough/sneezing hygiene; handwashing; physical distancing; cleaning living area).</li> </ul>			
<b>Individual IPC responsibilities</b>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Stay home when sick;</li> <li><input type="checkbox"/> Hand hygiene – frequent handwashing for at least 20 seconds;</li> <li><input type="checkbox"/> Respiratory etiquette – cough into sleeve or tissue, sneeze into tissue and discard tissue into lined waste receptacle;</li> <li><input type="checkbox"/> Report any travel to area with COVID transmission to manager and consider need for 14 day self-isolation prior to return to work</li> <li><input type="checkbox"/> When off duty or outside of a federal penitentiary reserve, staff/ contractors must follow public health guidance.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Self-monitor for symptoms (fever; any respiratory symptoms (such as cough, shortness of breath, runny nose or sneezing, nasal congestion, hoarse voice, sore throat, or difficulty swallowing); or any unusual symptoms (such as chills, muscle aches, diarrhea, headache, loss of taste or smell);</li> <li><input type="checkbox"/> If at work and staff member / contractor starts to exhibit symptoms, regardless of severity; they will self-isolate and contact manager immediately;</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Minimizing the risk of introducing COVID-19 to CSC’s workplaces means minimizing to the greatest extent possible employee’s contact with community members.</li> <li><input type="checkbox"/> Whenever feasible, arrangements should be made to have other household members do any necessary and essential trips outside of the household, such as, grocery shopping, visits to the pharmacy and purchasing fuel.</li> <li><input type="checkbox"/> Carpooling with colleagues is not consistent with physical</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> <a href="#"><u>IPC Measures for Returning Home After a Shift</u></a></li> </ul>	

Table of Contents

	Low Risk – Green	Low-Moderate Risk - Grey Mitigation Strategies	Moderate Risk - Yellow Mitigation Strategies	Moderate-High Risk - Orange Mitigation Strategies	High Risk - Red Mitigation Strategies
		<ul style="list-style-type: none"> <li><input type="checkbox"/> Physical distancing of 2 meters; If necessary, markings will be placed on the floor;</li> <li><input type="checkbox"/> Hand hygiene – handwashing for at least 20 seconds upon entering the site;</li> <li><input type="checkbox"/> Everyone will wear a non-medical masks at all times unless alone.</li> <li><input type="checkbox"/> CSC will provide a mask to individuals who arrive without one.</li> <li><input type="checkbox"/> Avoid touching face and/or non-medical masks, perform hand hygiene before and after if repositioning of mask is required;</li> <li><input type="checkbox"/> 14 day self-isolation required if travel to area with known COVID-19 transmission</li> </ul>	<p>distancing guidance. Staff/contractors should travel to and from work in their own vehicle or in vehicles with people from the same household.</p>		
<b>Organizational public health measures - requirements</b>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No alcohol based hand sanitizer in inmates’ areas.</li> <li><input type="checkbox"/> Inventory and procurement of personal protective equipment, cleaning supplies, etc. is maintained.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Non-touch temperature readings will be taken for all who enter a CSC operational site.</li> <li><input type="checkbox"/> Individuals who register a temperature of 38°C or higher will be required to sit at the entrance for fifteen minutes to allow their temperature to normalize. The Correctional Manager or CCC Manager will be contacted. When fifteen</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Managers to regularly review procedures and expectations with employees</li> </ul>		

Table of Contents

	Low Risk – Green	Low-Moderate Risk - Grey Mitigation Strategies	Moderate Risk - Yellow Mitigation Strategies	Moderate-High Risk - Orange Mitigation Strategies	High Risk - Red Mitigation Strategies
		<p>minutes have passed, the individual will take a second temperature reading orally themselves using a disposable thermometer. If the second reading yields a result of 38°C or above, they will not enter the operational site and will return home immediately, contacting local public health authorities to seek testing for COVID-19.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> No one other than the Officer or Commissionaire at the front entrance should touch sign in forms or pens.</li> <li><input type="checkbox"/> Formal supervised hand hygiene, using soap and water or at least 60% alcohol-based hand sanitizer (ABHS) at front entrances, pre-entry locations and strategically located through the site, including program spaces, offices, etc., respecting required physical distancing.</li> <li><input type="checkbox"/> ABHS will be controlled and supervised;</li> <li><input type="checkbox"/> Handwashing stations and hand sanitizer available throughout the site, available to both staff and inmates;</li> <li><input type="checkbox"/> Soap supply monitored regularly for each inmate and</li> </ul>			

Table of Contents

	Low Risk – Green	Low-Moderate Risk - Grey Mitigation Strategies	Moderate Risk - Yellow Mitigation Strategies	Moderate-High Risk - Orange Mitigation Strategies	High Risk - Red Mitigation Strategies
		<p>replenished by CSC as required.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Consequences of offender non-compliance with wearing a mask may include an institutional charge as per <u>section 40</u> of the <i>Corrections and Conditional Release Act</i> (unless exempted by a health professional).</li> <li><input type="checkbox"/> Cleaning supplies and disinfectant wipes will be provide to staff/ contractors working in shared spaces, such as program rooms, etc.</li> <li><input type="checkbox"/> Increased ongoing monitoring &amp; procurement of personal protective equipment (masks, gowns, gloves, etc.), cleaning &amp; sanitizing supplies.</li> <li><input type="checkbox"/> In all locations, staff/ contractors and offenders will not share bathrooms. If not already in place, separate bathrooms will be identified.</li> </ul>			
<b>Cleaning and Disinfection</b>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Cleaning/disinfecting of all shared tools and equipment with appropriate disinfectants is mandatory, before and after use;</li> <li><input type="checkbox"/> Throughout the living units, cleaners disinfect on a daily schedule according to training standards with</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Cleaning/disinfecting of all tools and equipment (before and after use) is mandatory;</li> </ul>			<ul style="list-style-type: none"> <li><input type="checkbox"/> Double bag and dispose of all garbage in accordance with municipal guidelines.</li> </ul>

Table of Contents

	Low Risk – Green	Low-Moderate Risk - Grey Mitigation Strategies	Moderate Risk - Yellow Mitigation Strategies	Moderate-High Risk - Orange Mitigation Strategies	High Risk - Red Mitigation Strategies
	<p>commercially available products (wipes, bleach, detergents and soaps, etc.), paying special attention to all high-touch surfaces, which should be cleaned throughout the day.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Refer to the <a href="#">COVID-19: Cleaning and disinfection Guidance</a> and <a href="#">COVID-19: Institutional Cleaning and step-by-step Guide</a> documents.</li> <li><input type="checkbox"/> All cleaning is documented.</li> </ul>				
<b>Personal Protection Equipment (PPE)</b>		<p><b>Point of Care Risk Assessment</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> All staff/contractors who are required to be within 2 meters of an offender to provide care/perform other tasks must conduct a point of care assessment to determine, to the best of their ability, if the offender is experiencing COVID-19 symptoms. Non-medically trained staff/contractors should ask the offender if they are experiencing any of the following:               <ol style="list-style-type: none"> <li>1. Fever;</li> <li>2. Any respiratory symptoms (such as cough, shortness of breath, runny nose or</li> </ol> </li> </ul>		<ul style="list-style-type: none"> <li><input type="checkbox"/> For any sites with an active COVID-19 outbreak, medical/procedural masks and eye protection are to be worn by all staff/contractors for the full duration of their shifts. The use of non-medical masks may only be considered in sites with established distinct contaminated and non-contaminated zones; where the non-contaminated zones may use non-medical masks</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> For any sites with an active COVID-19 outbreak, medical/procedural masks and eye protection are to be worn by all staff/contractors for the full duration of their shifts.</li> </ul>

Table of Contents

	Low Risk – Green	Low-Moderate Risk - Grey Mitigation Strategies	Moderate Risk - Yellow Mitigation Strategies	Moderate-High Risk - Orange Mitigation Strategies	High Risk - Red Mitigation Strategies
		<p>sneezing, nasal congestion, hoarse voice, sore throat, or difficulty swallowing); or</p> <p>3. Any strange symptoms (such as chills, muscle aches, diarrhea, headache, loss of taste or smell)</p> <p>If symptoms are present, PPE should be adjusted accordingly prior to initiating any contact and the protocol for suspected COVID-19 should be followed.</p>			
<b>Screening/Monitoring</b>		<input type="checkbox"/> Supervised active screening of everyone at all operational site entrances; <input type="checkbox"/> ACHS is monitoring community cases of COVID-19 across Canada.	<input type="checkbox"/> Personnel who have personal risk factors for severe disease will have risk based discussion with managers regarding the need for self-isolation and impact on their ability to work <input type="checkbox"/> Quickly identifying and isolating symptomatic individuals.		
<b>Movement</b>	<input type="checkbox"/> As per normal routine	<input type="checkbox"/> To support contact tracing and to mitigate transmission among staff/ contractors and offenders in the event of a positive case, staff rosters and inmate movement will be limited to <b>double cohorts</b> . <input type="checkbox"/> Non-uniformed staff/ contractors who interact with inmates will limit their in	<input type="checkbox"/> To support contact tracing and to mitigate widespread transmission among staff/ contractors and offenders in the event of a positive case, staff rosters and inmate movement will be <b>single cohort</b> based. <input type="checkbox"/> Non-uniformed staff/ contractors who interact with	<input type="checkbox"/> Limited to no movement in the COVID-19 infected area <input type="checkbox"/> All non-critical staff will not be at the institution.	<input type="checkbox"/> Limited to no movement. <input type="checkbox"/> All non-critical staff will not be at the institution.

Table of Contents

	Low Risk – Green	Low-Moderate Risk - Grey Mitigation Strategies	Moderate Risk - Yellow Mitigation Strategies	Moderate-High Risk - Orange Mitigation Strategies	High Risk - Red Mitigation Strategies
		<p>person contacts to inmates on their case load</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> When ACHS signals to the RDC that the protocol threshold has been met; staff rosters and movement may be required to move to a single cohort during this close monitoring phase. In addition, staff/contractor movement between security levels will be limited to emergencies only.</li> </ul>	<p>inmates will limit their in person contacts to essential interactions only</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> No movement of staff/contractors between security levels at clustered institutions. This includes multilevel institutions where there is a minimum security unit outside the perimeter fence</li> </ul>		
<b>Policies</b>	<ul style="list-style-type: none"> <li><input type="checkbox"/> All areas of the work site must be decluttered and surfaces as bare as possible to support required cleaning for ongoing infection prevention and control.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Employees who are able to may work part of the time at the site and part of the time remotely as determined locally.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> All employees and contractors who can work remotely, will work remotely;</li> <li><input type="checkbox"/> Critical employees, who may be required to attend the site, will work remotely as much as reasonably possible.</li> </ul>		
<b>Engineering Controls</b>		<ul style="list-style-type: none"> <li><input type="checkbox"/> Medical isolation spaces prepared and available</li> <li><input type="checkbox"/> A designated location(s) for PPE donning and doffing areas, complete with hand sanitizer/hand washing stations, signage (including instructions for step-wise donning and doffing), and non-touch waste and/or laundry receptacles. Ensure donning and doffing stations are separate from one another, to prevent cross-</li> </ul>			

Table of Contents

	Low Risk – Green	Low-Moderate Risk - Grey Mitigation Strategies	Moderate Risk - Yellow Mitigation Strategies	Moderate-High Risk - Orange Mitigation Strategies	High Risk - Red Mitigation Strategies
		<p>contamination. Higher risk PPE donning and doffing locations (medical staff and/or contracted cleaners) and/or the identification of contaminated versus non-contaminated zones must be identified.</p> <p><input type="checkbox"/> Where physical distancing is not possible, consider the feasibility and effectiveness of installing barriers, such as clear plastic sneeze guards, glass or windows to separate participants. It is important that any physical barriers do not create restrictions to accessibility, in circulation paths or negatively affect airflow within a space.</p>			
<b>Testing</b>	<p><input type="checkbox"/> CSC will test all symptomatic inmates</p> <p><input type="checkbox"/> Symptomatic staff/contractors will be required to be tested by local public health authorities</p>	<p><input type="checkbox"/> Test all symptomatic inmates or staff</p> <p><input type="checkbox"/> Introduce sentinel testing whenever community cases reach the threshold</p>	<p><input type="checkbox"/> Test all symptomatic inmates or staff</p> <p><input type="checkbox"/> Asymptomatic surveillance testing of staff</p>	<p><input type="checkbox"/> Testing of symptomatic inmates and staff (broadly)</p> <p><input type="checkbox"/> Outbreak testing as per the strategy</p>	<p><input type="checkbox"/> Testing of symptomatic inmates and staff (broadly)</p> <p><input type="checkbox"/> Outbreak testing as per the strategy</p>

**\*Cohort - definition**

- A group of staff who are required to work the same unit or series of posts, with the goal to minimize numbers of contacts.
- A group of inmates permitted to associate together and who are treated as a group.
- The size of the cohort is determined at the local level in collaboration with the local Occupational Health and Safety committee, within the parameters of Health Services advice.

**INSTITUTIONAL OPERATIONS**

**Admissions and Discharge**

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
Activity	NO SUSTAINED TRANSMISSION IN CANADA	COVID IN CANADA/PROVINCE NO LOCAL COMMUNITY TRANSMISSION	LOCAL COMMUNITY TRANSMISSION	COVID ON SITE – TRANSMISSION CONTAINED IN AN IDENTIFIED ZONE	COVID ON SITE – TRANSMISSION NOT CONTAINED
<b>New Admissions (Warrants of Committal)/Revocations</b>		<input type="checkbox"/> Immediately screening at intake by operations, using the COVID-19 screening form and additional screening by Health Services as part of the intake process. <input type="checkbox"/> Medical isolation for 14 days in accordance with health services algorithms for intake and symptomatic inmates. <input type="checkbox"/> Inmate education on infection and prevention (cough/sneezing hygiene; handwashing; physical distancing; cleaning living area). <input type="checkbox"/> Twice-daily medical isolation wellness assessments for symptomatic offenders and once-daily medical isolation wellness assessments for asymptomatic offenders, documented in the electronic medical record. <input type="checkbox"/> Staff/contractors working with asymptomatic offenders that are medically isolating as new admissions to the institution	<input type="checkbox"/> Follow all strategies in low-moderate risk	<input type="checkbox"/> If possible, RDC will work with provinces to defer or delay new admissions. <input type="checkbox"/> Follow all strategies in low-moderate & moderate risk	<input type="checkbox"/> If possible, RDC will work with provinces to defer or delay new admissions. <input type="checkbox"/> Follow all strategies in low-moderate & moderate risk

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		require only routine practices and universal masking.			
<b>Finger printing</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Conduct a point of care risk assessment. <input type="checkbox"/> Hand hygiene before and after contact. <input type="checkbox"/> Routine per standing order with appropriate <a href="#">IPC measures</a> (staff – eye protection, non-medical mask, gloves). <input type="checkbox"/> Inmate wears a mask.	<input type="checkbox"/> Following 14 days of medical isolation where the inmate remains symptom free, finger printing may be completed. <input type="checkbox"/> Conduct a point of care risk assessment. <input type="checkbox"/> Hand hygiene before and after contact. <input type="checkbox"/> Routine per standing order with appropriate <a href="#">IPC measures</a> (staff – eye protection, non-medical mask, gloves). <input type="checkbox"/> Inmate wears a mask.	<input type="checkbox"/> Fingerprinting is suspended	<input type="checkbox"/> Fingerprinting is suspended
<b>Searching personal effects</b>	<input type="checkbox"/> Regular operations within department.	<input type="checkbox"/> Regular operations following a 3-day quarantine period, then effects are searched.	<input type="checkbox"/> Regular operations following a 3-day quarantine period, then effects are searched.	<input type="checkbox"/> Regular operations following a 3-day quarantine period, then effects are searched.	<input type="checkbox"/> Regular operations following a 3-day quarantine period, then effects are searched.

**Operations**

	<b>Low Risk – Green</b>	<b>Low-Moderate Risk Mitigation Strategies - Grey</b>	<b>Moderate Risk Mitigation Strategies - Yellow</b>	<b>Moderate-High Risk Mitigation Strategies –Orange</b>	<b>High Risk Mitigation Strategies – Red</b>
<b>Security Intelligence Officers</b>	<input type="checkbox"/> Full complement of Security Intelligence Officers (SIO) at operational site	<input type="checkbox"/> Full complement of SIOs at operational site with appropriate <a href="#">IPC measures</a>	<input type="checkbox"/> 50% complement of SIOs at operational site at the same time	<input type="checkbox"/> 50% complement of SIOs at operational site at the same time	<input type="checkbox"/> 50% complement of SIOs at operational site at the same time
<b>Security Intelligence Officer Administrative Assistants</b>	<input type="checkbox"/> Full complement of SIO Administrative Assistants at operational site.	<input type="checkbox"/> SIO Administrative Assistants at operational site 50% of the time with appropriate <a href="#">IPC measures</a> .	<input type="checkbox"/> SIO Administrative Assistants at operational site 30% of the time with appropriate <a href="#">IPC measures</a> .	<input type="checkbox"/> SIO assistants to work away from the operational site unless presence is critical.	<input type="checkbox"/> SIO assistants to work away from the operational site unless presence is critical.
<b>Meal service</b>	<input type="checkbox"/> Normal meal routine	<input type="checkbox"/> No large group meal service or eating in cafeteria <input type="checkbox"/> Food pick up at food services line by double cohort. <input type="checkbox"/> Inmates return to unit to eat. <input type="checkbox"/> Inmates under medical isolation will receive meals at cells. <input type="checkbox"/> Small meal preparation – groceries will be picked up by cohort	<input type="checkbox"/> No large group meal service or eating in cafeteria <input type="checkbox"/> Food pick up at food services line by single cohort. <input type="checkbox"/> Inmates return to unit to eat. <input type="checkbox"/> Inmates under medical isolation will receive meals at cells. <input type="checkbox"/> Small meal preparation – groceries will be delivered to the house.	<input type="checkbox"/> Meal service at cell level for medically isolated or quarantined inmates. <input type="checkbox"/> Unit-based meal service for other populations. <input type="checkbox"/> Potentially contaminated areas of the institution will use reusable food trays, must be sealed in plastic immediately after use and transported to a separate cleaning area for disinfecting	<input type="checkbox"/> Meal service at Cell Level <input type="checkbox"/> Food trays restricted to inmate’s cell / disposable food trays and utensils will be used <input type="checkbox"/> Reusable food trays, must be sealed in plastic immediately after use and transported to a separate cleaning area for disinfecting
<b>Inmate Movement</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Double cohort	<input type="checkbox"/> Single cohort	<input type="checkbox"/> Unit based	<input type="checkbox"/> Restricted to the Unit
<b>Canteen</b>	<input type="checkbox"/> Inmates can go to canteen to pick up items	<input type="checkbox"/> Inmates can go to canteen to pick up items – by cohort	<input type="checkbox"/> Canteen delivered to unit.	<input type="checkbox"/> Canteen delivered to cell	<input type="checkbox"/> Canteen delivered to cell.
<b>Control Post Cleaning</b>	<input type="checkbox"/> Control post cleaning by CSC employees or contractors	<input type="checkbox"/> Control post cleaning by CSC employees or contractors	<input type="checkbox"/> Control post cleaning by CSC employees or contractors	<input type="checkbox"/> Control post cleaning by CSC employees or contractors	<input type="checkbox"/> Control post cleaning by CSC employees or contractors
<b>Searching inmates</b>	<input type="checkbox"/> Normal routine per post and standing orders/ institutional search plan	<input type="checkbox"/> Routine searches per post and standing orders/institutional search plan with established <a href="#">IPC measures</a> (staff mask and gloves)	<input type="checkbox"/> Routine searches per post and standing orders/ institutional search plan with established <a href="#">IPC measures</a> (staff mask, gloves and eye protection)	<input type="checkbox"/> Reasonable grounds searches	<input type="checkbox"/> Reasonable grounds searches

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<input type="checkbox"/> Inmate will wear mask	<input type="checkbox"/> Inmate will wear mask		
<b>Searching Cells</b>	<input type="checkbox"/> Normal routine per post and standing orders/ institutional search plan	<input type="checkbox"/> Routine searches per post and standing orders/institutional search plan with established <u>IPC measures</u> (staff mask and gloves)	<input type="checkbox"/> Routine searches per post and standing orders/ institutional search plan with established <u>IPC measures</u> (staff mask and gloves)	<input type="checkbox"/> Reasonable grounds or exceptional searches	<input type="checkbox"/> Reasonable grounds or exceptional searches
<b>Urinalysis-Reasonable Grounds</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Routine per standing order with appropriate <u>IPC measures</u> . <input type="checkbox"/> Consideration must be given for the reduced capacity for urinalysis when authorizing any requests. Due to physical distancing requirements, it is recommended to ensure appropriate capacity in the urinalysis testing space when authorizing the number of requests at the same time or during the same day. <input type="checkbox"/> Directional signage in collection areas must be placed to regulate traffic flow and inform of physical distancing protocols. <input type="checkbox"/> Enhanced cleaning with a focus on high touch surfaces. <input type="checkbox"/> Inmate wears a mask.	<input type="checkbox"/> Conduct a point of care risk assessment. <input type="checkbox"/> All mitigation measures in low-moderate risk continues, unless otherwise indicated. <input type="checkbox"/> Additional protection to be considered (e.g. eye protection, Plexiglas/Lexan, mirrors, transparent curtains)	<input type="checkbox"/> COVID ON SITE: a risk assessment will determine if activities may continue on an as-needed basis.	<input type="checkbox"/> COVID ON SITE: a risk assessment will determine if activities may continue on an as-needed basis.
<b>Urinalysis-Random Selection</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Routine per standing order with appropriate <u>IPC measures</u> <input type="checkbox"/> Due to physical distancing requirements, it is recommended to ensure appropriate capacity in the urinalysis testing space when	<input type="checkbox"/> Conduct a point of care risk assessment <input type="checkbox"/> All mitigation measures in low-moderate risk continues, unless otherwise indicated. <input type="checkbox"/> Additional protection to be considered (e.g. eye	<input type="checkbox"/> Suspended	<input type="checkbox"/> Suspended

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		authorizing the number of requests at the same time or during the same day. <input type="checkbox"/> Directional signage in collection areas must be placed to regulate traffic flow and inform of physical distancing protocols. <input type="checkbox"/> Enhanced cleaning with a focus on high touch surfaces. <input type="checkbox"/> Inmate wears a mask.	protection, Plexiglas/Lexan, mirrors, transparent curtains) <input type="checkbox"/> Exceptionally, the monthly random selection list will be generated at 5% of the total incarcerated population <input type="checkbox"/> Exceptionally, the monthly random selection list can be prioritized by cohort.		
<b>Urinalysis-Program participation or activities involving community contact</b>	<input type="checkbox"/> Routine as per normal	<input type="checkbox"/> Routine per normal with appropriate <a href="#">IPC measures</a> <input type="checkbox"/> Due to physical distancing requirements, it is recommended to ensure appropriate capacity in the urinalysis testing space when authorizing the number of requests at the same time or during the same day. <input type="checkbox"/> Directional signage in collection areas must be placed to regulate traffic flow and inform of physical distancing protocols. <input type="checkbox"/> Enhanced cleaning with a focus on high touch surfaces. <input type="checkbox"/> Offender wears a mask.	<input type="checkbox"/> Conduct a point of care risk assessment <input type="checkbox"/> All mitigation measures in low-moderate risk continues, unless otherwise indicated. <input type="checkbox"/> Additional protection to be considered (e.g. eye protection, Plexiglas/Lexan, mirrors, transparent curtains)	<input type="checkbox"/> Suspended	<input type="checkbox"/> Suspended

**Inmate Work**

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Industry</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Routine per standing order with appropriate <a href="#">IPC measures</a>	<input type="checkbox"/> Critical industry operations remains open with appropriate <a href="#">IPC measures</a>	<input type="checkbox"/> Critical industry operations remains open with appropriate <a href="#">IPC measures</a> operated by staff. Offender involvement may be added only if offenders are not from within (and have no contact with others from) identified zone and following local site consultation with senior management, local unions and occupational health and safety committee.	<input type="checkbox"/> Critical industry operations remains open with appropriate <a href="#">IPC measures</a> operated by staff only
<b>Range cleaning</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Routine per standing order with appropriate <a href="#">IPC measures</a>	<input type="checkbox"/> Inmate cleaners for range and common areas as per the <a href="#">COVID-19: Cleaning and disinfection Guidance</a> and <a href="#">COVID-19: Institutional Cleaning and step-by-step Guide</a> documents.	<input type="checkbox"/> In outbreak zone, cleaning completed by CSC employees or contractors <input type="checkbox"/> Inmate cleaners for range and common areas at unit level as per the <a href="#">COVID-19: Cleaning and disinfection Guidance</a> and <a href="#">COVID-19: Institutional Cleaning and step-by-step Guide</a> documents.	<input type="checkbox"/> Cleaning completed by CSC employees or contractors
<b>Snow removal/maintenance</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Routine per standing order with appropriate <a href="#">IPC measures</a>	<input type="checkbox"/> Snow removal/maintenance by inmates with appropriate <a href="#">IPC measures</a> <input type="checkbox"/> Any equipment, including shovels, tractors, lawn mowers, etc. will be disinfected before and after use and will not be shared	<input type="checkbox"/> In the event of an emergency, local discussions will occur to consider if inmates with appropriate <a href="#">IPC measures</a> may complete snow removal/maintenance. <input type="checkbox"/> Any equipment, including shovels, tractors, lawn mowers, etc. will be disinfected before	<input type="checkbox"/> Snow removal/ maintenance completed by CSC employees or contractors <input type="checkbox"/> In the event of an emergency, local discussions will occur to consider if inmates with appropriate <a href="#">IPC measures</a> may complete snow removal/maintenance.

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
				and after use and will not be shared	<input type="checkbox"/> Any equipment, including shovels, tractors, lawn mowers, etc. will be disinfected before and after use and will not be shared
<b>Perimeter Work Clearance</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Routine per standing order with appropriate <a href="#">IPC measures</a> . <input type="checkbox"/> Active screening before leaving and upon return to the institution.	<input type="checkbox"/> Suspended	<input type="checkbox"/> Suspended	<input type="checkbox"/> Suspended

Recreation

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Hobby Craft</b>	<input type="checkbox"/> Regular routine	<input type="checkbox"/> Small group activities allowed <input type="checkbox"/> No sharing of materials <input type="checkbox"/> Limited number of offenders in the hobby rooms at the same time to allow for physical distancing	<input type="checkbox"/> No small group activities allowed <input type="checkbox"/> Limited number of offenders for individual work in the hobby rooms at the same time to allow for physical distancing <input type="checkbox"/> Increased in-cell activities <input type="checkbox"/> Provide materials for in-cell hobby and crafts, as feasible <input type="checkbox"/> Provide materials from the Pro-Social Hobbies Module of the SIU Social Program for in-cell activities	<input type="checkbox"/> Outside of cell activities temporarily on hold <input type="checkbox"/> Provide materials for in-cell hobby and crafts, as feasible <input type="checkbox"/> Provide materials from the Pro-Social Hobbies Module of the SIU Social Program for in-cell activities	
<b>Library</b>	<input type="checkbox"/> Regular routine	<input type="checkbox"/> Maintain strict access protocols to ensure maximum access to learning, legal and leisure opportunities for offenders;	<input type="checkbox"/> Prioritize access to computers and legal resources for case preparation, as and when needed;	<input type="checkbox"/> For inmates living in units, outside of the outbreak zone, access to computers and legal resources for case preparation will be considered upon request	<input type="checkbox"/> Library closed until outbreak is contained

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<ul style="list-style-type: none"> <li><input type="checkbox"/> Chairs to be placed 3 meters apart;</li> <li><input type="checkbox"/> Number of inmates accessing library is limited to size of space and ability to physically distance;</li> <li><input type="checkbox"/> All materials are to be disinfected upon return</li> <li><input type="checkbox"/> Explore and/or maintain the option of audiobook downloads</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Book cart could be made available to make reading resources available to offenders, to be distributed by inmate library workers or inmate volunteers;</li> <li><input type="checkbox"/> If not possible, a rotation schedule will be established for inmate library workers/inmate volunteers/inmate representatives to return, renew, or take out books for inmates.</li> <li><input type="checkbox"/> Returned materials will be quarantined for 3 days</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Library services temporarily on hold, some requests for books may be responded to on a case-by-case basis.</li> <li><input type="checkbox"/> Inmate committees or inmate library workers may provide access to magazines and/or newspapers, if authorized by the institution’s management.</li> <li><input type="checkbox"/> Returned materials will be quarantined for 3 days.</li> </ul>	
<b>Leisure and social activities, including ethno cultural services</b>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Regular routine</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Program facilitator activities: combination at institution and remotely, per institutional routine</li> <li><input type="checkbox"/> SPOs will inform offenders of measures prior to any activity.</li> <li><input type="checkbox"/> <u>IPC Measures</u> posters will be posted in hobby/crafts rooms, gym, etc.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Individual in-person activities, as feasible</li> <li><input type="checkbox"/> Increased in-cell social and leisure activities</li> <li><input type="checkbox"/> Staff to work from home unless their presence at the institution is critical.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No in-person social or leisure activities in contained COVID-19 areas; Increased in-cell social and leisure activities</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No in-person social or leisure activities</li> </ul>
<b>Gym</b>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Gymnasium open for scheduled recreation</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Gymnasium open for scheduled recreation – double cohort, ensuring continuation of physical distancing</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Gymnasium open for scheduled recreation time – single cohort, ensuring continuation of physical distancing;</li> <li><input type="checkbox"/> Shared surfaces (e.g. chairs, tables, door handles, etc.)</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Gymnasium closed</li> <li><input type="checkbox"/> SPOs will provide materials from the Physical Wellness Module of the SIU Social Program for in-cell exercise</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Gymnasium closed</li> <li><input type="checkbox"/> SPOs will provide materials from the Physical Wellness Module of the SIU Social Program for in-cell exercise</li> </ul>

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<ul style="list-style-type: none"> <li><input type="checkbox"/> Gym equipment may be used and will be disinfected before and after each use.</li> <li><input type="checkbox"/> Shared surfaces (e.g. chairs, tables, door handles, etc.) will be cleaned between cohorts. All cleaning will be documented.</li> <li><input type="checkbox"/> SPOs will engage individual and/or small group activities that do not require sharing materials</li> </ul>	<ul style="list-style-type: none"> <li>will be cleaned between cohorts</li> <li><input type="checkbox"/> No equipment, including weights, can be used/shared</li> <li><input type="checkbox"/> Increased in-cell activities</li> <li><input type="checkbox"/> SPOs will provide materials from the Physical Wellness Module of the SIU Social Program for in-cell exercise</li> </ul>		
<b>Yard</b>	<input type="checkbox"/> Yard open for scheduled recreation	<input type="checkbox"/> Yard open for scheduled recreation – double cohort	<input type="checkbox"/> Yard open for scheduled recreation – single cohort	<input type="checkbox"/> Yard may be closed for recreation. Movement plan determined locally with the involvement of Health Services and local Public Health Authorities.	<input type="checkbox"/> Yard may be closed for recreation. Movement plan determined locally with the involvement of Health Services and local Public Health Authorities.
<b>Gardens</b>	<input type="checkbox"/> Routine per standing order	<ul style="list-style-type: none"> <li><input type="checkbox"/> Inmate access to gardens;</li> <li><input type="checkbox"/> No more than double cohort</li> <li><input type="checkbox"/> Physical distancing and masks required</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Inmate access to gardens;</li> <li><input type="checkbox"/> No more than single cohort</li> <li><input type="checkbox"/> Physical distancing and masks required</li> </ul>	<input type="checkbox"/> No access	<input type="checkbox"/> No access

Visits and Correspondence

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Mail</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Mail is placed in quarantine for 3 days.	<input type="checkbox"/> Mail is placed in quarantine for 3 days.	<input type="checkbox"/> Mail is placed in quarantine for 3 days.	<input type="checkbox"/> Mail is placed in quarantine for 3 days.
<b>All visitors</b>	<input type="checkbox"/> Routine per standing order	<ul style="list-style-type: none"> <li><input type="checkbox"/> All visitors will be actively screened.</li> <li><input type="checkbox"/> No one with COVID-19 like symptoms will be permitted entry.</li> </ul>	<input type="checkbox"/> Suspended or virtual	<input type="checkbox"/> Suspended or virtual	<input type="checkbox"/> Suspended or virtual

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<ul style="list-style-type: none"> <li><input type="checkbox"/> All visitors will be strongly encouraged to bring their own mask; however, if they arrive without one, CSC will provide them with a mask. Children under the age of two are not required to wear masks.</li> <li><input type="checkbox"/> Non-touch temperature readings will be taken for all who enter a CSC operational site. See <a href="#">Universal IPC measures</a> for details.</li> <li><input type="checkbox"/> No one other than the Officer or Commissionaire at the front entrance will touch sign in forms or pens.</li> <li><input type="checkbox"/> Hand hygiene – All visitors will wash hands for at least 20 seconds upon entering CSC facility.</li> <li><input type="checkbox"/> No physical contact between visitor(s) and inmate.</li> <li><input type="checkbox"/> Physical distancing of 2 meters must be maintained at all times.</li> <li><input type="checkbox"/> Rooms/locations where visiting will occur will be disinfected before and after each visit, including visitor washrooms, in accordance with the <a href="#">COVID-19: Cleaning and disinfection Guidance</a> and <a href="#">COVID-19: Institutional</a></li> </ul>			

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<i>Cleaning and step-by-step Guide</i> documents.			
<b>Lawyers</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Facsimile (fax) <input type="checkbox"/> Regular mail <input type="checkbox"/> Telephone <input type="checkbox"/> Visits permitted by lawyers from a community* where the local public health authority has identified no local community transmission and consistent with interprovincial and intraprovincial travel restrictions	<input type="checkbox"/> Closed visits in exceptional circumstances <input type="checkbox"/> CSC to add lawyer’s toll free number to inmate’s ITS <input type="checkbox"/> CSC to disable three-way call detection for third party service provider numbers provided by lawyer. <input type="checkbox"/> Phone contact <input type="checkbox"/> Facsimile (fax) <input type="checkbox"/> Regular mail	<input type="checkbox"/> No visits <input type="checkbox"/> Remainder of mitigation strategies in moderate risk continue	<input type="checkbox"/> No visits <input type="checkbox"/> Remainder of mitigation strategies in moderate risk continue
<b>Independent Chair Person</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> As per normal routine with appropriate <u>IPC measures</u>	<input type="checkbox"/> Suspended, virtual or behind barrier	<input type="checkbox"/> Suspended or virtual	<input type="checkbox"/> Suspended or virtual
<b>Staff from other government departments</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Entry permitted	<input type="checkbox"/> Essential entry will be considered at the local level as necessary.	<input type="checkbox"/> No entry (with certain exceptions related to outbreak/public health)	<input type="checkbox"/> No entry (with certain exceptions related to outbreak/health)
<b>Citizens Advisory Committee members</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Visits permitted by CAC members who are from a community where the local public health authority has identified no local community transmission and consistent with interprovincial and intraprovincial travel restrictions.	<input type="checkbox"/> Suspended or virtual	<input type="checkbox"/> Suspended or virtual	<input type="checkbox"/> Suspended or virtual
<b>Inmate Personal Visitors</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Visitor notifies institution a minimum of 48 hours prior to visit. <input type="checkbox"/> To support the health and safety of staff and inmates	<input type="checkbox"/> Suspended or virtual	<input type="checkbox"/> Suspended or virtual	<input type="checkbox"/> Suspended or virtual

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<p>and to support immediate contact tracing if required, V&amp;C capacity will be limited to no more than 20 people, including inmates (excluding officers). This number will be reduced as required, depending on V&amp;C space, to ensure 2 meter distancing is met.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> V&amp;C Officer will actively screen potential visitors at time of booking visit.</li> <li><input type="checkbox"/> Visits permitted by individuals from a community where the local public health authority has identified no local community transmission and consistent with interprovincial and intraprovincial travel restrictions.</li> <li><input type="checkbox"/> Consideration must be given to the reduced capacity for visits when authorizing individual requests. Normally a visitor would not have more than one visit per week.</li> <li><input type="checkbox"/> No more than three visitors, two of which may be children, at one time.</li> <li><input type="checkbox"/> No physical contact between visitor(s) and inmate.</li> <li><input type="checkbox"/> Inmates and visitors will be 2 meters apart or a physical</li> </ul>			

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<p>barrier will be placed between visitor and inmate, such as Plexiglas/Lexan.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Physical distancing of 2 meters must be maintained between visitor groups.</li> <li><input type="checkbox"/> Failure to comply will result in termination of visit and a review of visitor privileges.</li> <li><input type="checkbox"/> Visits will be limited to 1.5 hours duration.</li> <li><input type="checkbox"/> As much as possible, doors and windows in V&amp;C to be opened to increase air circulation.</li> <li><input type="checkbox"/> No use of vending machines.</li> <li><input type="checkbox"/> Visitor cannot bring food, beverages, or personal belongings into the institution. Exceptions will be made for accessibility reasons.</li> <li><input type="checkbox"/> All play areas are to be closed and no institutional toys permitted.</li> <li><input type="checkbox"/> No inmate use of washrooms in the visiting area.</li> <li><input type="checkbox"/> Each occupied visitor table will be provided with disinfecting wipes. Visitors are expected to disinfect high touch surfaces in washrooms when required.</li> </ul>			

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<input type="checkbox"/> Directional signage in V&C areas will regulate traffic flow and inform of physical distancing protocols			
<b>Private Family Visits</b>  <b>Note:</b> Scheduling of Private Family Visits (PFV) is dependent on institution’s capacity to have inmates medically isolate following the PFV	<input type="checkbox"/> As per institutional routine.	<input type="checkbox"/> Routine per standing order with appropriate <u>IPC measures</u> <input type="checkbox"/> Institutions can resume PFVs at sites consistent with local public health directives and from communities that are not subject to intra- or inter-provincial travel restrictions <input type="checkbox"/> COVID screening questions regarding visitor completed upon entry into the institution <input type="checkbox"/> Visitor and inmate to remain separated from offender population in PFV. <input type="checkbox"/> Commencing immediately upon the end of the PFV, the inmate must continue to self-isolate for the required period (14 days or per local provincial public health guidelines). <input type="checkbox"/> The self-isolation will be completed in the location designated by the site for this purpose. <input type="checkbox"/> PFV units will be disinfected before and after each visit in accordance with the <u>COVID-19: Cleaning and disinfection</u>	<input type="checkbox"/> Private Family Visits Suspended	<input type="checkbox"/> Private Family Visits Suspended	<input type="checkbox"/> Private Family Visits Suspended

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<i><u>Guidance and COVID-19: Institutional Cleaning and step-by-step Guide</u></i> documents.			

**\*Note:** Community is defined by the geographical boundaries of the local health authority, and not necessarily the boundaries of the town/city that the site is located in.

Temporary Absences/Work Releases

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Escorted Temporary Absence - Medical</b>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Routine per standing order</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> When transporting inmate, with COVID-like symptoms:                             <ol style="list-style-type: none"> <li>1. inmate will wear medical/procedural mask</li> <li>2. Officer will wear gown, gloves, eye protection and mask</li> <li>3. Vehicle will be disinfected before and after use</li> </ol> </li> <li><input type="checkbox"/> Transporting an inmate without COVID-like symptoms – both staff and inmates to wear non-medical mask</li> <li><input type="checkbox"/> When an inmate returns to an institution from an external health care setting, refer to Patient Journey: COVID-19 Return from Hospitalization algorithm</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> When transporting inmate, with COVID-like symptoms:                             <ol style="list-style-type: none"> <li>1. inmate will wear medical/procedural mask</li> <li>2. Officer will wear gown, gloves, eye protection and mask</li> <li>3. Vehicle will be disinfected before and after use</li> </ol> </li> <li><input type="checkbox"/> Transporting an inmate without COVID-like symptoms, when medically necessary, – both staff and inmates to wear non-medical mask, officer to wear eye protection</li> <li><input type="checkbox"/> When an inmate returns to an institution from an external health care setting, refer to <a href="#">Patient Journey: COVID-19 Return from Hospitalization algorithm</a></li> <li><input type="checkbox"/> The receiving hospital may not be able to provide PPE for CSC staff. CSC staff should prepare for this by ensuring they have three sets of PPE ready for the transfer: one set for travelling to the hospital, a new set upon arrival to the hospital, and a final set for returning to the institution.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> When transporting inmate:                             <ol style="list-style-type: none"> <li>1. inmate will wear medical/procedural mask</li> <li>2. Officer will wear gown, gloves, eye protection and mask</li> <li>3. Vehicle will be disinfected before and after use</li> </ol> </li> <li><input type="checkbox"/> When an inmate returns to an institution from an external health care setting, refer to Patient Journey: COVID-19 Return from Hospitalization algorithm</li> <li><input type="checkbox"/> The receiving hospital may not be able to provide PPE for CSC staff. CSC staff should prepare for this by ensuring they have three sets of PPE ready for the transfer: one set for travelling to the hospital, a new set upon arrival to the hospital, and a final set for returning to the institution.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> When transporting inmate:                             <ol style="list-style-type: none"> <li>1. inmate will wear medical/procedural mask</li> <li>2. Officer will wear gown, gloves, eye protection and mask</li> <li>3. Vehicle will be disinfected after use</li> </ol> </li> <li><input type="checkbox"/> When an inmate returns to an institution from an external health care setting, refer to Patient Journey: COVID-19 Return from Hospitalization algorithm</li> <li><input type="checkbox"/> The receiving hospital may not be able to provide PPE for CSC staff. CSC staff should prepare for this by ensuring they have three sets of PPE ready for the transfer: one set for travelling to the hospital, a new set upon arrival to the hospital, and a final set for returning to the institution.</li> </ul>

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Escorted Temporary Absence - security escort (excludes medical)</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Routine per standing order with appropriate <a href="#">IPC measures</a> <input type="checkbox"/> Active screening before leaving and upon return to the institution.	<input type="checkbox"/> Suspended	<input type="checkbox"/> Suspended	<input type="checkbox"/> Suspended
<b>Non security escort – ETA</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Routine per standing order with appropriate <a href="#">IPC measures</a> ; <input type="checkbox"/> Active screening before leaving and upon return to the institution.	<input type="checkbox"/> Suspended	<input type="checkbox"/> Suspended	<input type="checkbox"/> Suspended
<b>Unescorted Temporary Absences/Work Releases</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Routine per standing order with appropriate <a href="#">IPC measures</a> <input type="checkbox"/> Active screening before leaving and upon return to the institution.	<input type="checkbox"/> Suspended	<input type="checkbox"/> Suspended	<input type="checkbox"/> Suspended

**Inter-Regional Transfers**

**Note:** Frequently Asked Questions document is available to Regional Transfers Coordinators and Regional Transfers Escort Teams.

**Refer to:** [Transfers Algorithm](#)

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Inter-Regional Transfers-by Charter</b>	<input type="checkbox"/> Routine flight operations	<input type="checkbox"/> COVID-19 health screening questionnaire will be administered to staff and inmates, including a temperature check, before the flight. <input type="checkbox"/> All staff and inmates will wear a mask throughout the duration of the transfer. Masks may be removed for eating, drinking or taking medication. Staff may assist an inmate who is unable to remove their own mask. <input type="checkbox"/> Physical distancing (2 meters) will be maintained as much as possible. <input type="checkbox"/> The Air Carrier will provide sanitizing products for the washrooms to allow staff and inmates to use for disinfection before and after use during the flight. <input type="checkbox"/> Air Carrier will clean washrooms at regular stops. <input type="checkbox"/> Air Carrier will provide hand sanitizer for passenger use when entering the aircraft. <input type="checkbox"/> Onboard Transfer Coordinator (OTC)	<input type="checkbox"/> Suspension of inter-regional transfers. Exceptions approved by ACCOP and RDC, and for transfer of women, DCW. <input type="checkbox"/> Public health authorities (local) to be engaged at sending and receiving sites <input type="checkbox"/> Public health authority (local, provincial and federal) parameters to be respected.	<input type="checkbox"/> Suspension of inter-regional transfers. Exceptions to be approved by ACCOP and RDC, as well as DCW for transfer of women <input type="checkbox"/> Public health authorities (local) to be engaged at sending and receiving sites <input type="checkbox"/> Public health authority (local, provincial and federal) parameters to be respected.	<input type="checkbox"/> Suspension of inter-regional transfers. Exceptions to be approved by ACCOP and RDC, as well as DCW for transfer of women <input type="checkbox"/> Public health authorities (local) to be engaged at sending and receiving sites <input type="checkbox"/> Public health authority (local, provincial and federal) parameters to be respected.

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<p>/Correctional Manager (CM) will bring hand sanitizer for staff and inmate use during the flight.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Where possible, OTC/CM may request to serve the meals on a rotational basis to have fewer individuals removing masks at the same time.</li> <li><input type="checkbox"/> All staff and inmates must follow the direction of the air carrier.</li> <li><input type="checkbox"/> Public health authorities (local) to be engaged at sending and receiving sites.</li> <li><input type="checkbox"/> Public health authority (local, provincial and federal) parameters to be respected.</li> <li><input type="checkbox"/> Overnight accommodation: inmates will not be placed at in-transit outbreak locations. Staff must follow all quarantine parameters from local public health authorities, where applicable.</li> </ul>			
<b>Inter-Regional Transfers-by Commercial Air Carrier</b>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Routine flight operations</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> All staff and the inmates scheduled for a commercial flight must follow <a href="#">Transport Canada Aviation Measures in Response to COVID-19</a> and <a href="#">Transport Canada's COVID-19 Information for Travelers</a></li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Suspension of inter-regional transfers. Exceptions approved by ACCOP and RDC, and for transfer of women, DCW.</li> <li><input type="checkbox"/> Public health authorities (local) to be engaged at sending and receiving sites</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Suspension of inter-regional transfers. Exceptions to be approved by ACCOP and RDC, as well as DCW for transfer of women</li> <li><input type="checkbox"/> Public health authorities (local) to be engaged at sending and receiving sites</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Suspension of inter-regional transfers. Exceptions to be approved by ACCOP and RDC, as well as DCW for transfer of women</li> <li><input type="checkbox"/> Public health authorities (local) to be engaged at sending and receiving sites</li> </ul>

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<ul style="list-style-type: none"> <li><input type="checkbox"/> Public health authorities (local) to be engaged at sending and receiving sites.</li> <li><input type="checkbox"/> Public health authority (local, provincial and federal) parameters to be respected.</li> <li><input type="checkbox"/> Overnight accommodation: inmates will not be placed at in-transit outbreak locations. Staff must follow all quarantine parameters from local public health authorities, where applicable.</li> <li><input type="checkbox"/> All staff and inmates must follow the direction of the air carrier.</li> <li><input type="checkbox"/> For commercial flights, the purchase of additional seats may be considered to promote physical distancing. This will be assessed on a case-by-case basis.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Public health authority (local, provincial and federal) parameters to be respected.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Public health authority (local, provincial and federal) parameters to be respected.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Public health authority (local, provincial and federal) parameters to be respected.</li> </ul>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**REINTEGRATION OPERATIONS**  
**Correctional Programs, Structured Social Programs**

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Program Planning</b>	<input type="checkbox"/> Prioritization of programs (proximity to release or scheduled hearing, Structured Intervention Unit delivery)	<input type="checkbox"/> Same as Low Risk <input type="checkbox"/> Offenders in Structured Intervention Unit could be assigned to participate in a program outside of the unit, per the Threat Risk Assessment (TRA)	<input type="checkbox"/> Same as Low Risk	<input type="checkbox"/> Same as Low Risk	<input type="checkbox"/> Same as Low Risk
<b>Program Delivery</b>		<input type="checkbox"/> At the first group session, when reviewing rules, review necessity to use PPE (including non-medical masks) and consequences of non-compliance. Consequences of non-compliance may include suspension from programs and an institutional charge as per <a href="#">section 40</a> of the <i>Corrections and Conditional Release Act</i> . <input type="checkbox"/> Group materials printed 3 days in advance before providing to offenders to allow for adequate time to “quarantine” paper <input type="checkbox"/> Group materials provided to offenders (workbook comprised of all handouts and some content); <input type="checkbox"/> Items will be not be passed between participants;	<input type="checkbox"/> No in person group Programs <input type="checkbox"/> Individual program delivery, in person or using alternate means <input type="checkbox"/> Increased homework exercises to facilitate independent learning, as feasible <input type="checkbox"/> Program delivery using telephone or video - pre and post program session, individual and make up sessions, Motivational Modules sessions, case conferences <input type="checkbox"/> Staff work from home unless critical to be at the institution <input type="checkbox"/> Remote work for program tasks, e.g., session prep, post session work, report writing	<input type="checkbox"/> Following direction of public health authorities, some of the measures in yellow may be undertaken <input type="checkbox"/> Alternative Correctional program delivery could continue if in compliance with direction from local public health	<input type="checkbox"/> No in person programs or individual sessions

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<ul style="list-style-type: none"> <li><input type="checkbox"/> Modifications will be made to program content as required to respect all public health measures</li> <li><input type="checkbox"/> Everyone is required to remain in their seat throughout the program to respect physical distancing, including during role plays</li> <li><input type="checkbox"/> Session length may be limited to between 1 and 2.5 hours</li> <li><input type="checkbox"/> In class offender worksheet completion to be made homework assignment</li> <li><input type="checkbox"/> High intensity groups – delivered by one facilitator with reduced number of participant</li> </ul> <p><b>Note:</b> local discussions will occur between manager and employees who are immunocompromised regarding alternative program delivery as required</p>			
<b>Program Facilitators</b>		<ul style="list-style-type: none"> <li><input type="checkbox"/> Program facilitator activities will include a combination of work performed at the institution and remotely per institutional routine. Remote work for program tasks, e.g., session prep, post session work, report writing, etc.</li> </ul>			

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		available as an option for employees			
<b>Office Space</b>		<input type="checkbox"/> Only offices that allow for a minimum of 3 meters between desks may be shared <input type="checkbox"/> Office door to be kept open when possible for air circulation <input type="checkbox"/> If different staff are using an office space at different times – the office will be disinfected between uses	<input type="checkbox"/> No sharing of office space		
<b>Program Space</b>		<input type="checkbox"/> Chairs to be placed 3 meters apart <input type="checkbox"/> Visual markings on the floor to ensure physical distancing <input type="checkbox"/> All spaces to be disinfected between program sessions according to the <a href="#"><i>COVID-19: Cleaning and disinfection Guidance</i></a> and <a href="#"><i>COVID-19: Institutional Cleaning and step-by-step Guide</i></a> documents. <input type="checkbox"/> All cleaning will be documented			
<b>Group Size</b>		<input type="checkbox"/> Limited by size of space – allowing for 3 meters distance between chairs <input type="checkbox"/> Maximum 5 participants			

**Educational Programs**

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Educational Program Planning</b>		<input type="checkbox"/> Prioritization of participation (i.e. proximity to release, level of educational needs, other correctional plan activities) <input type="checkbox"/> Offenders in Structured Intervention Unit could be assigned to participate in a education program outside of the unit, per the Threat Risk Assessment (TRA)	<input type="checkbox"/> Prioritization of participation (i.e. proximity to release, level of educational needs, other correctional plan activities)	<input type="checkbox"/> Prioritization of participation (i.e. proximity to release, level of educational needs, other correctional plan activities)	
<b>Teacher’s activities</b>		<input type="checkbox"/> Teachers’ activities include a combination of on site and off site work. <input type="checkbox"/> Off-site work for educational tasks include lesson preparation, assignment marking, report writing, etc.	<input type="checkbox"/> Teacher works remotely unless critical to be onsite <input type="checkbox"/> Off site work for tasks, e.g. course planning and development, marking, report writing, etc.		
<b>Group size</b>		<input type="checkbox"/> Limited by size of space – allowing for 3 meters distance between chairs work stations <input type="checkbox"/> Maximum five students for group/classroom sessions at the discretion of the teacher.			
<b>Educational Program Delivery</b>		<input type="checkbox"/> Prior to group session, explain new procedures, physical distancing requirements, necessity to use PPE, and consequences of non-compliance.	<input type="checkbox"/> No in-person group sessions <input type="checkbox"/> Session delivery using telephone or video if feasible <input type="checkbox"/> Provide materials for in-cell /on unit self-study as feasible	<input type="checkbox"/> Alternative delivery may continue if in compliance with direction from local public health authorities	<input type="checkbox"/> No in-person interventions or individual sessions <input type="checkbox"/> No staff on site to deliver educational services

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<p>Consequences of non-compliance may include suspension from school and an institutional charge as per <a href="#">section 40</a> of the <i>Corrections and Conditional Release Act</i>.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Course materials printed 3 days in advance before providing to offenders to allow for adequate time to “quarantine” paper</li> <li><input type="checkbox"/> Where possible, course materials will be provided in bulk.</li> <li><input type="checkbox"/> During classroom sessions, everyone is required to remain in their seat to respect physical distancing</li> <li><input type="checkbox"/> Session length may be limited to between 1- 2.5 hours at the discretion of the teacher.</li> <li><input type="checkbox"/> Where quantities allow, textbooks, dictionaries and similar reference material will be labelled and assigned to individual offenders.</li> <li><input type="checkbox"/> Where reference materials must be shared, they will be disinfected, clearly labelled and access will be facilitated by the teacher.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Individual follow up with offender via alternative methods (telephone, video, self- studies) as feasible.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Provide materials for in-cell/on unit self-study as feasible</li> <li><input type="checkbox"/> Individual follow up with offender via alternative methods (telephone, video, self- studies) as feasible.</li> <li><input type="checkbox"/> Document distribution should be limited to minimum. Allow adequate time for paper and documents quarantine.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Provide materials for in-cell/on unit self study as feasible</li> </ul>
<b>Office Space</b>		<ul style="list-style-type: none"> <li><input type="checkbox"/> Only offices that allow for a minimum of 3 metres between desks may be shared</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No sharing of offices</li> </ul>		

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<input type="checkbox"/> Office door to be kept open when possible for air circulation <input type="checkbox"/> If different staff are using an office space at different times – the office will be disinfected between uses			
<b>Education Space</b>		<input type="checkbox"/> Disinfectant wipes or disinfectant cleaning products available to teachers <input type="checkbox"/> Alcohol-based hand sanitizer will be available in all group spaces <input type="checkbox"/> Chairs to be placed 3 meters apart <input type="checkbox"/> Visual markings on the floor to ensure physical distancing and movement flow in space <input type="checkbox"/> All group/classroom spaces to be cleaned according to the <a href="#"><u>COVID-19: Cleaning and disinfection Guidance</u></a> and <a href="#"><u>COVID-19: Institutional Cleaning and step-by-step Guide</u></a> documents.			

**Institutional Employment Program and Vocational Certification**

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Program Planning</b>	<input type="checkbox"/> As per normal routine	<input type="checkbox"/> Prioritization of participation (other correctional plan)	<input type="checkbox"/> Same as Low-moderate risk		

Table of Contents

		<p>activities, proximity to release, interest of offender)</p>			
<p><b>Program Delivery</b></p>		<ul style="list-style-type: none"> <li><input type="checkbox"/> Physical distancing of 2 metres at all times required with exception of specific activities identified in advance of any course that involves a practical portion where safety or task does not allow full 2 metre distancing at all times</li> <li><input type="checkbox"/> For tasks referred to above, these will be clearly outlined with mitigation measure(s) identified and presented for local consultation (union and occupational health and safety representative) and approval as it will be specific to the course and the institution.</li> <li><input type="checkbox"/> Specific parameters in above tasks include two types:             <ol style="list-style-type: none"> <li>1. Where the non-medical mask cannot be worn due to individual having to don another type of shield/mask/helmet (i.e. welding, dust mask. In these cases, at minimum, the individual will ensure no others are within 2-meter distance, wash/sanitize hands, doff the non-medical mask, don the other shield/mask/helmet, etc. and</li> </ol> </li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No in person group sessions</li> <li><input type="checkbox"/> Individual session delivery, in person or using alternate means including in cell/on unit self-study</li> <li><input type="checkbox"/> Increased homework exercises to facilitate independent learning, as feasible</li> <li><input type="checkbox"/> Session delivery using telephone or video - job search, resume reviews, etc...</li> <li><input type="checkbox"/> Staff work remotely unless their presence at the institution is critical</li> <li><input type="checkbox"/> Remote work for tasks, e.g., session prep, post session work, report writing</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Following direction health services, some of the measures in moderate risk may be undertaken</li> <li><input type="checkbox"/> Alternative delivery could continue if in compliance with direction from local public health</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No in person interventions or individual sessions</li> <li><input type="checkbox"/> No staff at the institution to deliver group employment coordinator or vocational certification sessions.</li> <li><input type="checkbox"/> Provide materials for in-cell/on unit self-study as feasible</li> </ul>

Table of Contents

		<p>complete activity. Upon completion, inmate will change back to the non-medical mask using doffing/donning procedures</p> <p>2. Where 2 metre distance can not be maintained due to supervision or safety of task completion, individuals will ensure non-medical mask (or other shield/mask/helmet, etc..) is donned (and subsequently exchanged at end of task) with individuals all being 2 meters apart during this procedure. As much distance as possible will be maintained when completing task and only individuals necessary for safety or procedure of task will be within the 2 meter zone.</p> <p><input type="checkbox"/> If individuals will need to touch same points (i.e. ladder), they will use gloves (donned and doffed per national procedure) for the task.</p>			
<b>Vocational Certification Program facilitator and Employment Coordinators</b>		<p><input type="checkbox"/> Vocational facilitator and Employment Coordinator activities will include a combination of work performed at the institution and remotely per institutional routine.</p>			

Table of Contents

		<ul style="list-style-type: none"> <li><input type="checkbox"/> Remote work for tasks, e.g., session prep, post session work, report writing, etc. available as an option for employees</li> </ul>			
<b>Office Space</b>		<ul style="list-style-type: none"> <li><input type="checkbox"/> Only offices that allow for a minimum of 3 meters between desks may be shared</li> <li><input type="checkbox"/> Office door to be kept open when possible for air circulation</li> <li><input type="checkbox"/> If different staff are using an office space at different times – the office will be disinfected between uses</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No Sharing of Office space</li> </ul>		
<b>Program Space</b>		<ul style="list-style-type: none"> <li><input type="checkbox"/> Chairs to be placed 3 meters apart</li> <li><input type="checkbox"/> Visual markings on the floor to ensure physical distancing and movement flow in space where needed</li> <li><input type="checkbox"/> All classroom type spaces to be disinfected between sessions according to the <u><a href="#">COVID-19: Cleaning and disinfection Guidance</a></u> and <u><a href="#">COVID-19: Institutional Cleaning and step-by-step Guide</a></u> documents.</li> <li><input type="checkbox"/> All practical spaces to have tools, equipment and other touch spaces disinfected between sessions according to the <u><a href="#">COVID-19: Cleaning and disinfection Guidance</a></u> and <u><a href="#">COVID-19: Institutional</a></u></li> </ul>			

Table of Contents

		<p><u>Cleaning and step-by-step Guide</u> documents.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> All cleaning will be documented</li> <li><input type="checkbox"/> In locations where staff and inmates share bathrooms, this practice will cease. Separate bathrooms will be identified.</li> </ul>			
<b>Group Size</b>		<ul style="list-style-type: none"> <li><input type="checkbox"/> Limited by size of space – allowing for 3 meters distance between chairs or practical practice stations</li> <li><input type="checkbox"/> Maximum five participants for classroom based sessions and maximum eight participants for sessions held in industry type space that is of sufficient size to allow physical distancing requirements identified above.</li> </ul>			

Spiritual/Cultural Advisors

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Elder Ceremonies</b>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Re-engaging Indigenous Initiatives as close to typical pre-COVID operations as possible, to ensure meaningful interaction opportunity to engage in cultural/spiritual practices</li> <li><input type="checkbox"/> Coordination of Elder services by Indigenous Liaison Officer (ILO).</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Health professionals orient Elders/Elders’ Helpers on health and safety protocols.</li> <li><input type="checkbox"/> Attendance at Ceremonies is restricted to offenders from the same institution. There are to be no outside participants other than the Elder/Elder’s Helper. Should the Elder’s Helper be an offender, the offender must be from the same institution.</li> <li><input type="checkbox"/> Hand washing stations are setup at the ceremony site or alcohol-based hand sanitizer is available before, during, and after the ceremony.</li> <li><input type="checkbox"/> Disinfectant wipes or disinfectant cleaning products are available to Elder and ILO.</li> <li><input type="checkbox"/> Items will not be passed between participants and there will be no contact between participants.</li> <li><input type="checkbox"/> Ceremonial space must be disinfected between uses according to the <a href="#"><u>COVID-19: Cleaning and disinfection Guidance</u></a> and <a href="#"><u>COVID-19: Institutional Cleaning and step-by-step Guide</u></a> documents. Disinfecting ceremonial equipment and sacred objects is required and will be under</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Limit site-based Elders from entering site, except for urgent or critical needs.</li> <li><input type="checkbox"/> If required, alternate workspace to be provided to ensure physical distancing (e.g. cultural/spiritual/religious intervention held in cafeteria rather than cultural centre/chapel.</li> <li><input type="checkbox"/> Virtual interventions – phone or videoconference</li> <li><input type="checkbox"/> When available, Lexan barriers may be used.</li> </ul> <p><b>Note:</b> Elders/Elders’ Helpers who are subject to community public health measures requiring self-isolation should not enter a CSC facility and should conduct their work virtually.</p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No in-person activities.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No in-person activities.</li> </ul>

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<p>the supervision of an Elder or their representative.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Should a ceremony be held in indoors, after the room is used, a sign will be posted to advise cleaners that the room needs to be disinfected. This is to be done for shared washrooms and changing rooms also.</li> <li><input type="checkbox"/> All cleaning will be documented.</li> <li><input type="checkbox"/> When a ceremony is held indoors, the door should be kept open, when possible, for air circulation.</li> <li><input type="checkbox"/> A specific place for offender personal belongings is to be identified outside of the ceremonial space that adheres to physical distancing requirements.</li> <li><input type="checkbox"/> Ceremonial site and preparation adheres to physical distancing requirements. Participants’ seats will be placed 3 meters apart. This may require holding ceremonies in larger spaces or outdoors, re-arranging seating, and limiting the number of participants.</li> <li><input type="checkbox"/> Visual markings will be placed on the floor/ground to ensure physical distancing.</li> </ul>			

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<ul style="list-style-type: none"> <li><input type="checkbox"/> Modifications will be made to ceremony by Elders as required to respect all public health measures.</li> <li><input type="checkbox"/> Everyone is required to remain in their seat throughout the ceremony to respect physical distancing.</li> <li><input type="checkbox"/> Ceremony length may be limited to between 1 and 2.5 hours. Ensuring all items required for ceremony are ready and available will aid in respecting timelines.</li> <li><input type="checkbox"/> Where physical distancing is not possible, consider the feasibility and effectiveness of installing barriers, such as clear plastic sneeze guards, glass or windows to separate participants. It is important that any physical barriers do not create restrictions to accessibility, in circulation paths or negatively affect airflow within a space.</li> </ul>			
<p><b>Sweat Lodges</b></p> <p><b>Note:</b> A condition to conducting sweat lodge ceremonies is to have local discussions with Elders/Elders’ Helpers,</p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Re-engaging Indigenous Initiatives as close to typical pre-COVID operations as possible, to ensure meaningful interaction opportunity to engage in cultural/spiritual practices.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> All participants must bring their own water bottle.</li> <li><input type="checkbox"/> Inmates will shower and wash their sweat kits immediately afterwards.</li> <li><input type="checkbox"/> Tools that are shared to tend the sacred fire are disinfected between users.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Limit site-based Elders from entering site, except for urgent or critical needs.</li> </ul> <p><b>Note:</b> Elders/Elders’ Helpers who are subject to community public health measures requiring self-</p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No in-person activities.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No in-person activities.</li> </ul>

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
health care professionals and staff.		<input type="checkbox"/> Ceremonial/preparation site adheres to physical distancing protocol. Participants are to be seated 3 meters apart. This may require taking measures such as re-arranging seating and limiting the number of participants. <input type="checkbox"/> Designated seating should be provided outside of the lodge to ensure physical distancing. <input type="checkbox"/> Modifications will be made to ceremony as required by the Elder to respect all public health measures. For example, for sweat lodge ceremony, it could mean doing several ceremonies with fewer participants, rotating participants between inside and outside, having Elders carry offenders’ prayers inside the sweat lodge, and/or having a number of participants surround the lodge while drumming and signing. <input type="checkbox"/> Inmates are required to remain in their designated place throughout the ceremony to respect physical distancing.	isolation should not enter a CSC facility.		
<b>Sacred Pipe Ceremonies</b>	<input type="checkbox"/> Re-engaging Indigenous Initiatives as close to typical pre-COVID operations as	<input type="checkbox"/> Modifications will be made to ceremony as required by the Elder to respect all public	<input type="checkbox"/> Same as above for all ceremonies.	<input type="checkbox"/> No in-person activities.	<input type="checkbox"/> No in-person activities.

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
	possible, to ensure meaningful interaction opportunity to engage in cultural/spiritual practices.	health measures. For sacred pipe ceremonies, this could mean having a physically distanced circle and restricting the use of the pipe for the Elder.			
<b>Feasts</b>	<input type="checkbox"/> Re-engaging Indigenous Initiatives as close to typical pre-COVID operations as possible, to ensure meaningful interaction opportunity to engage in cultural/spiritual practices.	<input type="checkbox"/> The number of participants at a feast will be limited to the size of the space and the need to respect physical distancing (2 meters). <input type="checkbox"/> Masks are worn while preparing food and during clean up. <input type="checkbox"/> Food or beverages will not be shared <input type="checkbox"/> Hands are washed before and after preparing food, eating and/or drinking, and before and after cleaning up. <input type="checkbox"/> All foods not consumed following feasts will be given to the ILO or the Elder/Elder’s Helper, who will determine the appropriate means of removal from the institution. It should not be discarded.	<input type="checkbox"/> No group feasts. <input type="checkbox"/> Food pick up by single cohort. <input type="checkbox"/> Inmates return to the unit to eat.	<input type="checkbox"/> No feasts	<input type="checkbox"/> No feasts
<b>Traditional Medicines</b>	<input type="checkbox"/> Re-engaging Indigenous Initiatives as close to typical pre-COVID operations as possible, to ensure meaningful interaction opportunity to engage in cultural/spiritual practices.	<input type="checkbox"/> Contacts are in accordance with health standards put in place at the site (e.g. the wearing of non-medical masks, hand hygiene before and after contact).	<input type="checkbox"/> Contacts are in accordance with health standards put in place at the site (e.g. the wearing of Personal Protective Equipment, hand hygiene before and after contact).	<input type="checkbox"/> Contacts are in accordance with health standards put in place at the site (e.g. the wearing of Personal Protective Equipment, hand hygiene before and after contact).	<input type="checkbox"/> Contacts are in accordance with health standards put in place at the site (e.g. the wearing of Personal Protective Equipment, hand hygiene before and after contact).

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
	<input type="checkbox"/> Traditional medicines are not shared and are used individually only.	<input type="checkbox"/> Traditional medicines are not shared and are used individually only. <input type="checkbox"/> Traditional medicines should be “quarantined” for 3 days prior to being delivered.	<input type="checkbox"/> Traditional medicines s are not shared and are used individually only. <input type="checkbox"/> Traditional medicines should be “quarantined” for 3 days prior to being delivered.	<input type="checkbox"/> Traditional medicines are not shared and are used individually only. <input type="checkbox"/> Traditional medicines should be “quarantined” for 3 days prior to being delivered.	<input type="checkbox"/> Traditional medicines are not shared and are used individually only. <input type="checkbox"/> Traditional medicines should be “quarantined” for 3 days prior to being delivered.
<b>Spiritual/Cultural advisors - Individual &amp; group activities</b>  <b>NOTE: Elder assisted hearings will be addressed later</b>	<input type="checkbox"/> Group meetings and group services permitted <input type="checkbox"/> Longer term - leveraging technology for unique Elder and Chaplaincy services.	<input type="checkbox"/> Limited number of Elders/Chaplains based on institution specific service delivery plans with modified delivery options. <input type="checkbox"/> May resume group meetings, programs and services with physical distancing and masks. <input type="checkbox"/> Individual meetings (with physical distancing) <input type="checkbox"/> Virtual interventions – phone or videoconference <input type="checkbox"/> All common touch surfaces and tables will be disinfected before and after use.	<input type="checkbox"/> Limit in person access of Elders and Chaplains from entering institutions, except for urgent or critical needs. <input type="checkbox"/> Individual in person meetings to provide essential support in some cases following required <a href="#">IPC measures</a> <input type="checkbox"/> If required, alternate workspace to be provided to ensure physical distancing (e.g. cultural/ spiritual/ religious intervention held in cafeteria rather than cultural centre/chapel) <input type="checkbox"/> Virtual interventions – phone or videoconference <input type="checkbox"/> When available, Lexan barriers may be used.  <b>Note:</b> Elders, chaplains and other cultural/spiritual advisors who are subject to community public health measures requiring self-isolation should not enter a CSC facility and conduct their work virtually.	<input type="checkbox"/> Virtual interventions – phone or videoconference	<input type="checkbox"/> Virtual interventions – phone or videoconference

Table of Contents

**WOMEN'S INSTITUTIONS**

**Mother Child Program**

	<b>Low Risk – Green</b>	<b>Low-Moderate Risk Mitigation Strategies - Grey</b>	<b>Moderate Risk Mitigation Strategies - Yellow</b>	<b>Moderate-High Risk Mitigation Strategies –Orange</b>	<b>High Risk Mitigation Strategies – Red</b>
<b>Children who participate in the full-time residency component of the Program and are currently living with their mother in the institution</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Child may remain with mother as before	<input type="checkbox"/> Child may remain with mother as before	<input type="checkbox"/> Infants and children living full time with their mother may remain, if the possibility to provide a COVID-free environment exists (e.g., mother-child house, PFV, unit/apartment in minimum-security unit) <input type="checkbox"/> Isolation to continue until all cases resolved or contained. <input type="checkbox"/> If applicable, determination of whether approved babysitter can either be safely placed or continue to stay with the mother and child. <input type="checkbox"/> Inmate accommodation takes priority over participation in the Mother-Child Program per CD 768 (paragraph 2 b). <input type="checkbox"/> Each WOI to develop a contingency plan in the event that the mother and child are exposed to the virus and/ or if there is no safe space to isolate the mother and child (e.g., mother-child house, unit/apartment, PFV). The contingency plan must include details regarding isolation options based on	<input type="checkbox"/> Infants and children living full time with their mother may remain, if the possibility to provide a COVID-free environment exists (e.g., mother-child house, PFV, unit/apartment in minimum-security unit). <input type="checkbox"/> Isolation to continue until all cases resolved or contained. <input type="checkbox"/> If applicable, determination of whether approved babysitter can either be safely placed or continue to stay with the mother and child. <input type="checkbox"/> Inmate accommodation takes priority over participation in the Mother-Child Program per CD 768 (paragraph 2 b). <input type="checkbox"/> Each WOI to develop a contingency plan in the event that the mother and child are exposed to the virus and/ or if there is no safe space to isolate the mother and child (e.g., mother-child house, unit/apartment, PFV). The contingency plan must include details regarding isolation options based on available space and resources

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
				available space and resources in the institution, internal and external escort criteria, and placement/ caregiver plans in the community if required. The contingency plan may be implemented following discussions with the mother, local health authorities, community caregiver(s) and/or social services (as appropriate) to determine if and when a transfer to the community is a necessary, safe and viable option.	in the institution, internal and external escort criteria, and placement/ caregiver plans in the community if required. The contingency plan may be implemented following discussions with the mother, local health authorities, community caregiver(s) or/and social services (as appropriate) to determine if and when transfer to the community is a necessary, safe and viable option.
<b>Children who are approved for the full-time residency component of the mother-child program but who are not currently residing with their mother in the institution</b>	<input type="checkbox"/> Routine entry and integration into the institution as per standing order.	<input type="checkbox"/> One-time admission can be approved by Institutional Head. <input type="checkbox"/> Child must be coming from a community where the local public health authority has identified no local community transmission and be consistent with interprovincial and intraprovincial travel restrictions. <input type="checkbox"/> COVID screening questions regarding child completed when admission date finalized and upon entry into the institution. <input type="checkbox"/> Mother and child to self-isolate in an area designated by the Institutional Head for	<input type="checkbox"/> One-time admission can be approved by Institutional Head. <input type="checkbox"/> Child must be coming from a community where the local public health authority has identified no local community transmission and be consistent with interprovincial and intraprovincial travel restrictions. <input type="checkbox"/> COVID screening questions regarding child completed when admission date finalized and upon entry into the institution. <input type="checkbox"/> Mother and child to self-isolate in an area designated	<input type="checkbox"/> No new admissions	<input type="checkbox"/> No new admissions

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		the time-period established by local health authorities. <input type="checkbox"/> Child can integrate into mother-child house following isolation period barring any health concerns and with any additional infection prevention measures required (if any) as per local health authority.	by the Institutional Head for the time-period established by local health authorities. <input type="checkbox"/> Child can integrate into mother-child house following isolation period barring any health concerns and with any additional infection prevention measures required (if any) as per local health authority.		
<b>New mothers with infants (just given birth) and accepted into full-time residential component of the Program</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Baby to integrate into mother-child house or MSU <input type="checkbox"/> Infection prevention measures required (if any) upon mother’s return to the institution established per local health authority. <input type="checkbox"/> Disseminate public health/spread of infection information among the inmate population to mitigate potential spread of virus through children and baby handling by the population .	<input type="checkbox"/> Baby to integrate into mother-child house or MSU <input type="checkbox"/> Infection prevention measures required (if any) upon mother’s return to the institution established per local health authority. <input type="checkbox"/> Disseminate public health/spread of infection information among the inmate population to mitigate potential spread of virus through children and baby handling by the population .	<input type="checkbox"/> Contingency plan regarding safe placement of child in the community developed prior to birth should be implemented. <input type="checkbox"/> In exceptional cases, and in accordance with local health authority approval, the mother and baby may be granted permission to return to the institution in self-isolation until the situation is resolved and/or deemed to be safe.	<input type="checkbox"/> Contingency plan regarding safe placement of child in the community developed prior to birth should be implemented. <input type="checkbox"/> In exceptional cases, and in accordance with local health authority approval, the mother and baby may be granted permission to return to the institution in self-isolation until the situation is resolved and/or deemed to be safe.
<b>Children participating in the part-time component of the Program</b>	<input type="checkbox"/> Routine per standing order	<input type="checkbox"/> Child must be coming from a community where the local public health authority has identified no local community transmission and be consistent with interprovincial and	<input type="checkbox"/> Child must be coming from a community where the local public health authority has identified no local community transmission and be consistent with interprovincial and	<input type="checkbox"/> No part-time mother-child visits <input type="checkbox"/> Depending on age of child, offer additional video conferencing and phone calls	<input type="checkbox"/> No part-time mother-child visits <input type="checkbox"/> Depending on age of child, offer additional video conferencing and phone calls

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		intraprovincial travel restrictions. <input type="checkbox"/> COVID screening questions regarding child completed when admission date finalized and upon entry into the institution. <input type="checkbox"/> Mother and child to remain separated from offender population in PFV or an area designated by the Institutional Head. If visit is less than the isolation period established by local health authorities the mother must continue to self-isolate for the required period from start date of visit.	intraprovincial travel restrictions. <input type="checkbox"/> Only part-time visits of sufficient length to permit isolation in accordance with local health authority guidelines will be considered. <input type="checkbox"/> COVID screening questions regarding child completed when admission date finalized and upon entry into the institution. <input type="checkbox"/> Mother and child to remain separated from offender population in PFV or an area designated by the Institutional Head for the time-period established by local health authorities. <input type="checkbox"/> If visit is longer than this period, the child can integrate into mother-child house following the period of isolation, barring any health concerns.		
<b>Extended contact visits to facilitate mother-child bonding</b>	<input type="checkbox"/> Resumption of contact visits.	<input type="checkbox"/> To be determined in consultation with local health authorities.	<input type="checkbox"/> To be determined in consultation with local health authorities.	<input type="checkbox"/> To be considered in exceptional circumstances in consultation with local health authorities.	<input type="checkbox"/> To be considered in exceptional circumstances in consultation with local health authorities.

**COMMUNITY OPERATIONS**

**Community Correctional Programs**

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>General</b>		<ul style="list-style-type: none"> <li><input type="checkbox"/> Active screening of offenders</li> <li><input type="checkbox"/> Program spaces to be cleaned according to the <u><a href="#">COVID-19: Cleaning and disinfection Guidance</a></u> and <u><a href="#">COVID-19: Institutional Cleaning and step-by-step Guide</a></u> documents.</li> <li><input type="checkbox"/> A specific place for offender personal belongings to be identified outside of the program space.</li> <li><input type="checkbox"/> Commissionaires per existing requirements.</li> </ul>			
<b>Program Planning</b>		<ul style="list-style-type: none"> <li><input type="checkbox"/> Prioritization of programs (offender who were released without completing main programs should be admitted to community program as per Policy Bulletin.)</li> <li><input type="checkbox"/> Offenders with release condition of participating in programs (maintenance or community program).</li> <li><input type="checkbox"/> Higher risk offenders or those for whom risk has increased (risk management).</li> </ul>	<input type="checkbox"/> Same as Low-Moderate Risk	<input type="checkbox"/> Same as Low-Moderate Risk	

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Program Delivery</b>		<ul style="list-style-type: none"> <li><input type="checkbox"/> Program delivery, in person in group, or using alternate means (telephone or video).</li> <li><input type="checkbox"/> Communication with offender regarding alternative delivery (e.g., private space, and other relevant factors).</li> <li><input type="checkbox"/> Increased homework exercises to facilitate independent learning, as feasible.</li> <li><input type="checkbox"/> Local arrangements to facilitate the printing of documents and offender workbook material.</li> <li><input type="checkbox"/> Group materials printed 3 days in advance before providing to offenders to allow for adequate time to “quarantine” pape.</li> <li><input type="checkbox"/> Group materials provided to offenders (workbook comprised of all handouts and some content).</li> <li><input type="checkbox"/> At the first group session, when reviewing rules, review necessity to use PPE and consequences of non-compliance. Consequences of non-compliance may include suspension from programs as per CD 726 Correctional Programs.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No in person group programs</li> <li><input type="checkbox"/> Individual program delivery, in person or using alternate means.</li> <li><input type="checkbox"/> Program delivery using telephone or video.</li> <li><input type="checkbox"/> Increased homework exercises to facilitate independent learning, as feasible.</li> <li><input type="checkbox"/> Reduce the footprint – staff work remotely unless their presence is critical.</li> <li><input type="checkbox"/> Remote work for program tasks, e.g., session prep, post session work, report writing.</li> <li><input type="checkbox"/> Communication with offender regarding alternative delivery (e.g., private space, and other relevant factors).</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Following direction of public health authorities, some of the measures in yellow may be undertaken.</li> <li><input type="checkbox"/> Alternative Correctional program delivery could continue if in compliance with direction from local public health.</li> <li><input type="checkbox"/> Communication with offender regarding alternative delivery (e.g., private space, and other relevant factors).</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No in person programs or individual sessions.</li> </ul>

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<ul style="list-style-type: none"> <li><input type="checkbox"/> Items will be not be passed between participants.</li> <li><input type="checkbox"/> Modifications will be made to program content as required to respect all public health measures.</li> <li><input type="checkbox"/> Everyone is required to remain in their seat throughout the program to respect physical distancing, including during role-plays.</li> <li><input type="checkbox"/> Session length may be limited to between 1 and 2.5 hours</li> <li><input type="checkbox"/> In class offender worksheet completion to be made homework assignment and discussed next session where feasible.</li> </ul> <p><b>Note:</b> local discussions will occur between manager and employees who are immunocompromised regarding alternative program delivery as required.</p>			
<b>Program Facilitators</b>		<ul style="list-style-type: none"> <li><input type="checkbox"/> Program facilitator activities will include a combination of work performed at the office and remotely. Remote work for program tasks, e.g., session prep, post session work, report writing, etc. available as an option for employees.</li> </ul>			

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Office Space</b>		<ul style="list-style-type: none"> <li><input type="checkbox"/> Only offices that allow for a minimum of 3 metres between desks may be shared.</li> <li><input type="checkbox"/> Office door to be kept open when possible for air circulation.</li> <li><input type="checkbox"/> If different staff are using an office space at different times – the office will be cleaned between uses.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No sharing of offices.</li> </ul>		
<b>Program Space</b>		<ul style="list-style-type: none"> <li><input type="checkbox"/> Chairs to be placed 3 meters apart.</li> <li><input type="checkbox"/> Visual markings could be placed on the floor to ensure physical distancing.</li> </ul>			
<b>Group Size</b>		<ul style="list-style-type: none"> <li><input type="checkbox"/> Limited by size of space – allowing for 3 meters distance between chairs</li> <li><input type="checkbox"/> Maximum 5 participants</li> </ul>			

**Community-based Residential Facilities**

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<p><b>Weekend Passes and Travel Permits for Community –based Residential Facilities &amp; Section 81 Facilities</b></p> <p>The granting of Travel Permits and/or Weekend Passes is to be limited in line with public health guidance and to support infection prevention and control precautions</p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Return to pre-COVID-19 community access.</li> <li><input type="checkbox"/> Offenders are allowed to travel.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> The Area Director / CCC Manager/ Parole Officer Supervisor will grant Travel Permits and/or Weekend Passes and will consider the following:               <ul style="list-style-type: none"> <li>• Local / Provincial Public Health guidance</li> <li>• CSC’s identification of the risk level for all areas involved in the issuance of the pass</li> <li>• The details each offender’s circumstance and request (number of people present, area of residence, type of residence etc.)</li> <li>• Mitigating strategies in place during the travel pass or weekend pass</li> </ul> </li> </ul> <p><b>Note:</b> Leaving the local community should be exception based, considering public health guidance and risk assessment.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Active screening questionnaire will be completed by the community contact prior to authorizing leave.</li> <li><input type="checkbox"/> Passes will not be approved if the community support is</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> The granting of Travel Permits and/or Weekend Passes will be as minimal as possible and must be in line with public health guidance and to support infection prevention and control precautions.</li> <li><input type="checkbox"/> Passes may be provided only for essential purposes (e.g., grocery, pharmacy).</li> <li><input type="checkbox"/> All other situations will be dealt with on a case-by-case basis and could be authorized in required circumstances (e.g. employment, fulfilment of legal obligations, intervention activities deemed required), upon approval by District Director or the Area Director.</li> <li><input type="checkbox"/> Active screening questionnaire of offender to be completed before leaving and upon returning to the CCC/S.81 Facility.</li> <li><input type="checkbox"/> Passes will not be approved if the community support is experiencing COVID-19 like symptoms.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No travel permits and weekend passes will be issued</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> No travel permits and weekend passes will be issued</li> </ul>

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<p>experiencing COVID-19 like symptoms.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Active screening questionnaire of offender to be completed before leaving and upon returning to the CCC/S.81 Facility.</li> <li><input type="checkbox"/> Offenders will be required to self-monitor for COVID symptoms for the duration of their permit/pass.</li> <li><input type="checkbox"/> Upon returning to the CCC/S.81 Facility, the offender will:               <ul style="list-style-type: none"> <li>• Wash hands immediately upon entering</li> <li>• Change clothing (place in plastic bag until laundry can be done),</li> <li>• Shower</li> <li>• Disinfect items brought into the CCC.</li> </ul> </li> </ul> <p><b>NOTE:</b> these same steps could be completed when arriving to the destination after having left the CCC/S.81 Facility, especially if the weekend pass or travel pass involves travel between risk zones.</p>			

**Urinalysis Program**

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Urinalysis for Offenders on conditional release in CBRF</b>	<input type="checkbox"/> Routine as per normal	<input type="checkbox"/> Routine per normal with appropriate <a href="#">IPC measures</a> (Individual IPC responsibilities, physical distancing where possible, cleaning/disinfecting tools, equipment’s & surfaces, staff mask & gloves, etc.) <input type="checkbox"/> Consideration must be given for the reduced capacity for urinalysis when authorizing any requests. <input type="checkbox"/> Directional signage in collection areas must be placed to regulate traffic flow and inform of physical distancing protocols. <input type="checkbox"/> Enhanced cleaning with a focus on high touch surfaces. <input type="checkbox"/> Offender wears a mask.	<input type="checkbox"/> All mitigation strategies in Low-Moderate Risk category continue, unless otherwise indicated <input type="checkbox"/> Conduct a point of care risk assessment <input type="checkbox"/> At the CBRF or Parole Office, additional protection to be considered (e.g. eye protection, Plexiglas/Lexan, mirrors, transparent curtains)	<input type="checkbox"/> Suspended	<input type="checkbox"/> Suspended
<b>Urinalysis for offenders on conditional release in the community</b>	<input type="checkbox"/> Routine as per normal in the private residency	<input type="checkbox"/> Routine per normal with appropriate <a href="#">IPC measures</a> <input type="checkbox"/> Offender wears a mask. If the contract urinalysis collector refuses to proceed into the private residency: <input type="checkbox"/> Conduct the urinalysis in the Community-Based Residential Facility or a parole office with a bathroom adapted for this test.	<input type="checkbox"/> All mitigation strategies in Low-Moderate Risk category continue, unless otherwise indicated <input type="checkbox"/> Conduct a point of care risk assessment <input type="checkbox"/> At the CBRF or Parole Office additional protection to be used (e.g. Plexiglas/Lexan, mirrors, transparent curtains)	<input type="checkbox"/> Suspended	<input type="checkbox"/> Suspended

Table of Contents

	<b>Low Risk – Green</b>	<b>Low-Moderate Risk Mitigation Strategies - Grey</b>	<b>Moderate Risk Mitigation Strategies - Yellow</b>	<b>Moderate-High Risk Mitigation Strategies –Orange</b>	<b>High Risk Mitigation Strategies – Red</b>
		If it is not possible to proceed to a CBRF or a Parole Office, the urinalysis test will be suspended.			

**HEALTH SERVICES OPERATIONS**

**Foundational Measures**

**Note:** Foundational measures are relevant to all health service delivery areas, unless otherwise specified.

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<i>All measures in LOW risk (GREEN), in addition to:</i>	<i>All measures in LOW risk (GREEN), in addition to:</i>	<i>All measures in LOW risk (GREEN), in addition to:</i>	
<b>Physical Distancing</b>	<input type="checkbox"/> Staff are encouraged to stay home if sick.	<input type="checkbox"/> Keep individuals in a double <u>cohort</u> . <input type="checkbox"/> Staff should physical distance (maintain a distance of at least 2 meters) from each other and from patients, as much as possible. Patients should also be encouraged to physical distance. <input type="checkbox"/> Regional Pharmacies may resume or continue the practice of one staff roster, the following risk mitigations measures should be in place: <ul style="list-style-type: none"> <li>Pharmacy staff should wear non-medical masks at all times, as per <a href="#">COVID-19 Update: Guidance on the Use of Non-Medical Masks and Personal Protective Equipment</a>.</li> <li>Treat all staff at the pharmacy as in the same cohort. Outside of the cohort, 2 meter distance must be maintained, along with non-medical masking.</li> </ul>	<input type="checkbox"/> Keep individuals in a single <u>cohort</u> . <input type="checkbox"/> Resume or continue the practice of one staff roster for Health Services. However, staff should be prepared for the possibility that they may be asked to transition to a two-team roster approach if conditions change. <input type="checkbox"/> Regional Pharmacies may resume or continue the practice of one staff roster, the following risk mitigations measures should be in place: <ul style="list-style-type: none"> <li>Pharmacy staff should wear non-medical masks at all times, as per <a href="#">COVID-19 Update: Guidance on the Use of Non-Medical Masks and Personal Protective Equipment</a>.                COVID-19 Update: Guidance on the Use of Non-Medical Masks and Personal Protective Equipment.</li> </ul>	<input type="checkbox"/> Keep individuals <u>cohorted</u> to the smallest group possible. <input type="checkbox"/> Implement a two-team roster approach for Health Services and Regional Pharmacies that requires that two staff rosters be established with limited or no overlap between the staff groups, in order to reduce the potential for transmission between groups. <ul style="list-style-type: none"> <li>A two-team roster approach is just one example of staff rostering that can mitigate risk of COVID-19 transmission among health staff. Operational sites may wish to consider other rostering approaches, such as zone-based staffing.</li> </ul> <input type="checkbox"/> Staff should physical distance (maintain a distance of at least 2 meters) from each other and from patients, as much as possible. Patients should also be encouraged to physical distance.	

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<ul style="list-style-type: none"> <li>Implement engineering controls, such as Plexiglas/Lexan barriers between staff, where possible</li> </ul>	<ul style="list-style-type: none"> <li>Treat all staff at the pharmacy as in the same cohort. Outside of the cohort, 2-meter distance must be maintained, along with non-medical masking.</li> <li>Implement engineering controls, such as Plexiglas/Lexan barriers between staff, where possible</li> </ul> <p><input type="checkbox"/> Staff should physical distance (maintain a distance of at least 2 meters) from each other and from patients, as much as possible. Patients should also be encouraged to physical distance.</p>		
<b>Engineering Controls</b>	<p><input type="checkbox"/> Routine practices for environmental cleaning (including equipment), as per <a href="#">Infection Prevention and Control Guidelines (2020)</a>, including (but not limited to):</p> <ul style="list-style-type: none"> <li>Regular cleaning and disinfecting high-touch surfaces;</li> <li>Ensuring patient rooms are terminally cleaned following patient discharge;</li> <li>Using approved cleaning and disinfectant products;</li> </ul>	<p><input type="checkbox"/> Clean and disinfect common spaces or shared objects between cohorts, including chairs, tables, etc.</p> <p><input type="checkbox"/> Enhanced cleaning practices, with approved products for specifically for COVID-19, as per the <a href="#">COVID-19: Cleaning and disinfection Guidance</a> document.</p> <p><input type="checkbox"/> Ensure there is adequate supply of no-touch receptacles for used PPE and waste; and no-touch laundry hampers (lined with plastic liners) for reusable gowns.</p>	<p><input type="checkbox"/> Consider Plexiglas/Lexan sneeze guards for point-of-care activities to create a barrier between the patient and the nurse (e.g. on med carts or on wheels for use at point-of-care).</p> <p><input type="checkbox"/> Clean and disinfect common spaces or shared objects between cohorts, including chairs, tables, etc.</p> <p><input type="checkbox"/> Enhanced cleaning practices, with approved products for specifically for COVID-19, as per the <a href="#">COVID-19: Cleaning and disinfection Guidance</a> document.</p>	<p><input type="checkbox"/> Consider Plexiglas/Lexan sneeze guards for point-of-care activities to create a barrier between the patient and the nurse (e.g. on med carts or on wheels for use at point-of-care).</p> <p><input type="checkbox"/> Clean and disinfect common spaces or shared objects between cohorts, including chairs, tables, etc.</p> <p><input type="checkbox"/> Enhanced cleaning practices, with approved products for specifically for COVID-19, as per the <a href="#">COVID-19: Cleaning and disinfection Guidance</a> document.</p> <p><input type="checkbox"/> Ensure there is adequate supply of no-touch receptacles for used PPE and waste; and no-touch laundry hampers (lined with plastic liners) for reusable gowns.</p>	

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
	<ul style="list-style-type: none"> <li>Dedicating non-critical equipment to a single patient, where feasible;</li> <li>Cleaning and disinfecting reusable equipment between patients.</li> </ul> <input type="checkbox"/> Health centre and other care areas decluttered and surfaces as bare as possible to support required cleaning for ongoing infection prevention control.		<input type="checkbox"/> Ensure there is adequate supply of no-touch receptacles for used PPE and waste; and no-touch laundry hampers (lined with plastic liners) for reusable gowns.		
<b>Administrative Controls</b>	<input type="checkbox"/> Routine practices for IPC, as per <a href="#">Infection Prevention and Control Guidelines (2020)</a> , including (but not limited to): <ul style="list-style-type: none"> <li>Frequent hand hygiene with proper technique;</li> <li>Point-of-care risk assessment;</li> <li>Respiratory hygiene.</li> </ul> <input type="checkbox"/> Maintain inventory and procurement of personal protective equipment, testing swabs, etc. <input type="checkbox"/> Ongoing education for staff includes hand hygiene, routine practices and additional precautions, point-of-care risk assessment, and environmental/equipment cleaning and disinfection. <input type="checkbox"/> Ongoing patient education, including hand hygiene, respiratory hygiene, and	<input type="checkbox"/> Medical isolation areas prepared and available, including a separate physical area to medically isolate individuals on intake (new Warrants of Committal and/or returns to federal custody). <input type="checkbox"/> Identify designated areas for PPE donning and doffing stations near medical isolation areas. <input type="checkbox"/> Organize appointments and clinics with adequate spacing between bookings to prevent crowding in health centres. <input type="checkbox"/> Reduce the size of in-person group services delivered (e.g. smaller class sizes with seating spaced 2 meters apart). <input type="checkbox"/> Establish a list of patients who are vulnerable to severe	<input type="checkbox"/> Triage health services, prioritizing: <ul style="list-style-type: none"> <li>Urgent physical and mental health needs;</li> <li>Individuals identified as potentially vulnerable to severe COVID-19 illness, as per the <a href="#">Practice Reminder</a>;</li> <li>Individuals who have unique health care needs, as described within <a href="#">‘Special Populations’</a></li> </ul> <input type="checkbox"/> Medical isolation areas prepared and available, including a separate physical area to medically isolate individuals on intake (new Warrants of Committal and/or returns to federal custody). <input type="checkbox"/> Identify designated areas for PPE donning and doffing	<input type="checkbox"/> Medically isolate cases per policy – separate the following groups in separate physical areas: <ul style="list-style-type: none"> <li>Confirmed COVID-19 positive</li> <li>Symptomatic</li> <li>Close contacts (can stay isolated in their house/on their range)</li> <li>New intakes (new Warrants of Committal and/or returns to federal custody)</li> </ul> <input type="checkbox"/> Establish PPE donning and doffing stations in designated areas near medical isolation areas. Stations should be equipped with: a hand washing station equipped with 60% alcohol-based hand rub and/or soap and water; no-touch receptacles for the disposal of gloves and non-reusable face shields and gowns; and no-touch laundry hampers (lined with plastic liners) for reusable gowns. <input type="checkbox"/> Outreach to living area for health service delivery, as much as possible. <input type="checkbox"/> Triage health services, prioritizing: <ul style="list-style-type: none"> <li>Urgent physical and mental health needs;</li> <li>Individuals identified as potentially vulnerable to severe COVID-19 illness, as per the <a href="#">Practice Reminder</a>;</li> <li>Individuals who have unique health care needs, as described within <a href="#">‘Special Populations’</a></li> </ul>	

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
	<p>cleaning/decluttering environment.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Ongoing education for visitors and volunteers on infection control principles, such as hand hygiene, respiratory hygiene, and PPE (if required)</li> <li><input type="checkbox"/> Virtual service delivery and/or telemedicine, including a combined approach with in-person delivery, as appropriate.</li> <li><input type="checkbox"/> For individuals with complex or unique health and wellness needs, integrated care plans are developed and are subject to review and evaluation on an ongoing basis.</li> <li><input type="checkbox"/> If a vaccine for COVID-19 becomes available, organized vaccine campaign/clinics for staff and inmates</li> <li><input type="checkbox"/> Ongoing infection prevention and control evaluation and quality improvement.</li> </ul>	<p>COVID-19 illness, as per the <a href="#">Practice Reminder</a>.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Established documented contact(s) at local public health authority.</li> <li><input type="checkbox"/> Established documented contact(s) at local outside hospital.</li> <li><input type="checkbox"/> For individuals with complex or unique health and wellness needs, integrated care plans are developed and are subject to review and evaluation on an ongoing basis.</li> <li><input type="checkbox"/> Ongoing COVID-19 infection prevention and control evaluation and quality improvement:           <ul style="list-style-type: none"> <li>• Review the <a href="#">COVID-19 IPC Preparedness Guidelines</a> and ensure compliance through regular documented spot-checks and QI to support adherence to and address gaps in IPC practices.</li> </ul> </li> <li><input type="checkbox"/> Develop and implement a communication strategy for each risk level, including memos and communications products for staff/contractors, patients/offenders,</li> </ul>	<p>stations near medical isolation areas.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Organize appointments and clinics with adequate spacing between bookings to prevent crowding in health centres.</li> <li><input type="checkbox"/> Reduce the size of in-person group services delivered (e.g. smaller class sizes with seating spaced 2 meters apart) and deliver by cohort, wherever possible.</li> <li><input type="checkbox"/> Established documented contact(s) at local public health authority.</li> <li><input type="checkbox"/> Established documented contact(s) at local outside hospital.</li> <li><input type="checkbox"/> Integrated care plans for patients with complex or unique (physical and/or mental) health needs are reviewed and adapted to reflect the changing needs of patients, in light of increased restrictions and risks related to COVID-19.</li> <li><input type="checkbox"/> Ongoing COVID-19 infection prevention and control evaluation and quality improvement:           <ul style="list-style-type: none"> <li>• Review the <a href="#">COVID-19 IPC Preparedness Guidelines</a> and ensure compliance through regular</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Established and documented regular communication with local public health authority. Collaborate with local public health authority to establish information or data sharing procedures required for the outbreak response.</li> <li><input type="checkbox"/> Established and documented regular communication with contact at outside hospital. Collaborate with hospital contact to establish any procedures related to transferring CSC patients to outside hospital (e.g. PPE requirements, information sharing)</li> <li><input type="checkbox"/> Integrated care plans for patients with complex or unique (physical and/or mental) health needs are reviewed and adapted to reflect the changing needs of patients, in light of increased restrictions and risks related to COVID-19.</li> <li><input type="checkbox"/> Ongoing COVID-19 infection prevention and control evaluation and quality improvement:           <ul style="list-style-type: none"> <li>• Review the <a href="#">COVID-19 IPC Preparedness Guidelines</a> and ensure compliance through regular documented spot-checks and QI to support adherence to and address gaps in IPC practices.</li> <li>• If the site’s risk level is moving into MODERATE-HIGH (Orange) or HIGH (Red), immediately perform quality improvement spot checks, as per the <a href="#">COVID-19 IPC Preparedness Guidelines</a> to identify areas for improvement. Identify and implement actions to address IPC gaps and implement the controls detailed in this risk framework. Following implementation, perform ongoing spot checks to support adherence and ongoing QI.</li> </ul> </li> <li><input type="checkbox"/> Ensure ongoing communication with staff/contractors, patients/offenders, volunteers, inmate committees, and union partners, as per the communication strategy.           <ul style="list-style-type: none"> <li>• For specific guidance on patient/offender engagement in relation to COVID-19, see CSC’s COVID-19 Offender Engagement Strategy (in development).</li> </ul> </li> </ul>	

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<p>volunteers, inmate committees, and union partners, detailing a change in the institution’s risk level and the control measures.</p> <ul style="list-style-type: none"> <li>For specific guidance on patient/offender engagement in relation to COVID-19, see CSC’s COVID-19 Offender Engagement Strategy (in development).</li> </ul>	<p>documented spot-checks and QI to support adherence to and address gaps in IPC practices.</p> <ul style="list-style-type: none"> <li>If the site’s risk level is moving from LOW-MODERATE (Grey) to MODERATE (Yellow), immediately perform quality improvement spot checks, as per the <a href="#">COVID-19 IPC Preparedness Guidelines</a> to identify areas for improvement. Identify and implement actions to address IPC gaps and implement the controls detailed in this risk framework. Following implementation, perform ongoing spot checks to support adherence and ongoing QI.</li> </ul> <p><input type="checkbox"/> Ensure ongoing communication with staff/contractors, patients/offenders, volunteers, inmate committees, and union partners, as per the communication strategy.</p> <ul style="list-style-type: none"> <li>For specific guidance on patient/offender engagement in relation to COVID-19, see CSC’s</li> </ul>		

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
			COVID-19 Offender Engagement Strategy (in development).		
<b>PPE and masking requirements</b>	<input type="checkbox"/> As needed, additional precautions are implemented, as per <a href="#">Infection Prevention and Control Guidelines (2020)</a>	<input type="checkbox"/> PPE and universal masking for staff as per <a href="#">COVID-19 Update: Guidance on the Use of Non-Medical Masks and Personal Protective Equipment.</a>	<input type="checkbox"/> PPE and universal masking for staff as per <a href="#">COVID-19 Update: Guidance on the Use of Non-Medical Masks and Personal Protective Equipment.</a> <input type="checkbox"/> Non-medical masks worn by individuals when out of cell/room.	<input type="checkbox"/> PPE and universal masking for staff as per <a href="#">COVID-19 Update: Guidance on the Use of Non-Medical Masks and Personal Protective Equipment.</a> <input type="checkbox"/> If the individual is housed in a contaminated or potentially contaminated area: Medical mask worn by the individual at all times, but especially when out of cell/room. If there are no clear contaminated and non-contaminated zones established, use medical masks. <input type="checkbox"/> If the individual is housed in a non-contaminated area: Non-medical mask worn by the individual at all times, but especially when out of cell/room.	

Primary Care

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Physician Clinics</b>	<input type="checkbox"/> Full schedule of physician clinics. <input type="checkbox"/> As appropriate, run clinics using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.	<input type="checkbox"/> Modified schedule of physician clinics <input type="checkbox"/> Schedule physician clinics by double cohort. <input type="checkbox"/> Cleaning/disinfection required between patients and cohorts (e.g. chairs, equipment). <input type="checkbox"/> Where appropriate, run clinics using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.	<input type="checkbox"/> Modified schedule of physician clinics <input type="checkbox"/> Triage physician appointments, prioritizing: <ul style="list-style-type: none"> <li>• Urgent health needs;</li> <li>• Individuals identified as potentially vulnerable to severe COVID-19 illness, as per the <a href="#">Practice Reminder</a></li> </ul> <input type="checkbox"/> Schedule physician clinics by cohort. <input type="checkbox"/> Cleaning/disinfection required between patients and cohorts (e.g. chairs, equipment).	<input type="checkbox"/> Modified schedule of physician clinics <input type="checkbox"/> Triage physician appointments, prioritizing: <ul style="list-style-type: none"> <li>• Urgent health needs;</li> <li>• Individuals identified as potentially vulnerable to severe COVID-19 illness, as per the <a href="#">Practice Reminder.</a></li> </ul> <input type="checkbox"/> Where appropriate, run clinics using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits. <input type="checkbox"/> If in-person appointment is necessary, outreach to the	<input type="checkbox"/> Urgent physician appointments only <input type="checkbox"/> Triage physician appointments, prioritizing: <ul style="list-style-type: none"> <li>• Urgent health needs (including mental health);</li> <li>• Individuals identified as potentially vulnerable to severe COVID-19 illness, as per the <a href="#">Practice Reminder.</a></li> </ul> <input type="checkbox"/> Where appropriate, run clinics using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
			<input type="checkbox"/> Where appropriate, run clinics using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.	<p>cell or range as much as possible.</p> <input type="checkbox"/> If seen in health centre, cleaning/disinfection required between patients. <p><b>Note:</b> Patient cohorts in zones affected by COVID-19 should be moved as little as possible – outreach to these patients as much as possible</p>	<input type="checkbox"/> If in-person appointment is necessary, outreach to the cell or range. <input type="checkbox"/> If seen in health centre, cleaning/disinfection required between patients  <p><b>Note:</b> Patient cohorts in zones affected by COVID-19 should be moved as little as possible – outreach to these patients as much as possible</p>
<p><b>Dental</b></p> <p><b>Note:</b> NHQ-HS will monitor recommendations from dental colleges and public health experts and adjust recommendations as necessary.</p>	<input type="checkbox"/> Full schedule of dental services.	<input type="checkbox"/> Modified schedule of dental services <input type="checkbox"/> Triage dental services based on the level of urgency, priority of care (as per <a href="#">National Essential Health Services Framework</a> ), followed by the waiting list <input type="checkbox"/> 2-hour settling time required for aerosol-generating procedures, as per <a href="#">COVID-19: Guidance for Dental Services</a> . <ul style="list-style-type: none"> <li>• May be able to reduce 2-hour waiting time to increase patient flow, especially for CSC institutions that are in provinces with no or few COVID-19 cases and no COVID-19 cases in the local community.</li> </ul>	<input type="checkbox"/> Modified dental services by urgency and priority of care <input type="checkbox"/> 2-hour settling time required for aerosol-generating procedures, as per <a href="#">COVID-19: Guidance for Dental Services</a> . <input type="checkbox"/> Cleaning/disinfection required between patients. <input type="checkbox"/> Airborne and Contact Precautions for all procedures – PPE includes N95 mask, gown, eye protection, and gloves. <input type="checkbox"/> Close doors to dental suite during aerosol generating procedures (e.g. dental drilling).	<input type="checkbox"/> Urgent dental services only <input type="checkbox"/> 2-hour settling time required for aerosol-generating procedures, as per <a href="#">COVID-19: Guidance for Dental Services</a> . <input type="checkbox"/> Cleaning/disinfection required between patients. <input type="checkbox"/> Airborne and Contact Precautions for all procedures – PPE includes N95 mask, gown, eye protection, and gloves. <input type="checkbox"/> Close doors to dental suite during aerosol generating procedures (e.g. dental drilling).	<input type="checkbox"/> Urgent dental services only <input type="checkbox"/> 2-hour settling time required for aerosol-generating procedures, as per <a href="#">COVID-19: Guidance for Dental Services</a> . <input type="checkbox"/> Cleaning/disinfection required between patients. <input type="checkbox"/> Airborne and Contact Precautions for all procedures – PPE includes N95 mask, gown, eye protection, and gloves. <input type="checkbox"/> Close doors to dental suite during aerosol generating procedures (e.g. dental drilling).

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<ul style="list-style-type: none"> <li><input type="checkbox"/> Cleaning/disinfection required between patients.</li> <li><input type="checkbox"/> Airborne and Contact Precautions for all procedures – PPE includes N95 mask, gown, eye protection, and gloves.</li> <li><input type="checkbox"/> Close doors to dental suite during aerosol generating procedures (e.g. dental drilling).</li> </ul>			
<b>Optometry</b>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Full schedule of optometry services.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified schedule of optometry services</li> <li><input type="checkbox"/> Where possible, schedule optometry appointments by double cohort.</li> <li><input type="checkbox"/> Cleaning/disinfection required between patients and cohorts (e.g. chairs, equipment).</li> <li><input type="checkbox"/> See <a href="#">CSC’s COVID-19 Interim Modifications to Optometry Services.</a></li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Urgent optometry services only</li> <li><input type="checkbox"/> Where possible, schedule optometry appointments by cohort.</li> <li><input type="checkbox"/> Cleaning/disinfection required between patients and cohorts (e.g. chairs, equipment).</li> <li><input type="checkbox"/> See <a href="#">CSC’s COVID-19 Interim Modifications to Optometry Services.</a></li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Temporarily suspend optometry services until outbreak ends, unless urgent need (determined on a case-by-case basis).</li> </ul> <p>Note: NHQ-HS will monitor recommendations from optometry colleges and public health experts and adjust recommendations as necessary.</p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Temporarily suspend optometry services until outbreak ends, unless urgent need (determined on a case-by-case basis).</li> </ul> <p><b>Note:</b> NHQ-HS will monitor recommendations from optometry colleges and public health experts and adjust recommendations as necessary.</p>
<b>Medication Administration</b>  <b>Note:</b> Pharmacy guidance related to specific measures for COVID-19 are subject to change.	<ul style="list-style-type: none"> <li><input type="checkbox"/> Routine medication administration.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified medication administration</li> <li><input type="checkbox"/> Patients can come to health care for medication line, but must move with their double cohort and physically distance as much as possible.</li> <li><input type="checkbox"/> Extend patient supply for self-administration, as per Pharmacy guidance.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified medication administration</li> <li><input type="checkbox"/> Medication administration on individual ranges OR where feasible use large space to allow for physical distancing (if this option is available, patients should attend medication line in cohorts)</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified medication administration</li> <li><input type="checkbox"/> Medication administration on individual ranges OR where feasible use large space to allow for physical distancing (if this option is available, patients should attend medication line in cohorts)</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified medication administration</li> <li><input type="checkbox"/> Medication administration on individual ranges or at the cell level</li> <li><input type="checkbox"/> Extend patient supply for self-administration, as per Pharmacy guidance.</li> <li><input type="checkbox"/> Extend patient supply for release, as per Pharmacy guidance.</li> </ul>

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<ul style="list-style-type: none"> <li><input type="checkbox"/> Extend patient supply for release, as per Pharmacy guidance.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Extend patient supply for self-administration, as per Pharmacy guidance.</li> <li><input type="checkbox"/> Extend patient supply for release, as per Pharmacy guidance.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Extend patient supply for self-administration, as per Pharmacy guidance.</li> <li><input type="checkbox"/> Extend patient supply for release, as per Pharmacy guidance.</li> </ul> <p><b>Note:</b> Patient cohorts and/or zones affected by COVID-19 should not be moved – treat these groups as HIGH risk.</p>	
<b>Opioid Agonist Treatment</b>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Routine Opioid Agonist Treatment (OAT) delivery</li> <li><input type="checkbox"/> OAT administration and observation in the area established for OAT delivery.</li> <li><input type="checkbox"/> Larger groups for psychosocial support and SMART programs.</li> <li><input type="checkbox"/> Routine treatment team meetings with the patient.</li> <li><input type="checkbox"/> Routine IPC practices.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> OAT delivery adapted</li> <li><input type="checkbox"/> Patients can come to health care for administration and observation, but must move with their double cohort and physically distance.</li> <li><input type="checkbox"/> Psychosocial support (i.e. formal SMART program) can be done in-person and in groups, with smaller group sizes and physical distancing (e.g. seating spaced 2 meters apart); where possible, only patients from the same double cohort attend group together. May require adjusting the frequency of groups to account for small group sizes.</li> <li><input type="checkbox"/> Cleaning/disinfection required between cohorts (e.g. chairs, tables).</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Adapt OAT delivery</li> <li><input type="checkbox"/> OAT administration and observation on individual ranges; OR where feasible use large space to allow for physical distancing (if this option is available, two separate OAT administration/observation groups [e.g. morning and afternoon] may be needed to account for physical distancing.</li> <li><input type="checkbox"/> Psychosocial support (i.e. formal SMART program) can be done in-person and in groups, with smaller group sizes and physical distancing (e.g. seating spaced 2 meters apart); only patients from the same cohort attend group together – if this is not feasible, psychosocial support</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Adapt OAT delivery</li> <li><input type="checkbox"/> OAT administration and observation on individual ranges; OR where feasible use large space to allow for physical distancing (if this option is available, two separate OAT administration/observation groups [e.g. morning and afternoon] may be needed to account for physical distancing.</li> <li><input type="checkbox"/> SMART group program suspended until outbreak ends.</li> <li><input type="checkbox"/> Psychosocial support delivered one-on-one at the range.</li> <li><input type="checkbox"/> Treatment team meetings conducted only for complex or urgent cases, by telephone or videoconference where possible. Meetings are not required on a regular basis.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Adapt OAT delivery</li> <li><input type="checkbox"/> OAT administration and observation on individual ranges.</li> <li><input type="checkbox"/> SMART group program suspended until outbreak ends.</li> <li><input type="checkbox"/> Psychosocial support delivered one-on-one at the range.</li> <li><input type="checkbox"/> Treatment team meetings conducted only for complex or urgent cases, by telephone or videoconference where possible. Meetings are not required on a regular basis. Instead, there should be adequate and documented consultation with members of the interdisciplinary team to ensure continuity of care and overall intervention assessment/planning for</li> </ul>

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<ul style="list-style-type: none"> <li><input type="checkbox"/> Treatment team meetings can be done with the patient, respecting physical distancing (may require some team members to join by teleconference to prevent overcrowding).</li> </ul>	<ul style="list-style-type: none"> <li>should be delivered one-on-one at the range.</li> <li><input type="checkbox"/> Cleaning/disinfection required between cohorts (e.g. chairs, tables).</li> <li><input type="checkbox"/> Treatment team meetings can be done with the patient, respecting physical distancing (may require some team members to join by teleconference to prevent overcrowding).</li> </ul>	<ul style="list-style-type: none"> <li>possible. Meetings are not required on a regular basis. Instead, there should be adequate and documented consultation with members of the interdisciplinary team to ensure continuity of care and overall intervention assessment/planning for individuals with a considerable or higher overall level of mental health need.</li> </ul>	<ul style="list-style-type: none"> <li>individuals with a considerable or higher overall level of mental health need.</li> </ul>
<b>Individual Mental Health Therapy</b>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Routine individual mental health interventions.</li> <li><input type="checkbox"/> As appropriate, conduct sessions using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified individual mental health therapy</li> <li><input type="checkbox"/> Individual sessions can take place in a room or area that allows for physical distancing.</li> <li><input type="checkbox"/> Cleaning/disinfection required between patients (e.g. chairs, tables).</li> <li><input type="checkbox"/> Where appropriate, conduct individual appointments by telemedicine or virtual service delivery (or use a hybrid approach with virtual and in-person visits).</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified individual mental health therapy</li> <li><input type="checkbox"/> Individual sessions can take place in a room or area that allows for physical distancing.</li> <li><input type="checkbox"/> Cleaning/disinfection required between patients (e.g. chairs, tables).</li> <li><input type="checkbox"/> Where appropriate, conduct individual appointments by telemedicine or virtual service delivery (or use a hybrid approach with virtual and in-person visits).</li> </ul> <p><b>Note:</b> In cases where a patient is on restricted movement (e.g. clinical seclusion, enhanced observation, medical isolation), patient-specific protocols may need to be develop and vary on a case-by-case basis, depending on the individual’s needs, along with</p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified individual mental health therapy</li> <li><input type="checkbox"/> Avoid moving patients as much as possible. See patients from outside their room or in a room at the unit/range level or remotely, with safeguards for confidentiality.</li> <li><input type="checkbox"/> Identify patients on the present caseload who are relatively stable that can be seen less frequently than usual if there is insufficient staff resources or other limitations.</li> <li><input type="checkbox"/> Identify and prioritize high risk or vulnerable patients for required assessments.</li> <li><input type="checkbox"/> Identify and prioritize high risk or vulnerable patients for follow up care at the usual or greater frequency.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified individual mental health therapy</li> <li><input type="checkbox"/> Avoid moving patients as much as possible. See patients from outside their room or in a room at the unit/range level or remotely, with safeguards for confidentiality.</li> <li><input type="checkbox"/> Identify patients on the present caseload who are relatively stable that can be seen less frequently than usual if there is insufficient staff resources or other limitations.</li> <li><input type="checkbox"/> Identify and prioritize high risk or vulnerable patients for required assessments.</li> <li><input type="checkbox"/> Identify and prioritize high risk or vulnerable patients for follow up care at the usual or greater frequency.</li> </ul>

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
			institutional dynamics, infrastructure, and resources, and should be reviewed and updated on an ongoing basis.	<b>Note:</b> In cases where a patient is on restricted movement (e.g. clinical seclusion, enhanced observation, medical isolation), patient-specific protocols may need to be develop and vary on a case-by-case basis, depending on the individual’s needs, along with institutional dynamics, infrastructure, and resources, and should be reviewed and updated on an ongoing basis.	<b>Note:</b> In cases where a patient is on restricted movement (e.g. clinical seclusion, enhanced observation, medical isolation), patient-specific protocols may need to be develop and vary on a case-by-case basis, depending on the individual’s needs, along with institutional dynamics, infrastructure, and resources, and should be reviewed and updated on an ongoing basis.
<b>Group Mental Health Therapy</b>	<input type="checkbox"/> Routine group mental health therapy, as per the <a href="#">Integrated Mental Health Guidelines (IMHG)</a> .	<input type="checkbox"/> Modified group mental health therapy <input type="checkbox"/> Schedule groups by double cohort. <input type="checkbox"/> Groups can proceed in rooms that allow for 2 meters between all group members and staff (if necessary groups can be smaller and held more frequently). <input type="checkbox"/> Cleaning/disinfection required between cohorts (e.g. chairs, tables).	<input type="checkbox"/> Modified group mental health therapy <input type="checkbox"/> Schedule groups by cohort. <input type="checkbox"/> Groups can proceed in rooms that allow for 2 meters between all group members and staff (if necessary groups can be smaller and held more frequently). <input type="checkbox"/> Cleaning/disinfection required between cohorts (e.g. chairs, tables).	<input type="checkbox"/> Suspend group mental health therapy until the outbreak is over <input type="checkbox"/> Identify any individuals who require supplemental one-on-one follow up in the absence of group mental health therapy. <input type="checkbox"/> Prioritize high risk or vulnerable patients for follow up care at the usual or greater frequency.	<input type="checkbox"/> Suspend group mental health therapy until the outbreak is over <input type="checkbox"/> Identify any individuals who require supplemental one-on-one follow up in the absence of group mental health therapy. <input type="checkbox"/> Prioritize high risk or vulnerable patients for follow up care at the usual or greater frequency.
<b>Infectious Disease Clinics</b>  (E.g. infectious disease clinics for HIV, HCV, etc.)	<input type="checkbox"/> Routine infectious disease clinics. <input type="checkbox"/> As appropriate, run clinics using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.	<input type="checkbox"/> Modified infectious disease clinics <input type="checkbox"/> Clinic appointments scheduled by double cohort and must physically distance. <input type="checkbox"/> Cleaning/disinfection required between cohorts (e.g. chairs, tables).	<input type="checkbox"/> Infectious disease specialist consultations via telemedicine or virtual means unless medically necessary to see the individual in person.	<input type="checkbox"/> Infectious disease specialist consultations via telemedicine or virtual means unless medically necessary to see the individual in person.	<input type="checkbox"/> Infectious disease specialist consultations via telemedicine or virtual means unless medically necessary to see the individual in person.

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<input type="checkbox"/> Where possible, run clinics using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.			
<b>Nursing Clinics</b>  (e.g. chronic disease – diabetes, pain, hypertension, etc.; mental health)	<input type="checkbox"/> Full schedule of nursing clinics. <input type="checkbox"/> As appropriate (such as for Mental Health clinics), run clinics using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.	<input type="checkbox"/> Modified schedule of nursing clinics <input type="checkbox"/> Schedule nursing clinics by double cohort, wherever possible. <input type="checkbox"/> Cleaning/disinfection required between patients and cohorts (e.g. chairs, equipment). <input type="checkbox"/> As appropriate (such as for Mental Health clinics), run clinics using a hybrid-model, combining telemedicine/virtual service delivery and in-person visits.	<input type="checkbox"/> Modified nursing clinics <input type="checkbox"/> Triage nursing appointments, prioritizing: <ul style="list-style-type: none"> <li>• Urgent health needs;</li> <li>• Individuals identified as potentially vulnerable to severe COVID-19 illness, as per the <a href="#">Practice Reminder</a>.</li> </ul> <input type="checkbox"/> Schedule nursing clinics by cohort. <input type="checkbox"/> Cleaning/disinfection required between patients and cohorts (e.g. chairs, equipment). <input type="checkbox"/> As appropriate (such as for Mental Health clinics), run clinics using a hybrid-model, combining telemedicine/virtual service delivery and in-person visits.	<input type="checkbox"/> Nursing care is managed at the individual level <input type="checkbox"/> Triage nursing appointments, prioritizing: <ul style="list-style-type: none"> <li>• Urgent health needs;</li> <li>• Individuals identified as potentially vulnerable to severe COVID-19 illness, as per the <a href="#">Practice Reminder</a>.</li> </ul> <input type="checkbox"/> As appropriate (such as for Mental Health clinics), conduct nursing appointments by telemedicine or virtual service delivery (or use a hybrid approach with virtual and in-person visits). <input type="checkbox"/> If in-person appointment is necessary, outreach to the cell or range.	<input type="checkbox"/> Nursing care is managed at the individual level <input type="checkbox"/> Triage nursing appointments, prioritizing: <ul style="list-style-type: none"> <li>• Urgent health needs;</li> <li>• Individuals identified as potentially vulnerable to severe COVID-19 illness, as per the <a href="#">Practice Reminder</a>.</li> </ul> <input type="checkbox"/> As appropriate (such as for Mental Health clinics), conduct nursing appointments by telemedicine or virtual service delivery. <input type="checkbox"/> If in-person appointment is necessary, outreach to the cell or range.
<b>Psychiatric Clinics</b>	<input type="checkbox"/> Routine psychiatric clinics. <input type="checkbox"/> As appropriate, run clinics using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.	<input type="checkbox"/> Modified psychiatric clinics, <input type="checkbox"/> Clinic appointments scheduled by double cohort and must physically distance. <input type="checkbox"/> Cleaning/disinfection required between cohorts (e.g. chairs, tables). <input type="checkbox"/> As appropriate, run clinics using a hybrid approach,	<input type="checkbox"/> Psychiatry consultations via telemedicine or virtual means, unless necessary to see the individual in person, prioritizing urgent requests.	<input type="checkbox"/> Psychiatry consultations via telemedicine or virtual means, unless necessary to see the individual in person, prioritizing urgent requests.	<input type="checkbox"/> Psychiatry consultations via telemedicine or virtual means, unless necessary to see the individual in person.

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		combining telemedicine/virtual service delivery and in-person visits.			
<b>On-Site Pharmacy Activities</b>	<input type="checkbox"/> Routine pharmacy activities. <input type="checkbox"/> As appropriate, run clinics using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.	<input type="checkbox"/> Modified on-site pharmacy activities <input type="checkbox"/> Where possible, see patients at the unit. <input type="checkbox"/> Practice physical distancing. <input type="checkbox"/> Cleaning/disinfection required between patients/cohorts (e.g. chairs, tables). <input type="checkbox"/> As appropriate, run clinics using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.	<input type="checkbox"/> Pharmacy consultations or rounds via telemedicine or virtual means, unless necessary to see the individual in person, prioritizing urgent requests.	<input type="checkbox"/> Pharmacy consultations or rounds via telemedicine or virtual means, unless necessary to see the individual in person, prioritizing urgent requests.	<input type="checkbox"/> Pharmacy consultations or rounds via telemedicine or virtual means, unless necessary to see the individual in person, prioritizing urgent requests.
<b>Physiotherapy</b>	<input type="checkbox"/> Full schedule of physiotherapy services.	<input type="checkbox"/> Modified schedule of physiotherapy services, with the following considerations: <input type="checkbox"/> Where possible, schedule physiotherapy appointments by double cohort. <input type="checkbox"/> Cleaning/disinfection required between patients and cohorts (e.g. chairs, equipment). <input type="checkbox"/> See CSC's <a href="#">COVID-19 Interim Modifications to Physiotherapy Services</a> .	<input type="checkbox"/> Modified physiotherapy services only, with the following considerations: <input type="checkbox"/> Prioritize individuals with urgent or high physiotherapy needs. <input type="checkbox"/> Where possible, schedule physiotherapy appointments by cohort or do outreach to the cell/range. <input type="checkbox"/> Cleaning/disinfection required between patients and cohorts (e.g. chairs, equipment). <input type="checkbox"/> See CSC's <a href="#">COVID-19 Interim Modifications to Physiotherapy Services</a> .	<input type="checkbox"/> Temporarily suspend physiotherapy services until outbreak ends, unless urgent need (determined on a case-by-case basis) <input type="checkbox"/> NHQ-HS will monitor recommendations from physiotherapy colleges and public health experts and adjust recommendations as necessary.	<input type="checkbox"/> Temporarily suspend physiotherapy services until outbreak ends, unless urgent need (determined on a case-by-case basis) <input type="checkbox"/> NHQ-HS will monitor recommendations from physiotherapy colleges and public health experts and adjust recommendations as necessary.

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<p><b>External medical appointments – Medical Escorts</b></p> <p>(Such as visits to the cancer clinic, pain clinic, imaging department, etc. and visits for elective surgery or ambulatory procedures.)</p> <p><b>Note:</b> Early in the COVID-19 pandemic in Canada, many communities suspended elective and/or ambulatory procedures. As such, the availability of external clinics and elective/ambulatory procedures for our patients will be influenced by restrictions in the local community.</p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Routine management and coordination of external medical appointments.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified procedures for external medical appointments</li> <li><input type="checkbox"/> Continue routine external medical appointments unless there are restrictions in the local community.</li> <li><input type="checkbox"/> If there is a need to reschedule appointments, because of previous restrictions, triage by most urgent first, followed by wait list.</li> <li><input type="checkbox"/> Where possible and appropriate, harness telemedicine or virtual service delivery.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified procedures for external medical appointments</li> <li><input type="checkbox"/> Continue routine external medical appointments unless there are restrictions in the local community.</li> <li><input type="checkbox"/> If there is a need to reschedule appointments, because of previous restrictions, triage by most urgent first, followed by wait list.</li> <li><input type="checkbox"/> Where possible and appropriate, harness telemedicine or virtual service delivery.</li> <li><input type="checkbox"/> Consider the outbreak status of the receiving hospital to assess risk and adjust PPE accordingly, as per <a href="#">COVID-19 Update: Guidance on the Use of Non-Medical Masks and Personal Protective Equipment.</a></li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Urgent appointments only</li> <li><input type="checkbox"/> Where possible and appropriate, harness telemedicine or virtual service delivery.</li> <li><input type="checkbox"/> If the clinic or consultant is not taking urgent appointments, the patient may need to be sent to the Emergency department. If possible, contact the consultant to determine how to best manage the urgent case.</li> <li><input type="checkbox"/> Consider the outbreak status of the receiving hospital to assess risk and adjust PPE accordingly, as per <a href="#">COVID-19 Update: Guidance on the Use of Non-Medical Masks and Personal Protective Equipment.</a></li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Urgent appointments only</li> <li><input type="checkbox"/> Where possible and appropriate, harness capacity or virtual service delivery.</li> <li><input type="checkbox"/> If the clinic or consultant is not taking urgent appointments, the patient may need to be sent to the Emergency department. If possible, contact the consultant to determine how to best manage the urgent case.</li> <li><input type="checkbox"/> Consider the outbreak status of the receiving hospital to assess risk and adjust PPE accordingly, as per <a href="#">COVID-19 Update: Guidance on the Use of Non-Medical Masks and Personal Protective Equipment.</a></li> </ul>
<p><b>Palliative and End-of-Life</b></p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Telemedicine consult with palliative care specialist.</li> <li><input type="checkbox"/> In person family visits.</li> <li><input type="checkbox"/> Instruct visitors on routine infection prevention and control practices, including hand hygiene.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Telemedicine consult with palliative care specialist.</li> <li><input type="checkbox"/> In person family visits.</li> <li><input type="checkbox"/> Visitors are screened for COVID-19 symptoms and exposures.</li> <li><input type="checkbox"/> Instruct visitors on routine infection prevention and control practices, including</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Telemedicine consult with palliative care specialist.</li> <li><input type="checkbox"/> In person family visits.</li> <li><input type="checkbox"/> Visitors are screened for COVID-19 symptoms and exposures.</li> <li><input type="checkbox"/> Instruct visitors on routine infection prevention and control practices, including</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Telemedicine consult with palliative care specialist.</li> <li><input type="checkbox"/> Family visits by combination of video and in person.</li> <li><input type="checkbox"/> Visitors are screened for COVID-19 symptoms and exposures.</li> <li><input type="checkbox"/> Instruct visitors on hand hygiene and PPE</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Telemedicine consult with palliative care specialist.</li> <li><input type="checkbox"/> Family visits by combination of video and in person.</li> <li><input type="checkbox"/> Visitors are screened for COVID-19 symptoms and exposures.</li> <li><input type="checkbox"/> Instruct visitors on hand hygiene and PPE</li> </ul>

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		hand hygiene and best practices for putting on, wearing, and taking off non-medical masks.	hand hygiene and best practices for putting on, wearing, and taking off non-medical masks.	requirements. Assist them with donning PPE before they enter the room and assist them with doffing PPE when they leave the room, ensuring they are supported to use proper technique to mitigate contaminating themselves or the environment.	requirements. Assist them with donning PPE before they enter the room and assist them with doffing PPE when they leave the room, ensuring they are supported to use proper technique to mitigate contaminating themselves or the environment.

Secondary Care

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Intermediate mental health care – Individual treatment</b>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Routine individual mental health interventions.</li> <li><input type="checkbox"/> As appropriate, conduct sessions using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.</li> <li><input type="checkbox"/> Routine admission and discharge procedures should be maintained.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified individual mental health therapy</li> <li><input type="checkbox"/> Individual sessions can take place in a room or area that allows for physical distancing.</li> <li><input type="checkbox"/> Cleaning/disinfection required between patients (e.g. chairs, tables).</li> <li><input type="checkbox"/> As appropriate, conduct sessions using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.</li> <li><input type="checkbox"/> Routine admission and discharge procedures should be maintained.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified individual mental health therapy</li> <li><input type="checkbox"/> Individual sessions can take place in a room or area that allows for physical distancing.</li> <li><input type="checkbox"/> Cleaning/disinfection required between patients (e.g. chairs, tables).</li> <li><input type="checkbox"/> As appropriate, conduct sessions using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.</li> <li><input type="checkbox"/> Routine admission and discharge procedures should be maintained, but patient should be screened for COVID-19 symptoms prior to transfer/admission. If patient is symptomatic, place the transfer/admission on hold</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified individual mental health therapy</li> <li><input type="checkbox"/> Avoid moving patients as much as possible. See patients from outside their room or in a room at the unit/range level or remotely, with safeguards for confidentiality.</li> <li><input type="checkbox"/> Patients should not be transferred from one unit to another unless there is an emergency or an urgent psychiatric or medical reason to do so.</li> <li><input type="checkbox"/> Routine admission and discharge procedures should be maintained, but admissions should only proceed on an urgent clinically necessary basis (e.g. an individual at high risk to himself and/or others,</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified individual mental health therapy.</li> <li><input type="checkbox"/> Avoid moving patients as much as possible. See patients from outside their room or in a room at the unit/range level or remotely, with safeguards for confidentiality.</li> <li><input type="checkbox"/> Patients should not be transferred from one unit to another unless there is an emergency or an urgent psychiatric or medical reason to do so.</li> <li><input type="checkbox"/> Routine admission and discharge procedures should be maintained, but admissions should only proceed on an urgent clinically necessary basis (e.g. an individual at high risk to himself and/or others,</li> </ul>

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
			<p>until the patient has been medically cleared of COVID-19. If they must be admitted, they must be kept in appropriate medical isolation until medically cleared.</p> <p><b>Note:</b> In cases where a patient is on restricted movement (e.g. clinical seclusion, enhanced observation, medical isolation), patient-specific protocols may need to be develop and vary on a case-by-case basis, depending on the individual’s needs, along with institutional dynamics, infrastructure, and resources, and should be reviewed and updated on an ongoing basis.</p>	<p>serious physical or mental deterioration)</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> If able, continue to provide intermediate mental health services on an ambulatory basis at the parent institution.</li> <li><input type="checkbox"/> Where possible, COVID-19 patients or those suspected of COVID-19 should not be admitted until they have been medically cleared of COVID-19, and if they must be admitted, they must be kept in appropriate medical isolation until medically cleared.</li> </ul> <p><b>Note:</b> In cases where a patient is on restricted movement (e.g. clinical seclusion, enhanced observation, medical isolation), patient-specific protocols may need to be develop and vary on a case-by-case basis, depending on the individual’s needs, along with institutional dynamics, infrastructure, and resources, and should be reviewed and updated on an ongoing basis.</p>	<p>serious physical or mental deterioration).</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> If able, continue to provide intermediate mental health services on an ambulatory basis at the parent site.</li> <li><input type="checkbox"/> Where possible, COVID-19 patients or those suspected of COVID-19 should not be admitted until they have been medically cleared of COVID-19, and if they must be admitted, they must be kept in appropriate medical isolation until medically cleared.</li> </ul> <p><b>Note:</b> In cases where a patient is on restricted movement (e.g. clinical seclusion, enhanced observation, medical isolation), patient-specific protocols may need to be develop and vary on a case-by-case basis, depending on the individual’s needs, along with institutional dynamics, infrastructure, and resources, and should be reviewed and updated on an ongoing basis.</p>
<b>Intermediate mental health care – Group treatment</b>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Routine group mental health therapy.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified group mental health therapy, with the following considerations:                             <ul style="list-style-type: none"> <li><input type="checkbox"/> Schedule groups by double cohort.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified group mental health therapy, with the following considerations:                             <ul style="list-style-type: none"> <li><input type="checkbox"/> Schedule groups by cohort.</li> <li><input type="checkbox"/> Groups can proceed in rooms that allow for 2 meters</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Suspend group mental health therapy until the outbreak is over, with the following considerations:                             <ul style="list-style-type: none"> <li><input type="checkbox"/> Identify any individuals who require supplemental one-on-one follow up in the absence</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Suspend group mental health therapy until the outbreak is over, with the following considerations:                             <ul style="list-style-type: none"> <li><input type="checkbox"/> Identify any individuals who require supplemental one-on-one follow up in the absence</li> </ul> </li> </ul>

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<ul style="list-style-type: none"> <li><input type="checkbox"/> Groups can proceed in rooms that allow for 2 meters between all group members and staff (if necessary groups can be smaller and held more frequently).</li> <li><input type="checkbox"/> Cleaning/disinfection required between cohorts (e.g. chairs, tables).</li> </ul>	<ul style="list-style-type: none"> <li>between all group members and staff (if necessary groups can be smaller and held more frequently).</li> <li><input type="checkbox"/> Cleaning/disinfection required between cohorts (e.g. chairs, tables).</li> </ul>	<ul style="list-style-type: none"> <li>of group mental health therapy.</li> <li><input type="checkbox"/> Prioritize high risk or vulnerable patients for follow up care at the usual or greater frequency.</li> </ul>	<ul style="list-style-type: none"> <li>of group mental health therapy.</li> <li><input type="checkbox"/> Prioritize high risk or vulnerable patients for follow up care at the usual or greater frequency.</li> </ul>

Tertiary Care

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
<b>Regional Treatment Centres</b>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Routine Regional Treatment Centre (RTC) service delivery.</li> <li><input type="checkbox"/> Routine admission and discharge procedures should be maintained.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified RTC service delivery</li> <li><input type="checkbox"/> Routine admission and discharge procedures should be maintained.</li> <li><input type="checkbox"/> For individual therapy:               <ul style="list-style-type: none"> <li>• Individual sessions can take place in a room or area that allows for physical distancing.</li> <li>• Cleaning/disinfection required between patients (e.g. chairs, tables).</li> <li>• As appropriate, conduct sessions using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.</li> </ul> </li> <li><input type="checkbox"/> For group therapy:               <ul style="list-style-type: none"> <li>• Schedule groups by double cohort.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified RTC service delivery</li> <li><input type="checkbox"/> Routine admission and discharge procedures should be maintained.</li> <li><input type="checkbox"/> Where possible, COVID-19 patients or those suspected of COVID-19 should not be admitted until they have been medically cleared of COVID-19, and if they must be admitted, they must be kept in appropriate medical isolation until medically cleared.</li> <li><input type="checkbox"/> For individual therapy:               <ul style="list-style-type: none"> <li>• Individual sessions can take place in a room or area that allows for physical distancing.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified RTC service delivery</li> <li><input type="checkbox"/> Patients should not be transferred from one unit to another unless there is an emergency or an urgent psychiatric or medical reason to do so.</li> <li><input type="checkbox"/> Routine admission and discharge procedures should be maintained, but admissions should only proceed on an urgent clinically necessary basis (e.g. an individual at high risk to himself and/or others, serious physical or mental deterioration).</li> <li><input type="checkbox"/> Where possible, COVID-19 patients or those suspected of COVID-19 should not be admitted until they have</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Modified RTC service delivery</li> <li><input type="checkbox"/> Patients should not be transferred from one unit to another unless there is an emergency or an urgent psychiatric or medical reason to do so.</li> <li><input type="checkbox"/> Routine admission and discharge procedures should be maintained, but admissions should only proceed on an urgent clinically necessary basis (e.g. an individual at high risk to himself and/or others, serious physical or mental deterioration).</li> <li><input type="checkbox"/> Where possible, COVID-19 patients or those suspected of COVID-19 should not be admitted until they have been medically cleared of COVID-19,</li> </ul>

Table of Contents

	Low Risk – Green	Low-Moderate Risk Mitigation Strategies - Grey	Moderate Risk Mitigation Strategies - Yellow	Moderate-High Risk Mitigation Strategies –Orange	High Risk Mitigation Strategies – Red
		<ul style="list-style-type: none"> <li>Groups can proceed in rooms that allow for 2 metres between all group members and staff (if necessary groups can be smaller and held more frequently).</li> <li>Cleaning/disinfection required between cohorts (e.g. chairs, tables).</li> </ul>	<ul style="list-style-type: none"> <li>Cleaning/disinfection required between patients (e.g. chairs, tables).</li> <li>As appropriate, conduct sessions using a hybrid approach, combining telemedicine/virtual service delivery and in-person visits.</li> </ul> <input type="checkbox"/> For group therapy: <ul style="list-style-type: none"> <li>Schedule groups by cohort.</li> <li>Groups can proceed in rooms that allow for 2 metres between all group members and staff (if necessary groups can be smaller and held more frequently).</li> <li>Cleaning/disinfection required between cohorts (e.g. chairs, tables).</li> </ul>	been medically cleared of COVID-19, and if they must be admitted, they must be kept in appropriate medical isolation until medically cleared. <input type="checkbox"/> For individual therapy: <ul style="list-style-type: none"> <li>Avoid moving patients as much as possible. See patients from outside their room or in a room at the unit/range level or remotely, with safeguards for confidentiality.</li> </ul> <input type="checkbox"/> For group therapy: <ul style="list-style-type: none"> <li>Suspend group mental health therapy until the outbreak is over</li> <li>Identify any individuals who require supplemental one-on-one follow up in the absence of group mental health therapy.</li> <li>Prioritize high risk or vulnerable patients for follow up care at the usual or greater frequency.</li> </ul>	and if they must be admitted, they must be kept in appropriate medical isolation until medically cleared. <input type="checkbox"/> For individual therapy: <ul style="list-style-type: none"> <li>Avoid moving patients as much as possible. See patients from outside their room or in a room at the unit/range level or remotely, with safeguards for confidentiality.</li> </ul> <input type="checkbox"/> For group therapy: <ul style="list-style-type: none"> <li>Suspend group mental health therapy until the outbreak is over</li> <li>Identify any individuals who require supplemental one-on-one follow up in the absence of group mental health therapy.</li> <li>Prioritize high risk or vulnerable patients for follow up care at the usual or greater frequency.</li> </ul>
<b>Regional Hospitals</b>	<input type="checkbox"/> Routine health service delivery at regional hospitals.	<input type="checkbox"/> Routine health service delivery at regional hospitals, in addition to the following considerations: <ul style="list-style-type: none"> <li>Establish a plan with institutions in the region regarding the transfer of patients with moderate</li> </ul>	<input type="checkbox"/> Routine health service delivery at regional hospitals, in addition to the following considerations: <ul style="list-style-type: none"> <li>Establish a plan with institutions in the region regarding the transfer of patients with moderate</li> </ul>	<input type="checkbox"/> Routine health service delivery at regional hospitals, in addition to the following considerations: <ul style="list-style-type: none"> <li>Implement the established plan and triage considerations regarding the transfer of patients</li> </ul>	<input type="checkbox"/> Routine health service delivery at regional hospitals, in addition to the following considerations: <ul style="list-style-type: none"> <li>Implement the established plan and triage considerations regarding the transfer of patients with moderate COVID-19 illness,</li> </ul>